Manuals+ — User Manuals Simplified.

Shadow
S100-1 Smart Projector

Shadow S100-1 Smart Projector Installation Guide

Contents

Shadow

Shadow S100-1 Smart Projector

Specifications:

- **Product Name:** Infrared Light Remote Control
- **Technology:** Infrared
- **Compatibility:** Various devices with infrared receivers
- **Power Source:** AAA Batteries
- **Range:** Up to 30 feet

Product Information:
The Infrared Light Remote Control is a versatile device that allows you to wirelessly control various compatible devices using infrared technology. It operates on AAA batteries and has a range of up to 30 feet, providing convenient control from a distance.

Product Usage Instructions

1. **Battery Installation:**

    Open the battery compartment on the remote control and insert the required AAA batteries, ensuring the correct polarity.

2. **Device Pairing:**

    Point the remote control towards the device you want to control. Press the specific buttons on the remote control to pair it with the device. Follow the device's manual for specific pairing instructions.

3. **Operating the Remote:**

    Once paired, use the remote control by pointing it towards the device and pressing the desired buttons to perform functions such as power on/off, volume control, channel selection, etc.

4. **Range Considerations:**

    Ensure you are within the specified range of the device you want to control to ensure effective operation. The optimal range is up to 30 feet.

Attention

Please read this manual carefully before use and keep it for future reference.

1. The projector is non dustproof or waterproof.
2. In order to reduce the risk of fire and electric shock, do not expose the projector to rain and fog.
3. Please use the original power adapter. The projector should work under specified rated power supply.
4. When projector is working, please do not look directly into the lens, the strong light will flash your eyes and cause slight pain. Children should use the projector under the supervision of adults.
5. Do not cover the vents of projector. Heating will reduce the life of projector and cause danger.
6. Regularly clean projector vents, or dust may cause cooling malfunction.
7. Do not use the projector in greasy, damp, dusty or smoky environment. Oil or chemicals will cause malfunction.
8. Please handle with care during daily use.
9. Please cut off the power if the projector is out of use for long time.
10. Non-professionals are forbidden to disassemble the projector for testing and maintenance.

Structure Description

This manual is for reference only. It is subject to change without prior notice. Hotack reserves the right of final interpretation.

Focus Wheel —— —— Lens

Air inlet

ROTATE

Remote Component and Functions

Infrared light remote control

Power ON/OFF
Long press Power button on projector for 3 seconds.

Projection Setting
Setting – Projector setting, enter to setup projection mode, keystone correction and screen zoom/smaller.

Audio Setting

Setting – Audio setting, enter to adjust volume.

File

APPS-FileManager, Click to read the contents of external USB disk and hard disk device.

Signal
After connecting projector to another output device, enter HD.

Safety instructions

- Please pay attention to important information related to the operation and maintenance of the projector. You should read this information carefully to avoid problems. Following safety instructions will increase the life of projector.
- Please consult the qualified personnel for installation and repair services, and do not use damaged wires, accessories and other peripherals.
- Projectors should be kept away from flammable, explosive, strong electromagnetic interference (large radar stations, power stations, substations) ,etc. Strong ambient light (avoid direct sunlight), etc.
- Do not cover projector vents.
- Please use the original power adapter.
- Keep adequate ventilation and make sure vents are not covered to avoid projector overheating.
- When projector is working, please do not look directly into the lens, the strong light will flash your eyes and cause slight pain.
- Do not bend or drag the power cord.
- Do not put power cord under projector or any heavy objects.
- Do not cover other soft materials on power cord.

- Do not heat the power cord.
- Avoid touching power adaptor with wet hands.

Disclaim

- This manual is general instructions, The pictures and functions in this manual should subject to the actual product. Our company is devoting to improve product performance, we reserve the right to modify product functions and interface described in this manual without notice.
- Please keep your device properly. We are not responsible for any loss caused by wrong operation of software/hardware or repairing or any other reasons. We are not responsible for any loss of any third party claims.
- This manual has been carefully checked by a professional engineer, please understand for any inevitable omissions.

FCC Warning Statement:
Changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment. This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

1. this device may not cause harmful interference, and
2. this device must accept any interference received, including interference that may cause undesired operation.

FCC Radiation Exposure Statement
The antennas used for this transmitter must be installed to provide a separation distance of at least 20 cm from all persons and must not be co-located for operating in conjunction with any other antenna or transmitter.

Attention: Please do not look directly into the lens when projecting to prevent the strong light doing harm to your eyes. Kids should use the projector under the supervision of adults.

FAQ

Q: How do I know if the remote control is working?
A: You can check if the remote control is functioning by pointing it towards a digital camera or smartphone camera. Press any button on the remote while looking through the camera lens; if you see a light on the remote through the camera display, it indicates that the remote is emitting infrared signals.

Q: Can I use the remote control with multiple devices?
A: Yes, you can pair the remote control with multiple compatible devices by following the pairing process for each device separately.

Documents / Resources

Shadow S100-1 Smart Projector [pdf] Installation Guide
S100 2BF78-S100-1, 2BF78S1001, s100 1, S100-1 Smart Projector, S100-1, Smart Projector, Projector

References

- **User Manual**