

SHARKWARD ANT-1P-4T-BLE-SR Bluetooth Passive Infrared **Sensor User Manual**

Home » Sharkward » SHARKWARD ANT-1P-4T-BLE-SR Bluetooth Passive Infrared Sensor User Manual



Contents

- 1 SHARKWARD ANT-1P-4T-BLE-SR Bluetooth Passive Infrared
- Sensor
- **2 SPECIFICATION**
- **3 OVERVIEW**
- **4 FEATURES AND BENEFITS**
- **5 TECHNICAL DATA**
- **6 OCCUPANCY DETECTION OVERLAP**
- **7 ORDERING INFORMATION**
- **8 COMPLIANCE**
- 9 FCC STATEMENT
- 10 Documents / Resources
 - 10.1 References

SHARKWARD ANT-1P-4T-BLE-SR Bluetooth Passive Infrared Sensor



USER MANUAL


Bluetooth Passive Infrared sensor

SPECIFICATION

The ANT-1 P-4T-BLE-SR uses PIR motion detector architecture and passive infrared (PIR) technology for improved detection coverage for high bay applications.

OVERVIEW

- PIR sensor.
- Bluetooth® SIG mesh.
- High-End Trim, Zoning, Continuous Bi-level Dimming.
- LED Motion indicator.
- Mounting height up to 20 ft.
- 360° coverage pattern.
- Low Voltage connector.
- Technology Partner SILVAIR.




FEATURES AND BENEFITS

- Bluetooth to 0-1 0V signal converter, Bluetooth® mesh network.
- Built-in 20mA 0-1 0V signal output.
- Mesh network, which has a much longer control distance, transmits received signals to neighboring devices.
- All devices on 0-1 0V line are broadcast controlled by mobile application.
- In typical outdoor environment, the typical range for wireless communication is 100ft(30m).
- Actual range is dependent on field installation.
- Available with Magnetic reset (Touch the top part of sensor for 5 seconds).
- On-board antenna.

TECHNICAL DATA

Motion Sensor	Passive infrared sensor		
Input Power	10-14VDC,>50mA		
Control Output	0-1 0V,max 25mA sinking current		
Mounting height	12ft Max.		
Detection angle	360°		
Operating temperature	-20°C-60°C		
IP rating	-20°C-60°C		
Max Bluetooth Range	100ft(30m)		
Warranty	5 years		

OCCUPANCY DETECTION OVERLAP



Height	Minor Movement		Major Movement	
Н	Y1	X1	Y2	X2
8'/2.4m	10'/2.9m	9'/2.7m	15'/4.5m	9'/2.9m
10'/3m	12'/3.6m	11'/3.4m	18'/5.4m	12'/3.6m

Note: Longer dimension of detection area (Y1, Y2) is parallel to longer dimension.

ORDERING INFORMATION

ANT-1 P-4T-BLE-SR

Bluetooth Passive Infrared sensor

COMPLIANCE

Europe (RoHS REACH

United States FC ULISTED

Canada

- 1. This device compiles with Part 15 of the FCC Rules. Operation Is subject to the following two conditions:
- (1) This device may not cause harmful interference.
- (2) This device must accept any interference received, including interference that may cause undesired operation.

This device complies with Part 15 oflhe FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful Interference, and (2) this device must accept any interference received, including Interference that may cause undesired operation.

Caution: The user is cautioned that changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for Class B digital device, pursuant to part 15 of the

FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the Instructions, may cause harmful interference to radio communications. However, there Is no guarantee thatinterference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, lha user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

Documents / Resources



SHARKWARD ANT-1P-4T-BLE-SR Bluetooth Passive Infrared Sensor [pdf] User Manual ANT-1P-4T-BLE-SR Bluetooth Passive Infrared Sensor, ANT-1P-4T-BLE-SR, Bluetooth Passive Infrared Sensor, Passive Infrared Sensor, Sensor

References

User Manual

Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.