Shelly BLU H&T Smart Bluetooth Humidity And Temperature





Shelly BLU H&T Smart Bluetooth Humidity And Temperature **Sensor User Guide**

Home » Shelly » Shelly BLU H&T Smart Bluetooth Humidity And Temperature Sensor User Guide 1



Contents

- 1 Shelly BLU H&T Smart Bluetooth Humidity And Temperature
- **2 Product Usage Instructions**
- 3 FAQ
- 4 Safety information
- **5 Product Description**
- 6 Using Shelly BLU H&T
- 7 Specifications
- 8 Shelly Cloud inclusion
- 9 Troubleshooting
- 10 Documents / Resources
- 10.1 References
- 11 Related Posts



Shelly BLU H&T Smart Bluetooth Humidity And Temperature Sensor



Specifications

Product Name: Shelly BLU H&T

• Type: Smart Bluetooth Humidity and Temperature Sensor

· Features: Long battery life, factory-installed firmware

Product Description:

The Shelly BLU H&T is a smart Bluetooth humidity and temperature sensor with a focus on long battery life. It comes with factory-installed firmware which can be updated for security purposes through the Shelly Smart Control mobile application. It is the user's responsibility to install firmware updates in a timely manner to ensure device conformity.

Product Usage Instructions

Replacing the Battery:

- 1. Gently open the back cover using a plastic opening pick (or a credit card).
- 2. Remove the exhausted battery.
- 3. Insert a new battery.
- 4. Replace the back cover by pressing it against the main body of the Device at the four angles until you hear a clicking sound.

Mounting:

You can place the Device on any horizontal surface with the sensor opening pointing up, or use the supplied double-sided foam stickers to affix it to a vertical or sloped surface. Ensure that nothing blocks the air circulation

around the sensor opening.

FAQ

Where can I find troubleshooting information?

In case of installation or operation problems, you can check the knowledge base page at https://shelly.link/blu_ht_kb.

User and safety guide

Shelly BLU H&T

Smart Bluetooth humidity and temperature sensor

Safety information

For safe and proper use, read this guide, and any other documents accompanying this product. Keep them for future reference. Failure to follow the installation procedures can lead to malfunction, danger to health and life, violation of law, and/or refusal of legal and commercial guarantees (if any). Shelly Europe Ltd. is not responsible for any loss or damage in case of incorrect installation or improper operation of this device due to failure to follow the user and safety instructions in this guide.

- AThis sign indicates safety information
- · This sign indicates an important note.
- \(\triangle CAUTION! \) Do not use the Device if it shows any sign of damage or defect.
- ACAUTION! Do not attempt to repair the Device yourself.
- \triangle CAUTION! Use the Device only with batteries that comply with all applicable regulations. Using inappropriate batteries can cause damage to the Device and fire.
- ▲CAUTION! Make sure the batteries + and signs correspond to the marks on the Device battery compartment.
- <u>MARNING!</u> Keep your battery-powered device away from children. Swallowing batteries can cause serious injury or death.
- \triangle CAUTION! Batteries can emit hazardous compounds or cause fire if not disposed of properly. Take the exhausted battery to your local ercycling point.

Product Description

Shelly BLU H&T (the Device) is a smart Bluetooth humidity and temperature sensor featuring long battery life. The Device comes with factory-installed firmware. To keep it updated and secure, Shelly Europe Ltd. provides the latest firmware updates free of charge. Access the updates through the Shelly Smart Control mobile application. Installation of firmware updates is the user's responsibility. Shelly Europe Ltd. shall not be liable for any lack of conformity of the Device caused by the failure of the user to install the available updates in a timely manner.




Fig. 1


- A: Control button
 - B: Waterproof sensor opening
 - · C: Back cover


Using Shelly BLU H&T

The Device comes ready to use with the battery installed. However, if pressing the control button does not make the Device start emitting signals, you might need to insert a new battery. For more details, see section Replacing the battery. While powered the Device will broadcast every 11 seconds single data packets containing its battery status in percent, the currently measured ambient temperature in °C and relative humidity in percent. Every 6 hours the Device will broadcast multiple data packets for a period of one second. If you press the control button the Device will immediately start broadcasting for a second the currently measured ambient temperature in °C and relative humidity in percent, as well as a button-pressed event. To pair Shelly BLU H&T with another Bluetooth device press and hold the control button for 10 sec. The Device will await connection for the next minute. The available Bluetooth characteristics are described in the official Shelly API documentation at https://shelly.link/ble To restore the device configuration to factory settings, press and hold the control button for 30 seconds shortly after inserting the battery.

Replacing the battery

- 1. Open gently the back cover using a plastic opening pick (or
 - a credit card) as shown in Fig. 1.
- 2. Remove the exhausted battery
- 3. Insert a new battery.
- 4. Replace the back cover by pressing it against the main body of the Device at the four angles until you hear a clicking sound as shown in Fig. 2.





Mounting

You can place the Device on any horizontal surface with the sensor opening pointing up, or the supplied double-sided foam stickers to affix it of an electric or sloped surface. Make sure that noting blocks the air circulation around the sensor opening.

Specifications

• Size (HxWxD): 37x37x10 mm / 1.46×1.46×0.39 in

• Weight: 13 g / 0.44 oz

· Mounting: On a flat surface

• Shell material: Plastic

· Shell color:

Black

Mocha

Ivory

• Ambient working temperature: -20 °C to 60 °C /

5 °F to 140 °F

• Humidity: 0% to 100% RH

• Power supply: 1x 3 V battery (included)

• Battery type: CR2032

· Estimated battery life: 3 years

• Bluetooth protocol: 4.2

• RF band: 2400 - 2483.5 MHz

• Max. RF power: < 4 dBm

• Range: Up to 30 m / 100 ft outdoors, up to 10 m / 33 ft indoors (depending on local conditions)

• Encryption: AES (CCM mode)

Shelly Cloud inclusion

The Device can be monitored, controlled, and set up through our Shelly Cloud home automation service. You can use the service through either our Android, iOS, or Harmony OS mobile application or through any internet browser at https://control.shelly.cloud. If you choose to use the Device with the application and Shelly Cloud

service, you can find instructions on how to connect the Device to the Cloud and control it from the Shelly app in the application guide: https://shelly.link/app-guide. The Shelly mobile application and Shelly Cloud service are not conditions for the Device to function properly. This Device can be used standalone or with various other home automation platforms which support BTHome protocol. For more information visit https://bthome.io

Troubleshooting

In case you encounter problems with the installation or operation of the Device, check its knowledge base page:

https://shelly.link/blu_ht_KB

Declaration of conformity

Hereby, Shelly Europe Ltd. (former Allterco Robotics EOOD) declares that the radio equipment type Shelly BLU H&T is in compliance with Directive 2014/53/EU, 2014/35/EU, 2014/30/EU, 2011/65/EU. The full text of the EU declaration of conformity is available at the following internet address:

https://shelly.link/blu_ht_DoC

Manufacturer: Shelly Europe Ltd.

• Address: 103 Cherni vrah Blvd., 1407 Sofia, Bulgaria

• Tel.: +359 2 988 7435

Official website: https://www.shelly.com

Changes in contact information are published by the Manufacturer on the official website. All rights to the trademark Shelly® and other intellectual rights associated with this Device belong to Shelly Europe Ltd.

Documents / Resources



<u>Shelly BLU H&T Smart Bluetooth Humidity And Temperature Sensor</u> [pdf] User Guide 591666, BLU H T Smart Bluetooth Humidity And Temperature Sensor, BLU H T, Smart Bluetooth Humidity And Temperature Sensor, Humidity And Temperature Sensor, Humidity And Temperature Sensor, Temperature Sensor, Sensor

References

- Shelly Control
- Shelly Smart Control Guide
- Shelly BLE devices
- User Manual

Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.