



SHENZHEN CENTURY HC TECHNOLOGY LIMITED KB50 50 Keys POS Keyboard User Manual

[Home](#) » [SHENZHEN CENTURY HC TECHNOLOGY LIMITED](#) » SHENZHEN CENTURY HC TECHNOLOGY LIMITED KB50 50 Keys POS Keyboard User Manual 

Contents

- [1 SHENZHEN CENTURY HC TECHNOLOGY LIMITED KB50 50 Keys POS Keyboard](#)
- [2 Key Features](#)
- [3 Programmable Features](#)
- [4 MagStripe Reader Features](#)
- [5 Keylock](#)
- [6 \[Mechanical\]](#)
- [7 \[Others\]](#)
- [8 Shipping](#)
- [9 Payment](#)
- [10 Documents / Resources](#)
 - [10.1 References](#)
- [11 Related Posts](#)

SHENZHEN

SHENZHEN CENTURY HC TECHNOLOGY LIMITED KB50 50 Keys POS Keyboard



Key Features

- With 50 switches, good tactile feeling.
- With guide-array, patent design.
- With internal strong metal plate to enhance the protection against ESD is increased.
- Provide double output standard keyboard output cable length of alternative 1.5 m.
- Available in USB and PS/2 Interface.

Programmable Features

- All keys can be programmed with 255 characters.
- Provides multi-level programming.
- Provides for a variable time delay, of 0.5sec per interval.
- Provides true keyboard wedge function that operates with or without the normal computer keyboard connected.
- Support USB programming in Win7/Me/XP/9X, DOS and Linux.
- All programmed data are stored in the keyboard EEPROM.

MagStripe Reader Features

- Comply with ISO 7812, IBM standards.
- Support programmable MSR setting for the header, tail, separator, suffix and prefix. ·Track 1: 210BPI with max 76 characters.
- Track 2: 210BPI with max 107 characters or 75BPI with max 37 characters.
- Track 3: 210BPI with max 107 characters .

- Card swipe speed: 10 to 180 cm/s.
- Optional 1/2/3 rail card reader.

Keylock

- 6 segment electronic keylock.
- Come with three keys of different positions.
- 25,000 turning lifecycles.

Technical Data [Electronics]

Power supply

- USB: +5V±0.2V
- PS/2: +5V/DC±10%

Current input

- USB: 100mA
- PS/2: 100mA

MTBF

- :50,000 hours

[Mechanical]

- Total travel: 4 – 0.5mm
- Pre-travel: $2 \pm 0.6\text{mm}$
- Pre-travel: $2 \pm 0.6\text{mm}$
- Peak load before make: $60 \pm 20\text{cN}$
- Key lifecycle: 12,000,000 strokes Magnetic head lifecycle: 500,000 swipes.

[Others]

- Storage temperature: -20°C to +55°C
- Operating temperature: 0°C to ±50°C
- Operating humidity: 20% to 90%
- Dimension (L×W×H, mm): 220×151×40 Weight (g): 930g

Shipping


1. Air, Sea, Express (DHL, FedEx, UPS, EMS, TNT and so on)
2. EXPRESS: around 3-7 working days to arrive
3. INTERNATIONAL AIR Way: usually around 2-4 days to arrive, will also depend on which destination port
4. By sea: depend on which destination port

Payment

1. T/T
2. Western Union

- 3. Paypal
- 4. Escrow

Documents / Resources

	<p>SHENZHEN CENTURY HC TECHNOLOGY LIMITED KB50 50 Keys POS Keyboard [pdf] Use r Manual KB50 50 Keys POS Keyboard, KB50, 50 Keys POS Keyboard</p>
---	--

References

-  [HC Technology Limited](#)