



Shenzhen Neewer Technology RT107 Remote Shutter Owner's Manual

[Home](#) » [Shenzhen Neewer Technology](#) » Shenzhen Neewer Technology RT107 Remote Shutter Owner's Manual



Contents


- [1 Shenzhen Neewer Technology RT107 Remote Shutter](#)
- [2 Product installation](#)
- [3 Spacification](#)
- [4 How To Use](#)
- [5 Compatible devices](#)
- [6 Documents / Resources](#)
- [7 Related Posts](#)

NEEWER

Shenzhen Neewer Technology RT107 Remote Shutter



Product installation




Spacification

Specifications

MODEL I Shutter

Communication	V5.0
Transmit frequency	2.4GHz - 2.48GHz
Communication distance	10m(30ft)
Battery life	CR2032 X1 cell/about 6 months under working in 10 times a day
Dimension	48mm X 30mm X 10mm
Weight	About 8g

Battery



How To Use

Easy to set up, Easy to use



1. Paring

1. Turn on the shutter by switching the on/off button, the shutter will enter into pairing mode and the indicator LED starts flash quickly at the same time
2. Actiave the function on your phone and sourcing thd devices around
3. Select the device of" AB Shutler3" from the list and paring will be finished automatically in few seconds

2. SelectAPP

Use inbuilt camera APP to taking the photos via i Shutter




or you can download the APP of"camera 360" from Google play if in built camera cannot be supported. check the compatible device and APP in the following instruction



3. .Shooting

Select a correct APP and press the proper button on the shutter for IOS and Android phones to taking the photos.

Compatible devices

Compatible devices	
Compatible with Android 4.2.2 OS or newer and iOS 6.0 or newer	
Compatibility List	camera360 app
iPhone 5s/5c/5, iPhone 4s/4, iPad 3/2, iPad mini, iPad with Retina Display, iPod touch 4th generation or newer.	
Samsung Galaxy S2/S3/S4+, Note 1, Note 2, Note3+, Tab 2, Note 8, 10.1+ Moto X / Nexus 4,5,7+ / Xiaomi 1S, 2S, 3+	
Sony Xperia S HTC New one and X+ Other android phones	

FCC Statement:

This device complies with part 15 of the rec Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures

1. Reorient or relocate the receiving antenna.
2. Increase the separation between the equipment and receiver.
3. Connect the equipment into an outlet on a circuit different from that to which the receiver is connected
4. Consult the dealer or an experienced radio/TV technician for help. Caution: Any changes or modifications to this

device not explicitly approved by the manufacturer could void your authority to operate this equipment.

The device has been evaluated to meet general RF exposure requirements. The device can be used in portable exposure conditions without restriction.

IC warning statements:


English Warning Statement:

“This device complies with Industry Canada licence-exempt RSS standard(s). Operation is subject to the following two conditions: (1) this device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of the device.”

The digital apparatus complies with Canadian CAN ICES-3 (B)/NMB-3(B).

This radio transmitter (ISED certification number: 22889-RT107) has been approved by Industry Canada to operate with the antenna types listed with the maximum permissible gain indicated. Antenna type not included in this list, having a gain greater than the maximum gain indicated for that type, are strictly prohibited for use with this device.

Documents / Resources

	Shenzhen Neewer Technology RT107 Remote Shutter [pdf] Owner's Manual RT107, 2ANIV-RT107, 2ANIVRT107, RT107 Remote Shutter, Remote Shutter
--	--