Shenzhen Riguangyan Technology RD05 Wifi Cameras Instruction Manual

Contents

Shenzhen

Shenzhen Riguangyan Technology RD05 Wifi Cameras

Charge
Please use a 500-1000mA charger to charge the equipment. When charging, the red indicator light is always on. When it is full, the red indicator light is off.Can work while charging.

Turn on the device
Press the power button to start the machine. After starting the machine, the blue indicator light flashes

continuously and quickly, and the device enters the state to be connected.
Note: If the blue indicator is slow flashing/always on or cannot be connected, long press the reset button for 5 seconds to reset.

Install APP

Download and install JXLCAM APP, Android system in Google play search download. For easy installation, easily scan the following QR code installation.
**Note:** during installation, you need to open all permissions of the APP, otherwise the APP will not work properly.


Please select APP to download

Open your phone's WiFi list and connect to B/xCCQ…… After success, open the APP page and click AP as shown below to watch the video.

Note: When there is no WiFi in the environment, AP mode can be used for connection. The effective distance of this mode is no more than 10M,which can realize localized video viewing.

- First, confirm that there is available WIFI signal near the device, turn the device on, the blue indicator light flashes quickly, and the device enters the state to be connected. (Note: only support 2.4G band WIFI signal)
- Unable to connect successfully when power is low.
- When connecting to the network, place the device as close to the router as possible. If the nearby available WiFi signal is weak, the connection cannot be successful or the screen will be closed after successful connection.
- 4.open the APP and follow the steps below

①Click"+"   ②Click "AP add Camera"

③Click "···" to connect to the local

2.4G WIFI band, enter the password,

and then go to the next step

④Click "... "to connect to the camera

WIFI hotspot and add the camera

⑤Click"Cancel"

⑥Waiting for the connection

⑦Click"Next"

⑧You can change the name or not,
and then click "Next"

⑨Check out the video preview on the home page

Local mode

Add device

Number of device

refresh page

Device nickname

SD card playback file

Manually record files

Network status

Photo

Icon	
KTAPCAM	>
DILAPCAM	>
Camera	>

My

Q&A	>
Privacy Policy	>
About DILCAM	>

10:43

< Camera ••• — Settings

2021-12-16 10:43:32

Photo — Recording

Listen — Landscape switching

Alarm —

Indicator light ON/OFF

Switch left and right — Horizontal flip | Vertical flip | Pilot lamp | Day/Night — Infrared lamp ON/OFF

Switch up and down

Sharpness switch — FHD Clarity

Documents / Resources

	Shenzhen Riguangyan Technology RD05 Wifi Cameras [pdf] Instruction Manual RD05, 2A46Y-RD05, 2A46YRD05, RD05 Wifi Cameras, Wifi Cameras
	Shenzhen Riguangyan Technology RD05 Wifi Cameras [pdf] Instruction Manual RD05, 2A46Y-RD05, 2A46YRD05, RD05 Wifi Cameras, RD05 Wifi Cameras