



Shenzhen Yuangu Technology AST3 Wireless Speaker User Manual

[Home](#) » [Shenzhen Yuangu Technology](#) » Shenzhen Yuangu Technology AST3 Wireless Speaker User Manual 

Wireless Speaker



User Manual
Model: AST3

Contents

- [1 Safety Instructions](#)
- [2 What's In the Box](#)
- [3 Product Overview](#)
- [4 Charging](#)
- [5 Turn On/Off](#)
- [6 Bluetooth Mode](#)
- [7 Control](#)
- [8 TWS Mode](#)
- [9 Specifications](#)
- [10 Documents / Resources](#)
- [11 Related Posts](#)

Safety Instructions

Avoid dropping. Do not disassemble. Can be immersed in water of 1m depth for up to 30 minutes. Avoid extremely high or low temperatures. Do not use the device outdoors during thunderstorms. Use original charging cable. Do not use any corrosive detergents or oils to clean the device. Do not expose batteries to heat sources, such as direct sunlight, fire, etc.

What's In the Box



1 * Bluetooth Speaker



1 * User Manual




1 * USB Charging Cable




1 * User Manual

Product Overview

1. Play/Pause Button
2. Bluetooth & TWS Mode Button
3. Volume +
4. Volume -
5. Power Button
6. Bass Boost Button
7. USB-C Charging Port
8. LED Indicator



Charging




Flash red light slowly	Low battery
Red light always on	Charging
Off	Fully charged

Notes:

- Please use the supplied USB cable to charge the speaker and make sure it has been fully charged before the first time used.
- Disconnect the speaker from the charger when fully charged. Do not overcharge the speaker.
- When not in use, store the speaker in a cool place.

Turn On/Off



1. Press and hold the power button for 2 seconds to turn on the speaker, the LED indicator displays white light for 1 second and a voice prompt "AXLOIE" will follow.
2. Press and hold the power button for 2 seconds to turn off the speaker, the LED indicator will be off and a voice prompt "Power Off" will follow.

Bluetooth Mode

1. Press the Bluetooth button twice, the speaker will enter Bluetooth pairing mode, the LED indicator will flash red and white lights alternately and a voice prompt "Pairing" will follow.
2. Turn on Bluetooth on your device, search "AXLOIE 02" and click to connect. After successful connection, the LED indicator displays white light, and a voice prompt "Connected" will follow.

Notes:

- When turned on, the speaker will automatically connect to the most recently connected device if available. If the speaker has not connected to a device, press the Bluetooth button twice to enter Bluetooth pairing mode.
- To pair another device, press the Bluetooth button twice to re-enter pairing mode, then repeat the pairing steps.
- Have connection problems? Remove AXLOIE 02 from the Bluetooth list of your device and make sure the distance is less than 3ft. Then try pairing again.
- To get the best sound quality, make sure it's barrier-free between the device and speaker.

Control

Press the play/pause button once	Play/pause
Press the play/pause button twice	Next track
Press the play/pause button three times	Previous track
Press the play/pause button once	Answer/end a call
Press and hold the play/pause button for 1 second	Reject a call
Press the bass boost button once	Turn on/off bass boost
Press and hold the play/pause button for 2 seconds	Activate Siri or other voice assistants
Press the volume +/- button	Adjust the volume
Press and hold the volume + and volume — buttons at the same time for 5 seconds	Restore the defaulted factory settings
Press and hold the power button for 8 seconds	Forced power-off

TWS Mode


1. Choose either of the speakers as main speaker. Make sure the main speaker has been turned on and connected to a Bluetooth device (such as a mobile phone). Press and hold the Bluetooth button for 3 seconds to enter the TWS pairing mode, a voice prompt "TWS Mode" will follow and the indicator continuously flashes white light twice.
2. The other speaker is used as the secondary speaker. Turn it on and make it enter Bluetooth pairing mode (If it has been connected to one Bluetooth device already, please press the Bluetooth button twice to enter Bluetooth pairing mode). A voice prompt "Pairing" will follow and the indicator flashes red and white light alternately.
3. Take the secondary speaker close to the main speaker then it will connect to the main speaker automatically. After a successful connection, a voice prompt "Connected" will follow. The indicator of the main speaker displays white light and the secondary one flashes white light slowly.
4. Exit the True Wireless Stereo pairing mode. Press and hold the Bluetooth button on either of the speakers for 3 seconds, a voice prompt "Disconnected" will follow. At this time, the main speaker keeps connected with the

Bluetooth device and the indicator displays white light. The secondary speaker will re-enter Bluetooth pairing mode and the indicator flashes red and white light alternately.

Note: With True Wireless Stereo pairing technology, the left and right channels are respectively connected to two speakers by pairing one AXLOIE 02 speaker with another AXLOIE 02 speaker, achieving the best sound effect.

Specifications

Note: Specifications are subject to change without notice.

Input: 5V  2A

Audio Output: 2 x 5W

Charging Time: 2.5 hours

Play Time (varied by volume level and audio content): 12 hours

Dimensions: 90 x 90 x 170mm

Weight (without packaging): 510g / 18oz

Bluetooth Version: V4.2

Bluetooth Range: 20m / 66ft

Contact Us

Email support@axloie.com

✓ Technical Support

✓ Customer Service

Website

www.axloie.com



<https://www.axloie.com/>

✓ Discount ,/ Extra Warranty of 6 months

✓ Online Chat

✓ E-mail CEO

Social media

@axloie



✓ Giveaway

✓ Coupon

✓ Event

Tel.

US/CA: +1-888- 795-8560 Mon-Fri 9:00-17:00 (PST) UK: +44 -121-7900609 Mon-Fri 8:00-17:00 (GMT) DE: +49 15735989502 Mon-Fri 9:00-18:00 Email: support@axloie.com FCC ID: 2ATWG-AST3 IC: 26891-AST3 This

device complies with CAN ICES-3 (B)/NMB-3(B).



Prolinx GmbH Brehmstr. 56, 40239 Duesseldorf Germany Shenzhen Yuangu Technology Co., Ltd. No.101, 1st Factory Building, Hebei Industrial Park, Ma'antang Community, Hebeizhongxing Road, Bantian Sub-district, Longgang District, Shenzhen, China

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy, and if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.



217-210151



Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

The device has been evaluated to meet general RF exposure requirements. The device can be used in portable exposure conditions without restriction.

IC Caution:

This device complies with Industry Canada s licence-exempt RSSs. Operation is subject to the following two conditions:

1. This device may not cause interference; and
2. This device must accept any interference, including interference that may cause undesired operation of the device.

The device has been evaluated to meet general RF exposure requirements. The device can be used in portable exposure conditions without restriction.

Documents / Resources



[Shenzhen Yuangu Technology AST3 Wireless Speaker](#) [pdf] User Manual
AST3, 2ATWG-AST3, 2ATWGAST3, AST3 Wireless Speaker, Wireless Speaker, Speaker