



Shenzhen CONTROLLER Bluetooth Remote Control User Manual

[Home](#) » [Shenzhen](#) » Shenzhen CONTROLLER Bluetooth Remote Control User Manual 



SHENZHEN

User Manual
Bluetooth remote control
controller

Contents

- 1 CONTROLLER Bluetooth Remote Control
- 2 Cutting & Connectors Application:
- 3 Safety Information
- 4 Warranty Policy
- 5 Specifications
- 6 Control Method
- 7 Documents / Resources
 - 7.1 References

CONTROLLER Bluetooth Remote Control

APP Program Usage



Scan two-dimensional code download APP


1. Connect LED color strip and controller, power on controller
2. Scan two-dimensional code download APP:



<http://www.easytrack.net.cn/download/111SHENZHENSHUANGHONGYUAN>

3. Start APP, search and connect controller
4. Enjoy the Bluetooth wireless control experience

Cutting & Connectors Application:



Safety Information

1. FOR INDOOR USE ONLY.

2. RISK OF ELECTRIC SHOCK.
3. DO NOT EXPOSE TO LIQUID, VAPOR OR RAIN.
4. Keep away from open flame.
5. Avoid overheating the light bar when power is on. Please unlock the light bar in time.
6. Avoid rough mounting surface. Make sure the surface is clean and dry before installation.
7. Avoid tearing back glue quickly during installation and stick it to the installation surface slowly.
8. Avoid pressing the lamp bead on the lamp strip vigorously.
9. Backing adhesive does not have good adhesion to all materials, so please use the buckle we deserve.
10. Avoid the direct contact between light beads, which risks the fault of light beads caused by short-circuit.
11. The light strip can be cut according to the required length, but if you want to reuse the extra light strip, you need to buy the connectors

Warranty Policy

30-day money-back guarantee for any reason For 30 days after the date of purchase, return your undamaged product and receive a full refund for ANY reason.

12-month warranty for quality-related issues For 12 months after the date of purchase, we take care of all quality-related issues with a REPLACEMENT OR FULL REFUND.

Reminder: Be sure to use your product as directed.

Specifications

LEDType:SMDLED

Color:MultipleColors Selection

Strip Width:10mm

ColorRenderingIndex(CRI):Ra8+

Working Temperature:-20°Cto 50°C


Beamangle:120 degrees

Lifespan:36,000Hrs+

Usage:Indoor useonly

Control Method

1. 15 Steady Color
2. Brightness Diming
3. White Light Brightness Percentage
4. Simulation ofsunrise sunset
5. Timing orf/Mode
6. MMusic Activation Mode
7. Mutiple Color Changing Mode



The connection lamp belt is powered by the connector USB

FCC Statement

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Caution: Changes or modifications not expressly approved by the party responsible for Compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help important announcement.

Radiation Exposure Statement

To comply with FCC RF exposure compliance requirements, this grant is applicable to only mobile configurations. The antennas used for this transmitter must be installed to provide a separation distance of at least 20 cm from all persons and must not be co-located or operating in conjunction with any other antenna or transmitter.



Documents / Resources

User Manual Bluetooth remote control controller	Shenzhen CONTROLLER Bluetooth Remote Control [pdf] User Manual 2BM78-CONTROLLER, 2BM78CONTROLLER, CONTROLLER Bluetooth Remote Control, CO NTROLLER, Bluetooth Remote Control, Remote Control, Control
---	---

References

- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.