


 **SHENZHEN**  
**WF1585T Android**  
**Tablet**



## Shenzhen WF1585T Android Tablet User Manual

[Home](#) » [Shenzhen](#) » Shenzhen WF1585T Android Tablet User Manual 

### Contents

- [1 Shenzhen WF1585T Android Tablet](#)
- [2 Product Usage Instructions](#)
- [3 Package Contents](#)
- [4 Product Specifications](#)
- [5 FCC Statement](#)
- [6 FAQs](#)
- [7 Documents / Resources](#)
  - [7.1 References](#)



**SHENZHEN**

**Shenzhen WF1585T Android Tablet**



## System Display

- **CPU:** RK3588S2 Quad core cortex A55+Quad core cortex A76 / RK3576 Quad core cortex A53+Quad core cortex A72
- **RAM:** 4GB
- **Internal Memory:** 32GB
- **Operation System:** Android
- **Panel Size:** 15.6, 21.5, 23.8, 32 LCD
- **Resolution:** 1920\*1080 / 3840\*2160 (4K)
- **Model Type:** Capacitive touch screen
- **Number of points:** 10-Point HID-USB
- **Interface for touch:** Aspect Ratio 169 Wi-Fi
- **Wi-Fi:** IEEE 802.11b/g/n/a/ac/ax (wifi 6)
- **Bluetooth:** BT 5.3

## Interface

- **Type-c:** Full Function (Except for charging function)
- **USB:** USB Host\*2
- **HDMI IN:** Support various resolutions

- **VESA Button:** 75x75mm (for 15.6, 21.5) / 100x100mm (for 23.8, 32)

## **Exterior Components**

- Microprobe hole
- Camera
- DC in power supply port
- HDMI IN
- Type-c
- USB host
- Ethernet Port
- Volume + / Volume – / Power key

## **Product Usage Instructions**

### **Setting Up the Digital Signage**

1. Unpack the Digital Signage and ensure all components are present.
2. Connect the power adapter to the DC in power supply port.
3. Power on the device by pressing the Power key.

### **Connecting to Wi-Fi and Bluetooth**

1. Go to Settings and select Wi-Fi to connect to a wireless network.
2. To enable Bluetooth, go to Bluetooth settings and turn it on.

### **Using the Touch Screen**


The Digital Signage features a capacitive touch screen that supports multi-touch gestures. Use your fingers to interact with the display.

### **Adjusting Volume and Display Settings**


Use the Volume + and Volume – buttons to adjust the audio output. You can also customize display settings such as brightness and resolution in the device settings.

## **Package Contents**


Please make sure all of the following are present when you unpack your Digital Signage



Digital Signage



Power adapter




User manual

## Product Specifications

Specifications vary by model configuration.


System	CPU	RK3588S2 Quad core cortex A55+Quad core cortex A76 RK3576 Quad core cortex A53+Quad core cortex A72
	RAM	4GB
	Internal memory	32GB
	Operation system	Android
Display	Panel Size	15.6" 21.5" 23.8" 32"LCD
	Resolution	1920*1080 / 3840*2160(4K)
	Model Type	Capacitive touch screen
	Number of points	10-Point
	Interface for touch	HID-USB
	Aspect Ratio	16 9
	Wi-Fi	IEEE 802.11b/g/n/a/ac/ax (wifi 6) BT 5.3
Interface	Type-c	Full Function ( Except for charging function )
	USB	USB Host*2
	HDMI IN	Support 800*600,1024*768,1280*720,1280*800, 1280*1024,1366*768,1600*900,1920*1080,3840*2160,etc
Other	VESA	75x75mm 15.6" 21.5" / 100x100mm 23.8" 32"
	Button	Power/Vol+/Vol-
	G-sensor	Support
	Speaker	4Ω*5W*2
	Microphone	Built in dual Microphone , Support noise reduction and echo cancellation
	Storage Temperature	-20℃—60℃
	Working Temperature	0℃—40℃ 20~80%RH

## 15.6" Exterior Components




No	Function	No	Function
1	Microprobe hole	7	USB host
2	Camera	8	Ethernet Port
3	DC in power supply port	9	Volume +
4	HDMI IN	10	Volume –
5	Type-c	11	Power key
6	USB host	12	VESA 75x75mm

## 21.5" Exterior Components




No	Function	No	Function
1	Microprobe hole	7	USB host
2	Camera	8	Ethernet Port
3	DC in power supply port	9	Volume +
4	HDMI IN	10	Volume -
5	Type-c	11	Power key
6	USB host	12	VESA 75x75mm

## 23.8" Exterior Components



No	Function	No	Function
1	Microprobe hole	7	USB host
2	Camera	8	Ethernet Port
3	DC in power supply port	9	Volume +
4	HDMI IN	10	Volume –
5	Type-c	11	Power key
6	USB host	12	VESA 100x100mm

### 32" Exterior Components





No	Function	No	Function
1	Microprobe hole	7	USB host
2	Camera	8	Ethernet Port
3	DC in power supply port	9	Volume +
4	HDMI IN	10	Volume –
5	Type-c	11	Power key
6	USB host	12	VESA 100x100mm

## FCC Statement

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions

1. This device may not cause harmful interference
2. This device must accept any interference received, including interference that may cause undesired operation.

**Warning:** Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment

**NOTE:** This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected
- Consult the dealer or an experienced radio/TV technician for help.

## RF warning statement:

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.

- This device complies with parts of the FCC rules. Operation is subject to the following two conditions:
- This device will not cause harmful interference;
- This device must accept any interference received, including interference that may cause undesired operation
- This product complies with the essential requirements of European safety regulations and has passed the product safety conformity assessment procedure. It also has a manufacturer's declaration of conformity to ensure that every product delivered to the customer is safe.

This symbol on the product or in the instructions means that your electrical and electronic equipment should be disposed of at the end of its life separately from your household waste. There are separate collection systems for recycling in your country. For more information, please contact the local authority or your retailer where you purchased the product.

## FAQs

- **Q: How do I reset the Digital Signage to factory settings?**

- A: To reset the device to factory settings, go to Settings > System > Reset options and select Factory data reset.


- **Q: Can I connect external devices to the Digital Signage?**

- A: Yes, you can connect external devices such as USB drives or HDMI sources to the Digital Signage for additional content playback.

- **Q: How do I update the software on the Digital Signage?**

- A: To update the software, go to Settings > System > Software Update and check for any available updates.

## Documents / Resources

	<a href="#">Shenzhen WF1585T Android Tablet</a> [pdf] User Manual E0072, 2ABC5-E0072, 2ABC5E0072, WF1585T Android Tablet, WF1585T, Android Tablet, Tablet
---	--

## References

- [User Manual](#)

### Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.