


 SIGNATURE HARDWARE

Signature
Hardware
955099 Parella
Lighted Mirror
with Tunable LED
and Anti Fog



Signature Hardware 955099 Parella Lighted Mirror with Tunable LED and Anti Fog Owner's Manual

[Home](#) » [Signature Hardware](#) » Signature Hardware 955099 Parella Lighted Mirror with Tunable LED and Anti Fog Owner's Manual 

Contents

- [1 Signature Hardware 955099 Parella Lighted Mirror with Tunable LED and Anti Fog](#)
- [2 Product Information](#)
- [3 Product Usage Instructions](#)
- [4 FEATURES](#)
- [5 ADDITIONAL FEATURES](#)
- [6 Dimension](#)
- [7 Documents / Resources](#)
 - [7.1 References](#)
- [8 Related Posts](#)

 SIGNATURE HARDWARE

Signature Hardware 955099 Parella Lighted Mirror with Tunable LED and Anti Fog



Product Information

Specifications

- **Product Name:** PARELLA LIGHTED MIRROR WITH TUNABLE LED AND ANTI-FOG
- **SKU:** 955099
- **Product Code:** SH662057LED, SH662058LED

Product Usage Instructions

Installation

To install the mirror, follow these steps:

- Choose a suitable location on the wall for mounting.
- Ensure the power source matches the required input voltage.
- Securely mount the mirror using appropriate screws and tools.

Powering On:

To turn on the mirror, simply connect it to a power outlet with the provided adapter.

Adjusting LED Color Temperature:

The color temperature of the LED lights can be adjusted between 3000K to 6400K by using the controls provided.

Anti-Fog Function:

The mirror is equipped with an anti-fog feature. Activate this function as needed to prevent fogging on the mirror surface.

FAQ (Frequently Asked Questions)

- **Q: Is the mirror dimmable?**

A: No, the mirror does not have dimming functionality.

- **Q: How do I find warranty information?**

A: Visit signaturehardware.com/warranty for warranty details.

- **Q: Can the LED color temperature be adjusted?**

A: Yes, the LED color temperature can be tuned between 3000K to 6400K with a variance of +/- 300K.

PARELLA LIGHTED MIRROR WITH TUNABLE LED AND ANTI-FOG

FEATURES

- Material: Aluminum
- Installation Type: Wall Mount
- Voltage: INPUT- 120V60Hz / OUTPUT- 12VDC
- Color Temperature (CCT): 3000K-6400K (+/- 300K)
- Dimmable: No

ADDITIONAL FEATURES

- 40" Mirror overall dimensions: 40-3/16" W x 40-3/16" H.
- 48" Mirror overall dimensions: 48" W x 24" H.
- Frosted LED diffuser.
- CRI 90 LED with tunable brightness and tunable color temperature are included.
- Utilizes a copper-free silver mirror to provide a crisp, smooth, and true reflection.
- Surface-mounted touch switch.
- Designed to work in conjunction with the bathroom's main light source.
- All dimensions are ($\pm 1/2"$).

Dimension

