



SIIG CE-KV0B11-S1 2×1 USB-C 4K Video KVM Switch User Guide

[Home](#) » [SIIG](#) » SIIG CE-KV0B11-S1 2×1 USB-C 4K Video KVM Switch User Guide 



Contents

- [1 SIIG CE-KV0B11-S1 2×1 USB-C 4K Video KVM Switch](#)
- [2 Layout](#)
- [3 Features](#)
- [4 Package contents](#)
- [5 System Requirements](#)
- [6 Documents / Resources](#)
 - [6.1 References](#)
- [7 Related Posts](#)

SIIG CE-KV0B11-S1 2x1 USB-C 4K Video KVM Switch




Dear Valued Customer

WE REALLY APPRECIATE YOUR PURCHASE

~thank you~

Layout



1. **HDMI port:** connect to HDMI display Resolution up to 3840×2160@60Hz
2. **USB-A port:** for mouse & keyboard only
3. **USB-C port:** connect to laptop or tablet (Compatible with Thunderbolt™ 3 or USB-C with DP-Alt Mode.)
4. **LED:** indicates which PC selected
5. **Switch button:** switch the PC source

Features

- Compact USB-C 4K Video KVM switch enables easy switching between 2 USB-C or Thunderbolt 3 Laptops/Desktop/Table and using one keyboard, Mouse and Display;

- Support HDMI 2.0 resolution up to 4K 60Hz UHD and one push-button for switching, no extra power supply required, works with full USB-C (Alt-Mode) port or Thunderbolt 3 & 4 system

Package contents

- 2x1 USB-C 4K Video KVM Switch
- USB Type-C to C cable x2
- Quick Start Guide


System Requirements

1. An available USB Type-C port (Thunderbolt 3 compatible) which supports DP Alt Mode

Support

For more info or tech support <http://www.siig.com/support>

Documents / Resources



[SIIG CE-KV0B11-S1 2x1 USB-C 4K Video KVM Switch](#) [pdf] User Guide
CE-KV0B11-S1 2x1 USB-C 4K Video KVM Switch, CE-KV0B11-S1, 2x1 USB-C 4K Video KVM Switch

References

-  [SIIG Support](#)