



SilentiumPC SPC302 Nano-Reset Remote ARGB KIT User Manual

[Home](#) » [SilentiumPC](#) » SilentiumPC SPC302 Nano-Reset Remote ARGB KIT User Manual

Contents [[hide](#)]


- [1 SilentiumPC SPC302 Nano-Reset Remote ARGB KIT](#)
- [2 ASSEMBLY](#)
- [3 REMOTE](#)
- [4 Documents / Resources](#)
- [5 Related Posts](#)



SilentiumPC SPC302 Nano-Reset Remote ARGB KIT



ASSEMBLY



Additional ARGB connectors.

Compatible with hardware equipped with 3-pin, 5 V ARGB connectors.

REMOTE



- When lighting is on, press the Lock button 5 times to switch the controller to pairing mode. Light will flash white twice. Then, press any button on the Nano-Reset remote you want to pair. Other, unpaired remotes of the same type will not control this controller.
- When lighting is on, press the Lock button 5 times to unlock the controller. Light will flash white twice. Any other Nano-Reset remote will control this controller.

Need more information silentiumpc.com/SPC302

Documents / Resources

	SilentiumPC SPC302 Nano-Reset Remote ARGB KIT [pdf] User Manual SPC302, Nano-Reset Remote ARGB KIT
---	---