

Silonn SLIM01S Portable Automatic Ice Maker Instruction Manual

Home » Silonn » Silonn SLIM01S Portable Automatic Ice Maker Instruction Manual







Contents

- 1 IMPORTANT SAFETY INFORMATION
- **2 PRODUCT INTRODUCTION**
- **3 BEFORE FIRST USE**
- **4 HOW TO USE YOUR ICE MAKER**
- **5 HOW TO USE YOUR ICE MAKER**
- **6 CLEANING AND MAINTENANCE**
- **7 PRODUCT SPECIFICATION**
- **8 TROUBLESHOOTING**
- 9 SHORT AND LONG-TERM WARRANTY
- **INFORMATION**
- 10 Support
- 11 Documents / Resources
- 12 Related Posts

IMPORTANT SAFETY INFORMATION

To reduce the risk, follow these basic safety precautions.



WARNING

• Before using check that the voltage power corresponds to the one shown on the appliance nameplate.



· This appliance must be grounded.



Avoid the use of an extension cord because it may overheat and cause a risk of fire. However, if it is necessary
to use an extension cord:



- 1. Use only extension cord with grounding plug.
- 2. The marked rating of an extension cord must be equal to or greater than the rating of this appliance.
- 3. Do not operate if any component, including the cord or plug, is damaged.
- 4. Unplug the unit before cleaning by hand and when not in use.
- Children or mentally/physically unable personnel are not al-lowed to operate the ice maker.



- Do not place the power cord in such a way it could be pulled on by children or cause a tripping hazard.
- Closely watch children who are near the unit when making ice.
- Do not use water that is micro-biologically unsafe or of unknown quality.



• Do not remove any safety, warning, or product information labels from the unit.



- Do not touch the evaporator with your hands while theice maker is operating.
- Do not plug or unplug the unit with wet hands.





• The unit must be properly installed and located following the installation instructions before it is used. The unit is for indoor household use only.



- Do not store or use flammable vapors or liquids near the unit.
- Do not immerse any part of the unit in water.



• Do not attempt to disassemble, repair, modify or replace any part of the ice maker without permission.



WARNING



FIRE OR EXPLOSION HAZARD Flammable Refrigerant.

This unit contains an isobutane refrigerant, also known as R6OOa, a natural gas with high environmental compatibility.

However, it is also combustible. Adhere to the warnings below to re-duce the risk of injury or property damage.

1. When handling, installing and operating the unit, care should be taken to avoid damage to the refrigerant tubing.



2. Disposal of the unit under Federal and Local Regulations. Contact your local authorities for the environmentally

safe disposal of your refrigerator.



3. Keep ventilation openings in the unit enclosures or the built-in structure clear of obstruction.



4. Do not place the unit near heat sources such as an oven.




5. Ensure a minimum of three inches of clearance around the side and back walls of the unit for proper air circulation.



6. Do not place the unit in direct sunlight.




PRODUCT INTRODUCTION



1. Large Viewing Window

- 2. Ice Full Sensor
- 3. Ice Shovel
- 4. Maximum Water Fill Line
- 5. Air Exhaust Fan
- 6. Control Panel
- 7. Drain Plug
- 8. Ice Basket
- 9. Ice Scoop

BEFORE FIRST USE



	Key (with indicator light)	Function
1	ADD WATER	The indicator light turns red whenthe water reservoir lacks vvater.
2	ICE FULL	The indicator light turns red whenthe ice basket is full.
3		The indicator light turns green when small ice mode is selected.
4		The indicator light turns green when large ice mode is selected.
5	ON/OFF CLEAN	Short press the "ON/OFF/ CLEAN" button to turn on the ice maker an d the "POWER" indica- tor light turns green.
		Short press the "ON/OFF/ CLEAN" button to turn off the ice maker an d the "POWER" indica- tor flashes in green.
		When the ice maker in the status of "standby", long-press the "ON/ O FF/CLEAN" button for 5 sec- onds and the ice maker will turnto self-cl eaning mode, the indica- tor lights of "S" and "L" will flash in green consecutively.
6	SELECT	Confirming large ice mode or small ice mode.

HOW TO USE YOUR ICE MAKER

Stand Upright for 24Hrs
 Check for Accessories

If Missing Contact Customer Service








Discard first 4 cycles
 Use in locations 10°C 32°C
 Perfect Ice Shape








3. What Not To Do!


Unstable base

No other liquids (Drinking water only)

Use in temp below








HOW TO USE YOUR ICE MAKER


- 1. Open cover and remove basket.
- 2. Pour water, do not exceed the "MAX" water mark.
- 3. Press the "ON/ OFF" button.








- 4. Press "Select" to choose ice cube size
- 5. Wait 6min-l3min






6. Ice full and ready when "Ice" indicator is on.




7. When "ADD WATER" indicator is red, add water and press "ON/OFF"




CLEANING AND MAINTENANCE


To keep your ice tasting fresh and the unit looking great, we recom- mend cleaning the unit once per week.


MANUAL CLEANING



SELF-CLEANING (30MIN PROCESS)











DO's 6 DON'T's while cleaning and maintaining

- Do not use organic solvent, boiled water, detergent, strong acid and strong alkali etc. for cleaning.
- Please empfy the water reservoir and dry it for storage if the unit is not used for a long time.
- When the unit is not to be used for a long duration, drain the water completely B< dry the interior.
- Store in a well vented area.

PRODUCT SPECIFICATION

Model	SLIMOI S/SLIMOI R/SLIMOI G1
Voltage/Frequency	1I 5V/6OH z
Ice-making Current	1.7A
Ice-harvest Current	2.OA
Working Power	sl6OVV
Water Reservoir	2L (O.53gal)
Ice Basket Capacity	1.32LBS (0.6NG)
Ice Making Rate	26LBS per day
Ice Shape	Bullet
Ice Size	Small or Large
Material	ABS, PP

TROUBLESHOOTING

Problem Possible Causes Solution	Problem	Possible Causes	Solution
----------------------------------	---------	-----------------	----------

	Poor heat dissipation.	Leave a 6-inch clearance all sides of the ice maker for ventilation.	
Poor ice-making result.	The water temperature is too high.	Fill with water temperature between 8°C and 25°C.	
result.	The ambient temperature is too high.	Use the ice maker in room temperatures bet ween IO°C and 32°C.	
	Evaporator deformation	Please contact the custom- er service.	
	Ice maker has not been cleaned for a lon gtime, ha which will form a sticky substance around the inlet of the water pump.	Clean every I to 2 weeks, nd some neutral cleaning a ents (such as detergent and soapy water etc.)	
Ice maker creating no ise.	Lack of water to pump will create noise when pumping water.	Add more water.	
	Fan or ice-maker is damaged.	Please contact the custorner service.	
	Water pump is dam- aged.		
	Ice is blocking the rared sensor.	Empty the ice basket.	
"ICE FULL" Light is o n.	Infrared sensors do not work.	 Wipe clean the infrared sensors. Contact customer ser- vice if the infrared sen- sors still don't work. 	
	Making ice takes too long.	Stop making ice, after the ce melts restart a nd try again.	

Ice sticks together.	The water temperature is too low.	Fill with water tempera- tures between 8°C a nd 25°C.	
	Evaporator deformation.	Please contact customer service.	
	Ambient or water temperature is too high.	Keep ambient temperature less than 32°C a nd fill cold water.	
	Water pump is damaged.		
	Refrigerating system leaking.		
Not making ice.	Refrigerating blocked.		
	The fan stopped working.		
	The wires are loose.		
	The gears in the motor are broken.		
	Low water level or lack of water.	Stop making ice, refill vvater, press "ON/OF F", then restart and try again.	
"ADD WATER" Ligh t is on.	Water screen blocked atthe bottom of the water reservoir.	Start the sell cleaningfunction.	
	Pump malfuncton.	Please contactcustorner service.	
	The water detector mal-function.		

SHORT AND LONG-TERM WARRRANTY INFORMATION

30-DAY LIMITED WARRANTY

To provide customers with quality shopping and user experience, we guarantee to replace or issue a full refund no questions asked within the 30day period from the date of purchase.

30-DAY TO 1-YEAR LIMITED WARRANTY

After the 3O-day warranty has expired, Silonn automatically activates a 1- year warranty from the date of purchase that covers product replacement.

30-DAY TO1-YEAR WARRANTY LIMITATIONS

This warranty does not cover:

- Any condition resulting from incorrect or inadequate maintenance or care.
- Damage resulting from misuse, abuse, negligence, accidents, or shipping damage.
- Dissatisfaction due to buyer's remorse.
- · Normal wear and tear.
- Damages incurred after the initial transportation.

Support

Thank you

For choosing silonn's ice maker!

All of us at Silonn do appreciate your ice maker purchase. We hope that you are as happy with the ice maker as we were designing and manufacturing it for you. We strive to provide you with the best qualityice makers and services in the industry.

Questions or Problems?



Latest Information and More.



Documents / Resources



<u>Silonn SLIM01S Portable Automatic Ice Maker</u> [pdf] Instruction Manual SLIM01S, SLIM01R, SLIM01G1, SLIM01S Portable Automatic Ice Maker, SLIM01S, Portable A utomatic Ice Maker, Automatic Ice Maker, Ice Maker, Maker

Manuals+,