SILVER MONKEY SMA205 Computer Monitor LED Light





# **SILVER MONKEY SMA205 Computer Monitor LED Light Instruction Manual**

Home » SILVER MONKEY » SILVER MONKEY SMA205 Computer Monitor LED Light Instruction Manual



#### **Contents**

- 1 SILVER MONKEY SMA205 Computer Monitor LED
- 2 Safety information
- 3 Package Contents
- 4 Intended use and construction
- 5 How to use the product
- 6 Specification
- 7 Warranty and technical support
- 8 Documents / Resources
  - 8.1 References

# SILVER MONKEY

### SILVER MONKEY SMA205 Computer Monitor LED Light



Carefully read these instructions before using the product. Keep it for future reference.

## Safety information


- Avoid direct contact with water and other liquids.
- Do not use the device in a humid environment.
- Keep the device out of the reach of children. They may swallow some parts.
- Use the device only under the operating instructions.
- If the device stops working properly contact us

## **Package Contents**

- Monitor light
- USB-C® USB-A cable
- Remote control (no AA batteries included)
- User manual

## Intended use and construction

- A: Power button (Click the button to turn on/off the power), brightness adjustment (Press and hold the button to adjust the brightness)
- **B**: Color temperature adjustment button (Press and hold the button to change the colour temperature colour)
- C: Clamp
- D: Backlight area
- E: USB-C® port
- F: Color temperature adjustment button
- G: Power button, brightness adjustment



## How to use the product

- 1. Connect the power contact points on the lamp to the contact points on the base.
- 2. Place the base on the top centre of the monitor and make sure the clamp is securely attached to the monitor and the bottom of the base is flush with the back of the monitor.
- 3. Plug in the power connector cable, then connect the other end to your computer's USB power port or to a 5V USB adapter.

#### ATTENTION!

The product is compatible with monitors with a thickness of 8-30 mm. The angle of the clamp at the base can be adjusted within 45°.

Inserting the batteries into the remote control

- 1. Open the back cover of the remote control by turning it counterclockwise
- 2. Insert two AA batteries (Not included). Make sure the (+) and (-) are facing the right way.
- 3. Replace the remote control cover and then install it by turning it clockwise.

# **Specification**

#### **SMA205**

Rated voltage: 5 VRated power: 5W

• Color temperature: 2800k-4500k-5500k

• Color Rendering Index (CRI): >80

• Material: Aluminum alloy + ABS

# Warranty and technical support

- Your product is covered by a 24-month manufacturer's warranty.
- For more information go to <u>www.silvermonkey.com/support</u>.
- If you have questions about using the product contact us at kontakt@silvermonkey.com.
- Manufacturer: Silver Monkey sp. z 0.0., ul. Twarda 18, 00-105 Warszawa, Poland.

### Disposal and the EU compliance statement

- CEWe, as the manufacturer of this equipment, declare that it meets the rules of the appropriate EU directives. If you need a copy of the EU Declaration of Conformity contact us.
- Do not throw this equipment out with other household waste. This equipment is made from materials that may be harmful to the environment and human health if the product is disposed of in the wrong way. When you need to throw away an old product, take it to a designated collection point.

#### **Documents / Resources**



<u>SILVER MONKEY SMA205 Computer Monitor LED Light</u> [pdf] Instruction Manual SMA205 Computer Monitor LED Light, Computer Monitor LED Light, Monitor LED Light, LED Light, Light

#### References

### • User Manual

#### Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.