

Contents [[hide](#)]

- [1 Sinum SG-230-FF-230 Frame Socket](#)
- [2 PRODUCT OVERVIEW](#)
- [3 How to register the device in the sinum system](#)
- [4 Registration button features](#)
- [5 Technical data](#)
- [6 Additional information](#)
- [7 Notes](#)
- [8 EU Declaration of conformity](#)
- [9 Frequently Asked Questions](#)
- [10 Documents / Resources](#)
 - [10.1 References](#)





Sinum SG-230-FF-230 Frame Socket



PRODUCT OVERVIEW


The socket SG-230 / FF-230 is an executive device to be mounted directly in a electric box (SG-230) or in a frame (FF-230). It allows you to remotely turn on and off devices connected directly to the socket. The socket has a built-in energy meter. The parameters of this energy can be seen in the Sinum Central application. It communicates with the Sinum central device via a radio signal.

How to register the device in the sinum system

Enter the address of the Sinum central device in the browser and log in to the device. In the main panel, click the Settings > Devices > Wireless devices > . Then hold down the registration button  on the device for 1 second. After a properly completed registration process, an appropriate message will appear on the screen. Additionally, the user can name the device and assign it to a specific room.

Registration button features

- click – change of relay state
- hold for 1 second – registration to the Sinum Central device
- factory settings – to restore factory settings, hold down the registration button **1** and release it after about 10 seconds. Fast flashing of the diode **2** confirms that the factory settings have been restored. Restoring factory settings causes the loss of connection with the Sinum central device.



Technical data

- Power supply
230V \pm 10% /50Hz
- Max. power consumption
1W
- Operation temperature
5°C ÷ 50°C
- Rated current
12A
- Operation frequency
868 MHz

Additional information

1. Measurement results are for illustrative purposes only.
2. The minimum value of active power measured by the device is 5W.
3. If there is no power supply to one of the devices (socket or Sinum Central device), the socket will return to its previous state (before the power loss).
4. In the event of a complete lack of power (socket and Sinum Central device), the socket will be turned off.

Notes

- TECH Controllers is not responsible for any damages resulting from improper use of the system. The range depends on the conditions in which the device is used and the structure and materials used in the object construction. The manufacturer reserves the right to improve devices, update software and related documentation. The graphics are provided for illustration purposes only and may differ slightly from the actual look. The diagrams serve as examples. All changes are updated on an ongoing basis on the manufacturer's website.
- Before using the device for the first time, read the following regulations carefully. Not obeying these instructions may lead to personal injuries or controller damage. The device should be installed by a qualified person. It is not intended to be operated by children. It is a live electrical device. Make sure the device is disconnected from the mains before performing any activities involving the power supply (plugging cables, installing the device etc.). The device is not water resistant.




The product may not be disposed of to household waste containers. The user is obliged to transfer their used equipment to a collection point where all electric and electronic components will be recycled.


EU Declaration of conformity

Tech Sterowniki II Sp. z o.o. , ul. Biała Droga 34, Wieprz (34-122)

Hereby, we declare under our sole responsibility that the socket SG-230 / FF-230 is compliant with Directive 2014/53/EU.

Wieprz, 01.02.2024


Paweł Jura
Prezesi firmy


Janusz Master
Prezesi firmy

The full text of the EU declaration of conformity and the user manual are available after

scanning the QR code or at www.tech-controllers.com/manuals

www.techsterowniki.pl/manuals



www.tech-controllers.com/manuals



Made in Poland

Service

tel: +48 33 875 93 80

www.tech-controllers.com

support.sinum@techsterowniki.pl

Frequently Asked Questions

- **Q: What should I do if the socket returns to its previous state after a power loss?**

A: If there is no power supply to one of the devices (socket or Sinum Central device), the socket will return to its previous state. Ensure both devices have power to maintain desired settings.

- **Q: How can I restore factory settings on the socket?**


A: Hold down the registration button for about 10 seconds until diode 2 flashes rapidly. Note that restoring factory settings will result in a loss of connection with the Sinum central device.

- **Q: How should I dispose of the product?**

A: Do not dispose of the product in household waste containers. Please transfer used


equipment to a collection point for proper recycling of electric and electronic components.


Documents / Resources

	<p>Sinum SG-230-FF-230 Frame Socket [pdf] User Guide</p> <p>SG-230, FF-230, SG-230-FF-230 Frame Socket, SG-230-FF-230, Frame Socket</p>
---	---

References

- [User Manual](#)

 FF-230, Frame Socket, SG 230, SG-230-FF-230, SG-230-FF-230 Frame Socket,

 Sinum Sinum

Leave a comment

Your email address will not be published. Required fields are marked *

Comment *

Name

Email

Website

☐ Save my name, email, and website in this browser for the next time I comment.

Post Comment

Search:

e.g. whirlpool wrf535swhz

Search

[Manuals+](#) | [Upload](#) | [Deep Search](#) | [Privacy Policy](#) | [@manuals.plus](#) | [YouTube](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.