

Smart-AVI SDX-2P Dual Head DVI-D USB Keyboard User Guide

Home » Smart-AVI » Smart-AVI SDX-2P Dual Head DVI-D USB Keyboard User Guide 1

Contents

- 1 Smart-AVI SDX-2P Dual Head DVI-D USB
- **Keyboard**
- **2 TECHNICAL SPECIFICATION**
- **3 WHAT'S IN THE BOX**
- **4 FEATURES**
- **5 HARDWARE INSTALLATION**
- **6 CONTACT**
- 7 Documents / Resources
 - 7.1 References
- **8 Related Posts**



Smart-AVI SDX-2P Dual Head DVI-D USB Keyboard



TECHNICAL SPECIFICATION

| VIDEO | | | |
|-----------------------|----------------------------------|--|--|
| Format | DVI-D Single Line | | |
| Maximum pixel clock | 165 MHz | | |
| Input interface (TX) | (2) DVI-D 29-pin female | | |
| Output interface (RX) | (2) DVI-D 29-pin female | | |
| Resolution | Up to 1920 x 1200 @60Hz | | |
| | Up to 4K/2K (3840×2160) @30Hz | | |
| DDC | 5 volts p-p (TTL) | | |
| Input equalization | Automatic | | |
| Input cable length | Up to 20 ft | | |
| Output cable length | Up to 20 ft | | |
| IR | | | |
| Input interface (TX) | (1) 3.5 mm (Female) | | |
| Output interface (RX) | (1) 3.5 mm (Female) | | |
| Frequency Response | 30KHz to 80KHz | | |
| RS-232 | | | |
| Input Interface (TX) | (2) DB9 (Female) | | |
| Output Interface (RX) | (2) DB9 (Female) | | |
| Speed | @ 115 Kbps | | |
| OTHER | | | |
| Power | External 100-240 VAC/5VDC4A | | |
| Dimensions | 5.125 in W x 1 in H x 3.625 in D | | |
| Weight | 0.5 lb | | |
| Operating Temp. | 0-55 °C (32-131°F) | | |
| Storage Temp. | -20-85 °C (-4-185 °F) | | |
| Humidity | Up to 95% | | |

WHAT'S IN THE BOX

| PART NO. | QTY | DESCRIPTION |
|-------------------|-----|---|
| SDX-2P-TX | 1 | Dual DVI-D, USB 1.1, Dual RS232, Audio, CAT5/5e/6 Transmitter |
| SDX-2P-RX | 1 | Dual DVI-D, USB 1.1, Dual RS232, Audio, CAT5/5e/6 Receiver |
| PS5VDC4A | 2 | PS5VD4A Power Supply |
| Quick Start Guide | 1 | |

NOTICE

- The information contained in this document is subject to change without notice.
- SmartAVI makes no warranty of any kind with regard to this material, including but not limited to, implied warranties of merchantability and fitness for a particular purpose.
- SmartAVI will not be liable for errors contained herein or for incidental or consequential damages in connection with the furnishing, performance or use of this material.
- No part of this document may be photocopied, reproduced, or translated into another language without prior written consent from SmartAVI Technologies, Inc.

ABOUT SFX

The SDX-2P DVI extender is capable of sending dual DVI-D signals up to 400 feet over two conventional and inexpensive Cat5/5e/6 cables. The SDX-2P also has a USB keyboard and mouse, audio and RS-232 extension, giving users the ability to control displays or devices remotely.


FEATURES


- Extends dual DVI-D up to 245 feet from the source
- HDCP Support
- Supports up to 1920×1200 digital video resolution @ 60 Hz
- Supports 4K/2K (3840×2160) video resolution @ 30 Hz
- · Automatic DDC Learning
- · USB Keyboard and Mouse extension
- RS-232 extension allows for remote control of displays
- · External power adapter for transmitter and receiver unit
- · Supports Stereo Sound
- Compatible with Windows, Mac and Linux Operating Systems

HARDWARE INSTALLATION

- 1. Power off all devices.
- 2. Connect two DVI-D sources (computer) to the two DVI-D ports on the back of the SDX-TX2P.
- 3. Connect a USB source (computer) to the USB port on the SDX-TX2P.
- 4. Optionally connect RS-232 and IR for control functions.
- 5. Connect the SDX-TX2P to the SDX-RX2P with two CAT5 UTP (Unshielded Twisted Pair) cables.
- 6. Connect a DVI-D compatible display to each of the two DVI-D ports on the back of the SDX-RX2P.
- 7. Connect the USB keyboard and mouse to the USB ports on the SDX-RX2P.
- 8. Optionally connect RS-232 and IR for control functions.
- 9. Connect the power to the SDX-RX2P and the SDX-TX2P.
- 10. Power on the display and then the computer.

NOTE: The DDC of your display will be learned automatically.







SDX-2P-TX BACK



SDX-2P-RX FRONT



SDX-2P-RX BACK



CONTACT

- 800.AVI.2131, 702.800.0005
- 2455 W Cheyenne Ave, Suite 112
- North Las Vegas, NV 89032

• SmartAVI.com.

Documents / Resources



Smart-AVI SDX-2P Dual Head DVI-D USB Keyboard [pdf] User Guide SDX-2P, SDX-2P Dual Head DVI-D USB Keyboard, Dual Head DVI-D USB Keyboard, Head DVI-D USB Keyboard, DVI-D USB Keyboard, USB Keyboard, Keyboard

References

- MI Home SmartAVI
- User Manual

Manuals+,