

SMARTWITNESS SVC-R-21 720P AHD Mobile Reverse View Camera Instruction Manual

Home » SMARTWITNESS » SMARTWITNESS SVC-R-21 720P AHD Mobile Reverse View Camera Instruction Manual ₺



720P AHD Mobile Reverse View Camera Model: SVC-R-21 Analog AHD,1.3Mega Pixel, 12V DC



Contents

- 1 Operation procedures:
- 2 Cable Connection:
- 3 Features:
- 4 Packing list:
- 5 Dimensions:
- 6 Specifications:
- 7 Documents /

Resources

8 Related Posts

Operation procedures:

- 1. Loosen the lock screws on the sun shield, remove the mounting bracket to a suitable position.
- 2. Attach the mounting bracket to the wall or ceiling, wherever you want to install the camera. Locate a wall stud or ceiling joint and secure the base with the supplied mounting screws.
- 3. Fix the lock screw.

Cable Connection:




Features:

- Metal-cased mobile box with a fixed lens.
- Available in black finish.
- Low power consumption.
- Easy installation on ceiling or wall, surface or flush mount.
- IP68 waterproof.
- Wide dynamic range.


Packing list:

| Camera | 1 |
|---------------------|---|
| Instruction Manual | 1 |
| Self Drilling Screw | 2 |
| Hex-key | 1 |

Dimensions:



-69-



Specifications:

| Model | SVC-R-21 |
|-------------------------|---------------------------|
| Pick up Device | Sony 1/3.2" |
| TV System | PAL/NTSC (Optional) |
| Picture Elements | 1280 (H) x 960 (V) |
| Sensitivity | 0 Lux (IR LED On) |
| Scanning System | Progressive scan RGB CMOS |
| Synchronization | Internal |
| S/N Ratio | More than 46dB(AGC Off) |
| Auto Gain Control (AGC) | Auto |
| Electronic Shutter | Auto |
| Back Light Compensation | Auto |
| Infrared Spectrum | 940 nm |
| Infrared LED | 15 LEDs |
| Mirror | Available |
| ICR | N/A |
| Noise Reduction | 3D |
| | |

| Dynamic range | 120 dB |
|------------------------|--------------------|
| Video Output | 1 Vp-p, 7511, AHD |
| Audio Output | Optional |
| Lens | f2.1 mm Megapixel |
| Power Supply | 12V DC±10% |
| Power Consumption | 255mA (Max) |
| Dimensions (L X W X H) | L69 x W76 x H78 mm |
| Net Weight | 285g |
| Weatherproof | 1P68 |
| Operating Temperature | -30-+70 ° C |

^{*}Specifications are subject to change without prior notice.

Documents / Resources



SMARTWITNESS SVC-R-21 720P AHD Mobile Reverse View Camera [pdf] Instruction Manu al

 $\mbox{SVC-R-21}$ 720P AHD Mobile Reverse View Camera, $\mbox{SVC-R-21},$ 720P AHD Mobile Reverse View Camera

Manuals+,