

SNAP-LOC SLAMCN6072 Cargo Net with Snap Hooks User Manual

Home » SNAP-LOC » SNAP-LOC SLAMCN6072 Cargo Net with Snap Hooks User Manual






5670 LA COSTA CANYON COURT LAS VEGAS. NV.. 89139 702-798-4521 (Office) 702-798-7064 (Fax) contact@snaploc.com

Cargo Net Manual FOR LOAD FLOOR AND OR CARGO BED (INTERIOR OR EXTERNAL USE)

Contents

- 1 Limitations
- 2 Warranty
- 3 Documents / **Resources**



Limitations

Cargo Net Working Load Limit is 400 lbs of evenly distributed contained weight with a minimum of 4 connection points. Do not overtighten; this may cause damage to net, rope, cinch, cargo, and anchor points. Though cargo net can be used almost anywhere, it is your responsibility to determine the suitability of this product for any particular use. This product is only as strong as stated when what you anchor them to is equally strong. The cargo net is subject to damage by elements of weather and may void the warranty. Cargo Net should be regularly inspected and replaced if worn or damaged. Continuous exposure to ultra-violet light, extreme cold, or extreme heat can degrade the strength. Storage of net should be in a dry place not susceptible to elements of weather. Do not exceed "Working Load Limit". Always keep in mind that "Dynamic G-Forces" will compromise weight limits such as quickly reducing the speed at which the cargo is traveling and wind resistance. "Working Load Limit" is the maximum load a component or assembly should be subjected to during routine use. All ratings are based on the product being new and with usage in average environmental conditions. For any particular use, check with applicable industry, trade association, federal, state, and/or local regulations. Always read and follow all installation and usage instructions carefully. Do not expose to sharp edges, acids, chemicals, or items that may cause damage. Products are subject to age, wear, and deterioration which can cause a reduction in the products working load limit. When traveling, we recommend periodically checking cargo and net to ensure they are safely secure. If the secured cargo has sharp edges or is subject to omitting heat or chemicals it may cause the failure of the net. If there are any further questions contact your local Snap-Loc dealer or one of our customer service representatives.

Warranty

Cargo Net and system Accessories are warranted to be free from defects in material and workmanship for a period of 90 days (warranty period) from the date of purchase, or if you placed a special order with us from the date of receipt of the product. Some items may have up to a 1-year warranty depending on the store of purchase (check with Snap-Loc or store of purchase). During the warranty period, Snap-Loc will, at its option, repair or replace without charge any part of our product found to be defective in material or workmanship (shipping cost may be subject to charge). This warranty does not extend to any product which has been subject to misuse, abuse, negligence, accident, alteration, improper installation, over tightening, superseding recommended weight limits, scratches, discoloring, or unauthorized repair. If a product becomes structurally damaged immediately discontinue use. In no way will Snap-Loc Cargo Control Systems, LLC (Snap-Lock) be liable for special, direct, indirect, or consequential damages, loss of vehicle, cargo, profits, personal injury, death, or the like for any reason. Please contact our customer service department or the store of purchase for more details. The literature

included with this product has been written for your safety. If you do not accept the terms and conditions herein do not use this product and return it within 7 days after purchase. By keeping this product you are agreeing to these terms and conditions. If returning products, return them to the store of purchase within the warranty period. No returns will be accepted after the warranty period unless special provisions have been made with the store of purchase (see the store of purchase for further details). If you purchased your product directly from Snap-Loc please contact the Snap-Loc Customer Service Department for a Return Merchandise Authorization (RMA) number and return shipping instructions. Products returned to Snap-Loc without an RMA number will not be accepted. After receipt of an RMA number, the defective product must be returned to Snap-Loc within 30 days of the

RMA approval of it will result in loss of refund or replacement.

Documents / Resources



<u>SNAP-LOC SLAMCN6072 Cargo Net with Snap Hooks</u> [pdf] User Manual SLAMCN6072, Cargo Net with Snap Hooks

Manuals+,