



SNAP TRIM STBD01 Aero-Flex Snap and Trim BD Cartridge Upgrade Kit User Manual

[Home](#) » [SNAP TRIM](#) » SNAP TRIM STBD01 Aero-Flex Snap and Trim BD Cartridge Upgrade Kit User Manual 



**STRING SPOOL UPGRADE
for battery string trimmers**

Contents

[1 Easy No-Tools](#)

[Conversion:](#)

[2 Operate](#)

[3 Prevent Motor Burn-out](#)

[4 Documents / Resources](#)

[5 Related Posts](#)

Easy No-Tools Conversion:



- Remove original cap and spool
- Load two Aero-Sharp® Line Blades over cap posts, under retainer hoods, and into slots
- Always run with 2 cutters for proper balance
- Use only Aero-Flex cutters specially designed for this product
- Install Snap & Trim™ assembly into open receiver head windows
- Cap must be properly aligned to fully close
- Align cap guide with old string outlet boss. (Installs only one way with cap guide over string outlet boss)
- Assure both cap fingers are fully seated and engaged before operation.



Operate


- Be sure to operate with trimmer's grass shield in place
- Wear protective eyewear, keep bystanders away.
- Rest trimmer's Glider on grass; cut through grass while moving the trimmer in any direction.
- The cut height is preset, tilt the trimmer on the glider for lower cutting height.

Prevent Motor Burn-out

- Slowly feed trimmer into the cut, very gently to avoid overloading the motor.
- Rapid cutting or plunging the cutters into heavy vegetation will risk motor burn-out.
- The Glider must not be removed from the trimmer as lower cuts to the ground will increase operating watts to

further risk motor burn-out.

Documents / Resources

	<p>SNAP TRIM STBD01 Aero-Flex Snap and Trim BD Cartridge Upgrade Kit [pdf] User Manual STBD01, Aero-Flex Snap and Trim BD Cartridge Upgrade Kit, BD Cartridge Upgrade Kit, Aero-Flex Snap and Trim, Aero-Flex Snap</p>
---	--