


Software s identiFiD Device Onboarding User Guide

[Home](#) » [Software s](#) » Software s identiFiD Device Onboarding User Guide 




Contents

- [1 Device Onboarding Quickstart](#)
- [2 Design Feature](#)
- [3 Mounting Feature](#)
- [4 Radiation Exposure Statement](#)
- [5 Documents / Resources](#)
- [6 Related Posts](#)

Device Onboarding Quickstart

When you receive your device, first follow the instructions before connecting it to the ethernet cable. This will ensure that the device is provisioned with the desired settings when it finishes powering on. Log into your account in the Identified Portal as an administrator or manager.

1. – Settings
 - Devices Tab
 - Click “Add Device”



2. The Add Device screen will appear, enter the serial number and the name you would like to assign to the device. Click “Save”.

The 'Add Device' modal form has a title bar with 'Add Device' and a close 'X' button. It contains two input fields: 'serialNumber' with the value '2107DM6000019-3C62F001A67A' and 'name' with the value 'Teller Station 1'. A 'Save' button is located at the bottom right.

3. Then go to the Station tab to add a station or assign the camera to an existing station.

The 'Add New Station' modal form has a title bar with 'Add New Station' and a close 'X' button. It contains three input fields: 'Station Name' with the value 'Cashier Lane A' and a location icon, 'Select a Location' with the value 'Dallas, TX' and a dropdown arrow, and 'Select a Device' with the value '2107DM6000019-3C62F001A67A' and a dropdown arrow. A 'Save' button is located at the bottom right.

The station will now appear in your station list with a device assigned to it. You can now connect the device to the POE 48v (power over ethernet) connection.

The device will power up and automatically connect to our service. Once ready the LED on the front will smile in white



If the device cannot connect to the internet the smile will blink red.

Use the Identified mobile app to scan the QR Code on the back of the device.

Enter the required network configuration and the app will push the setup over Bluetooth. Once connected the device will smile solid blue.

Design Feature

The Enabling Technology Behind Identified

These cameras don't store photos or other data. In fact, Identified doesn't store transactional data on its platform, and the Identified client doesn't store biometric data or fraudulent reports on its database—eliminating concerns about data breaches and consumer privacy, and any related liabilities.

Wall mounting mode



Desktop mode


Easy plugging POE power cable with stand hook for cable management on both desktops and wall mounting mode



Mounting Feature

Step #1

Fixing the wall plate on wall through 2 screws



Step #2

Sliding the device through the snap-fit structure to fix the device on the wall plate



Step #3

Turning device to require angle and done



Federal Communication Commission Interference Statement

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

FCC Caution: Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

Radiation Exposure Statement

The product complies with the FCC portable RF exposure limit set forth for an uncontrolled environment and is safe for intended operation as described in this manual. Further RF exposure reduction can be achieved if the product can be kept as far as possible from the user body or set the device to lower output power if such a function is available.

Industry Canada statement


This device complies with ICSED's license-exempt RSS. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Radiation Exposure Statement

The product complies with the Canada portable RF exposure limit set forth for an uncontrolled environment and is safe for intended operation as described in this manual. Further RF exposure reduction can be achieved if the product can be kept as far as possible from the user body or set the device to lower output power if such a function is available.

identifid.com
info@identifid.com

Documents / Resources

	<p>Software s identifID Device Onboarding [pdf] User Guide SID100, P27SID100, identifID Device Onboarding</p>
---	---

[Manuals+](#)