

# **SONOFF SNZB-03 ZigBee Motion Sensor User Manual**

Home » SonOFF » SONOFF SNZB-03 ZigBee Motion Sensor User Manual



#### **Contents**

- 1 SONOFF SNZB-03 ZigBee Motion
- Sensor
- 2 Operation instruction
- 3 Specifications
- **4 Product Introduction**
- **5 Features**
- 6 Installation methods
- 7 Documents / Resources
- **8 Related Posts**



# **SONOFF SNZB-03 ZigBee Motion Sensor**



The device can be operated intelligently via working with the SONOFF .ZigBee Bridge to communicate with other devices

The device can work with other gateways supporting ZigBee 3.0 wireless protocol. Detailed information is in accordance with the final product.


## **Operation instruction**


#### 1. Download APP






### 2. Pull out the battery insulation sheet






# 3. Add sub-devices

Connect the Bridge before adding the sub-device





Access eWeLink APP, select the Bridge that you want to connect, and tap "Add" hetto add a sub-device. Then long press reset button on the device for 5s until LED indicator flashes three times, which means the device


has entered the .pairing mode, and be patient until pairing completes

• If the addition failed, move the sub-device closer to the Bridge and try

# **Specifications**


Model	SNZB-03
Battery model	(CR2450(3V
Wireless connection	(ZigBee (IEEE 802.15.4
Working temperature	°C40~°C10-
Working humidity	(10-90%RH (non-condensing
Material	PC
Dimension	40x35x28mm

## **Product Introduction**





## **Features**

SNZB-03 is a ZigBee low-energy motion sensor that can detect the you can movement of objects in real time. Connect it with the Bridge and .create a smart scene to trigger other devices



SONOFF ZigBee Bridge supports connecting multiple sub-devices at the same .time






Power the Bridge on, access the Bridge page in the eWeLink APP, and tap patient "Add". Then set the sub-device to be paired to the pairing mode, and be .until the pairing completes


#### **Delete sub-devices**

Long press the reset button on the sub-device for 5s until the LED indicator flashes three times. In this case, the sub-device is deleted from the Bridge .successfully..Users can delete sub-devices directly from the sub-device page on APP




### **Installation methods**

1. Placed on the desktop for use



2. Tear off the protective film of the 3M adhesive and stick the device on .the desired area



- Do not install on the metal surface, otherwise it will affect the wireless .communication distance
- The device weight is less than 1 kg
- The insta llation height of less than 2 m is recommended

### **Documents / Resources**



Manuals+,