



Sound Control Technologies RCU2S-HETM Camera Model Multiple Manufacturers User Guide

[Home](#) » [Sound Control Technologies](#) » Sound Control Technologies RCU2S-HETM Camera Model Multiple Manufacturers User Guide 

Sound Control Technologies RCU2S-HETM Camera Model Multiple Manufacturers



Contents

- [1 RCU2S-B20™ USB Application](#)
- [2 Documents / Resources](#)
- [3 Related Posts](#)

RCU2S-B20™ USB Application


The RCU2S-B20™ supports multiple camera models:

- 1Beyond AutoFinder & AutoFramer
- AVerVB130

- AVer Cam 520 Pro & Pro 2
- AVer Cam 520 Pro Advanced
- AVer Cam 550
- Huddlecam HC12X-HUDDLEVIEW
- Huddlecam SIMPLTRACK LITE
- Huddlecam HC20X-SIMPLTRACK2 (shown)

RCU2S-HETm Front Panel

Field-Upgradeable microSD Slot




SCTLink™ Cable Specs

Integrator-Supplied CAT5e/CAT6 STP/UTP Cable
T568A or T568B (100m Max Length)



RJ45 Pinout



Module Dimensions


RCU2S-CE TM H: 0.789" (20mm) x W: 2.264" (57mm) x D: 3.725" (94mm)

RCU2S-HE TM : H: 7.448" (36mm) x W: 3.874" (96mm) x D: 3.578" (90mm)



Sound Control
Technologies

Documents / Resources



[Sound Control Technologies RCU2S-HETM Camera Model Multiple Manufacturers \[pdf\]](#) U
ser Guide

RCU2S-HETM Camera Model Multiple Manufacturers, RCU2S-HETM, Camera Model Multiple
Manufacturers, Model Multiple Manufacturers, Multiple Manufacturers, Manufacturers

[Manuals+.](#)