

Sovboi VB6 Mini Portable Projector User Manual

Home » Sovboi » Sovboi VB6 Mini Portable Projector User Manual



Contents

- 1 Sovboi VB6 Mini Portable
- **Projector**
- **2 Product Information**
- **3 Product Usage Instructions**
- **4 TROUBLE SHOOTING**
- **5 PACKING LIST**
- **6 FUNCTION OVERVIEW**
- **7 REMOTE CONTROL**
- **8 QUICK START**
- 9 INPUT SOURCE
- **10 WIRELESS PROJECTION**
- 11 SETTINGS
- 12 BLUETOOTH CONNECTION
- 13 PROJECTOR IMAGE SETTING
- 14 INSTALLATION
- 15 PROJECTOR SPECIFICATIONS
- **16 FCC STATEMENT**
- 17 Documents / Resources
- 17.1 References
- **18 Related Posts**



Sovboi VB6 Mini Portable Projector



Product Information

The VB6 Mini Video Projector by Sovboi is a compact and portable projector that offers a versatile video projection experience. With high-quality performance and advanced features, this projector is designed to cater to the needs of every user.

For any questions, troubleshooting, or warranty inquiries, please contact Sovboi's customer service team via email at support_jp@sovboi.com. You can also visit their official website at www.hdprojectortech.com.

Product Usage Instructions

To set up the projector and learn how to operate it, follow these steps:

- 1. Connect the projector to a power source using the provided power cable.
- 2. For detailed instructions on setting up the projector, including Wi-Fi and wired connections, refer to the instructional videos on Sovboi's YouTube channel. Search for "Sovboi" on YouTube and you will find the videos.
- 3. If any accessories are missing from the package, please contact Sovboi's customer service team via email at <u>support_us@sovboi.com</u> and let them know which accessory is missing. They will send it to you as soon as possible.
- 4. To adjust the focus of the projector, use the electric-focus feature with the remote control. Press the F+ button to increase focus and the F- button to decrease focus. Note that the projector and the screen/wall must be within an effective distance for optimal focus adjustment.
- 5. If you wish to remove the projector stand, use the small wrench provided in the accessories bag to remove it.

If you encounter any issues or have any questions regarding the projector, Sovboi's customer service team is available 24/7 to assist you. Contact them through email at support_us@sovboi.com or support_ip@sovboi.com.

- Support us@sovboi.com
- Support jp@sovboi.com
- www.hdprojectortech.com.



WE ARE

constantly optimizing and upgrading our products, the pictures and descriptions in the manual are for reference only may differ from the actual product, please refer to the actual product.

Product warranty and support are provided if products have been purchased from our authorized seller. In order to protect your rights, you can also send an email to Sovboi official email support_us@sovboi.com to verify the authenticity of your Sovboi VB6.

Our High qualified and responsible customer service team is waiting to hear from you and answer any of your questions 24/7. We are happy to receive your message about the problems you met so that we can help you to get out of the trouble. We are even happier to hear your praise about our wonderful projector and to see the happy moments our projector have brought to your life!

The fastest and most efficient way to contact us?

Method 1- Via email:

- support_us@sovboi.com
- support jp@sovboi.com.

Method 2:

Your Orders The order has a problem Choose a topic from list displayed

Select Contact seller

Please come. Please~~~ www.hdprojectortech.com.

CONTACT US

Thank you very much for supporting Sovboi! Hope our products and services bring you a pleasant journey of audio-visual enjoyment. Sovboi promises a 3-Year Warranty and Lifetime Technical Support, please do not worry when encountering any problems. Any buyer with any questions who comes to contact us will have our promise to get a satisfactory solution + an Extra 6-Month Warranty to thanks for your support!

By the way, we are racking our brains to develop a new projector. If you have any ideas about projector, such as user experience, parameters, features, colors and appearance, we warmly invite you to tell us in detail. We value all voices, and you won't imagine how much we look forward to your ideas. Once your idea is adopted, as a thank you, I will apply to send one to you for FREE as the first tester when the new product is developed.

Looking forward to your messages!

Sovboi Support Team

Scan QR code below, start chatting with us!!!







US-Whatsapp

CA-Whatsapp

Facebook

Scan this code, learn how to operate the projector visually on YouTube!!!



YouTube

• United States: <u>Support_us@sovboi.com</u>

• Japan&Canada: Support_jp@sovboi.com

• YouTube: Search "Sovboi" on YouTube

Official website: www.hdprojectortech.com.

TROUBLE SHOOTING

Our high-qualified customer services team is waiting to hear from you and answer any of your questions 24 hours a day and 7 days a week. We are happy to receive your message about the problems you met so that we can help you to get out of the trouble. You can contact us through email.

- Support us@sovboi.com
- Support jp@sovboi.com.

Q: Where can I find the instructional videos on how to set up the projector?

A: We have prepared detailed operation videos on YouTube, which contains almost every step of operating the projector, like wifi connection, wired connection and so on. Just search "Sovboi" on YouTube and you will find it.

Q: I received the projector but it has no remote control. Could you send it to me?

A: If the product you receive is missing any accessories, please let us know what accessory do you miss. We will send them to you as soon as possible.-Just contact us via our e-mail:Support_us@sovboi.com.

Q: I can't find the focus ring on the projector, how can I adjust the focus?

A: This mini projector support electric-focus with remote control, just need to press the "F+"&"F-" on the remote. Note: Projector and screen/wall must be in effective distance.

Q: The remote control is unresponsive.

A:

- 1. Make sure remote points at IR receiver directly.
- 2. Do not cover IR receiver.

3. Make sure you have put the battery in, this remote control does not come with batteries.

Q: I don't need the projector stand, how can I remove it?

A: You can use the small wrench in the accessories bag to remove this projector mount.

Q: The projector is scratched, did I receive a second-hand product?

A: We promise that our projector has been carefully checked before shipping. However the long time and distance shipping may cause damage Support_us@sovboi.com to the projector. Plz don't worried about that and you can contact us to get a satisfactory solution.

Q: I can't play Netflix video on the projector, why?

A: There are quite a few video platforms like Netflix, Disney+ and Hulu are under HDCP copyright protection, and thus do not support being displayed on a projector, this is the same situation for all projectors. You would need a TV stick to enjoy these video platforms.

Q: How can I use the projector as a speaker? And how can exit the speaker mode?

A:

- 1. Enter speaker mode: In the working state, short press the power button to switch to speaker mode. After entering the speaker mode for 20 seconds, it will automatically enter the Bluetooth standby state.
- 2. Exit speaker mode: In the speaker mode, short press the power button or any key on the remote control to exit speaker mode, and enter projection mode.

Q: Up Side Down Images.

A: Enter "Menu" on projector or remote to flip the projection image.


Q: I contact the customer service team as suggested, but has not received any reply. Why?

A: We promise that we will reply to all the emails within 24 hours. If you haven't received any reply from us more than one day, then maybe our email has been blocked or has gone to the spam email box. Please send us email again or contact us by Whatsapp or Facebook.

Q: Hello,could you tell me what the size of the mounting screw is at the bottom of the projector? I am struggling to find a stand.


A: The size of the mounting screw is M6.

PACKING LIST




NOTICE

Recommended




Not Recommended




FUNCTION OVERVIEW


Top View



Control Panel



REMOTE CONTROL





Installation of the remote control

- 1. Install 2 pieces of AAA batteries into the remote before using it. Do not combine new batteries with old ones in a remote controller, which can cause operation failure due to insufficient power supply.
- 2. When using the remote controller, please make sure that the signal transmitter of the remote controller aims at the infrared signal receiver of the projector.


QUICK START


- · Plug the power cord into an outlet
- · Adjust the kickstand accordingly






- Press the power button to turn on the projector
- Select the correct input source to project your device.






• Press the button F+ or F- on the remote, a focus indicator will appear on the image. Please adjust according to the focus ring to get the best image performance.




INPUT SOURCE

Press on this button on the projector remote to enter the interface of input source.



USB Connection

When the USB is plugged in, presse the button on the remote and select the USB mode, then you can play any document in your USB disk.










(3)

HDMI Connection









Speaker/Headphones Connection

Directly connect the wired speaker and your headphones/earphones to the Audio Out port on the projector with a 3.5mm audio cable.



WIRELESS PROJECTION

Warming Tips:

- 1. The fluency of screen mirroring with wireless connection will be affected by the network environment. A bandwidth of 100Mbit or more is recommended when using screen mirroring.
- 2. Make sure your mobile device is close to the projector when using wireless connection. A distance within 1 meter is recommended.
- 3. Some mobile devices may not support screen mirroring due to the compatibility.
- 4. Any questions, please feel free to email Sovboi via
 - Support_us@sovboi.com
 - Support_jp@sovboi.com

Step 1 : Connect Projector to your Home WiFi

Go to set page — Select the [WiFi] Settings — Open the WiFi function — Select your home WiFi from the list — Connect the projector to your home WiFi.





Please make sure the projector and your mobile devices are under the same WIFI environment, and your mobile devices have been connected to the WIFI.

Step 2:

Go to Homepage of the projector and select [Mirroring] to enter the screen mirroring interface.



Step 3:Choose the [Wireless screen] option to to enter Wi-Fi mirroring page, and follow the steps to connect your devices.





SETTINGS



Menu	Menu2	Options	Functions
WIFI	1	1	Wifi Connection
Bluetooth	1	1	Bluetooth Connection
Projection	Projection mode	Front Table/Front Ceiling/Back Table/Back Ceiling	Adjust projection mode
	Projection mode	Trapezoidal Correct. 0	Adjust shape
Picture Set	Picture mode	Standard/Soft/Light/Personal	Adjust picture mode
	Color temperature	Cool/Normal/Warm/Personal	Adjust color temperature
	Display size adjust	1	Adjust display size
Sound Set	Sound mode	Standard/Music/Movie/Personal	Adjust display size
	Balance	Balance 0	Adjusting sound size
System Set	Language setting	English/Chinese/French/Ger- man/Japanese/Japanese/Italian	Adjusting language setting
	Sleep timer	Off/On	Tur on/off surround sound
	Restore factory default	1	Restore factory default
Upgrade	1	Upgrade System (Only Support USB Disk)	1
Info	Device Name	Projector	1
	System version number	1	1

BLUETOOTH CONNECTION

Go to the home page, click the "Set" to go to the Setting page. Choose the "BT Mode" to enter the BT function.



1. Connect the projector to an exterior Bluetooth speaker.

On the BT Setting page, Press OK button to turn on the BT and scan for available devices. Choose the right Bluetooth device name, Press OK button to pair.



2. Cannot connect Bluetooth speaker?

When the Bluetooth speaker is connected to the projector, it will show up in paired devices ,it means that the projector has been successfully connect-ed. If it shows pairing failed, it means that the Bluetooth speaker has not been connected to the projector.


Please try the following methods:

- Method 1: Please click the [UNPAIR] , then connect your BT again.
- **Method 2:** Operate on the projector to turn off Bluetooth (press the "OK" button on the remote control). Then turn on BT (the "OK" button on the remote control). Reconnect the Bluetooth speaker again.
- Method 3: Turn off the projector and restart it, then reconnect the Bluetooth speaker.
- Method 4: Restore the factory settings and then reconnect the Bluetooth speakers.
 If you tried the above methods but still can not solve your problem, please contact our customer service team to get a more specified checking and instruction. We promise that you will get a satisfactory solution.
- Support us@sovboi.com
- Support_jp@sovboi.com


3. Audio Delay After Connecting Bluetooth?

If you have an audio delay after connecting Bluetooth, you can try a different connection method, which is: Connect your Bluetooth speaker with your phones(or iPads, laptops) first, and then connect your phones with our projector. Please refer to the following pictures.

Connection methods that may cause sound delay



Recommended connection method





PROJECTOR IMAGE SETTING

Installation Method


The projector support front and rear projection, it can be table mounted and ceiling mounted. To set the projection mode, press the button on the remote, go to the setting page. Click on the "Projection Image Setting" to go to the projection image setting page. You can see the "Installation Mode" option, press the left and right button to change to your desired mode.









Front/ceiling



Rear/ceiling



Front



Rear

Keystone correction & Electric-focus & Zoom function

Go to the setting page. Click on the "Projection" to go to the projection image setting page.

Vertical Correction


Press the button to select the "Vertical Correction" menu and press the left and right button to adjust the image.


- 1. If the projection image shows as (1), press the right button on the remote to increase the vertical parameter (-45-0), until to achieve the projection image (2).
- 2. If the projection image shows as (3), then press the left button on the remote, and decrease the vertical parameter (0-45), until to achieve the projection image (4).

NOTE:

For best projected image quality, we recommend only making keystone adjustments within 15 degrees.








Electric-focus

- 1. This mini projector support electric-focus with remote control, just need to press the "F+"&"F-" on the remote.
- 2. Note: Projector and screen/wall must be in effective distance.



Zoom function

Go to the setting page. Click on the "Picture" to go to the picture setting page, then choose "Display Size Adjust"



INSTALLATION

Projection Distance and Size

If you want to get a free projection screen, please email us via <u>support_us@sovboi.com</u>. Please follow the data in chart below, to adjust the image size and the distance.





Please note:

- 1. The best image quality would be achieved with a projection distance of 3.28-8.2ft. A larger screen size would affect the image quality in a certain degree.
- 2. The image size depends on the distance between projector and screen, there may be 3% deviation among above listed data. Different settings cause various distances.

Install on the Ceiling

Please note that our projector only support the one-hole ceiling mount.





PROJECTOR SPECIFICATIONS

- Display technology LCD
- Power supply AC 100-240V 50/60Hz
- Projection Distance 3.28FT-18FT
- Installation Type Front/Rear/Ceiling
- Focus Electric-focus
- Speaker 3W/4ohm
- Unit Dimension 6.45*6.3*6.77 inch
- Photo Format Supported BMP/JPG/PNG/GIF/JPEG
- Light Source LED

- Resolution Supported 576i, 576P, 720i, 720P,1080i, 1080P
- Projection Screen 37" 170"
- Aspect Ratio 4:3/16:9/Auto
- Ports HD In*1/USB2.0 Port*1/AV In*1/Audio Out*1/
- Unit Net Weight 2.2 lb (1 kg)
- Audio Format Supported MP2/MP3/PCM/FLAC/WMA
- Video Format Supported AVI/MP4/MKV/FL/MOV/RMVB/3GP/MPEG1/MPEG2/H.264/XVID

Any buyer with any questions who comes to contact us will have our promise to get a satisfactory solution + an Extra 6 Month Warranty+other surprises to thanks for your support!

• US: <u>support_us@sovboi.com</u>

• JP&CA: support_jp@sovboi.com.

FCC STATEMENT

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- 1. This device may not cause harmful interference, and
- 2. This device must accept any interference received, including interfer ence that may cause undesired operation.

Warning:

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate theequipment.

NOTE:

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:Reorient or relocate the receiving antenna.Increase the separation between the equipment and receiver.Con-nect the equipment into an outlet on a circuit different from that to which the receiver is connected.

Consult the dealer or an experienced radio/TV technician for help.

FCC Radiation Exposure Statement:

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.

- Support_us@sovboi.com
- Support jp@sovboi.com
- www.hdprojectortech.com



Documents / Resources



<u>Sovboi VB6 Mini Portable Projector</u> [pdf] User Manual VB6 Mini Portable Projector, VB6, Mini Portable Projector, Projector

References

- <u>O Active Warranty</u>
- User Manual

Manuals+,