

stando Fixed Height Frame Kit Instructions

Home » stando » stando Fixed Height Frame Kit Instructions

Contents

- 1 stando Fixed Height Frame
- 2 Specifications
- 3 FAQs
- 4 Documents / Resources
 - 4.1 References



stando Fixed Height Frame Kit




Specifications

Measurement	Recommendation
Width	Reduce by 3cm
Depth (Tight Space)	Use masking tape for the best fit
Depth (Room)	750mm or deeper
Height	170cm clearance

How to measure your space


Width (In a tight space)

Width (In a tight space) Measure in 2 points between the bottom of your wall. Reduce the smallest dimension by a safe distance of 3cm. This allows for any walls or areas that are not straight along with providing enough distance for the desk to be raised and lowered safely.



Depth (In a tight space/nook)

If in a tight space measure from your wall to the desired area where you want the front of your desk. Tip: Use masking tape on the floor to help determine the best-fit desk for your space.




Depth (In a room)

Depth (In a room) Ensure your desk is deep enough to meet your IT needs while ensuring it doesn't stick out into a busy area. If you are using a dual-screen setup we recommend a depth of 750mm or deeper. If you have the space available in your space, deeper is generally recommended to provide additional working space and provide distance between you and your screens.

Height

Height It is important to check for obstructions such as wall-mounted shelves or window sills that may obstruct the desk, or your computer screens as the desk raises. To be safe, we recommend allowing 170cm from the floor to the bottom of any wall-mounted shelf or obstruction. 0 Use the advanced programming guide to D program upper and lower limits on your desk



• Let us help you measure and plan your dream space. stando. Stando.com.au

Doing an office fit out? Let us help you measure and plan your dream space.

FAQs

Why should I reduce the width by 3cm?

This ensures there is enough space for the desk to raise and lower safely without hitting the walls.

How can I determine the best desk fit for a tight space?

Use masking tape on the floor to outline the desired desk area.

What is the recommended desk depth for dual screen setups?

A depth of 750mm or deeper is recommended to accommodate dual screens comfortably.

How much clearance should I allow for height?

Allow 170cm from the floor to the bottom of any wall-mounted shelf or obstruction.

Documents / Resources



stando Fixed Height Frame Kit [pdf] Instructions Fixed Height Frame Kit, Height Frame Kit, Frame Kit, Kit

References

User Manual

Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.