



StarTech.com ST4300MINU3B SuperSpeed USB 3.0 Mini Hub Instruction Manual

[Home](#) » [Support](#) » StarTech.com ST4300MINU3B SuperSpeed USB 3.0 Mini Hub Instruction Manual 

Contents

- [1 StarTech.com ST4300MINU3B SuperSpeed USB 3.0 Mini Hub](#)
- [2 Packaging Contents](#)
- [3 System Requirements](#)
- [4 Installation](#)
- [5 Specifications](#)
- [6 FCC Compliance Statement](#)
- [7 Technical Support](#)
- [8 Warranty Information](#)
- [9 Limitation of Liability](#)
- [10 FAQ's](#)
- [11 Related Posts](#)

StarTech.com

StarTech.com ST4300MINU3B SuperSpeed USB 3.0 Mini Hub



Packaging Contents

- 1 x 4 Port USB 3.0 Hub
- 1 x Instruction Manual

System Requirements

- USB-enabled computer system with an available USB port

Installation

1. Connect the attached USB cable from the USB hub to the host computer system
NOTE: If connected to a USB 2.0 host port, the hub will only operate at USB 2.0 speeds.
2. The operating system should detect the hub immediately and automatically install it
3. Once installation is complete, USB 1.x/2.0/3.0 devices should be able to be connected to the hub and recognized

Specifications

- **Color:** Black
- **Enclosure Type:** Plastic
- **I/O Interface:** USB 3.0
- **Connectors:** 4 x USB 3.0 type A female; 1 x USB 3.0 type A male
- **Maximum Data Transfer Rate:** 5 Gbps
- **Chipset:** Genesys – GL352
- **OS Compatibility:** Windows® 8(32/64bit), 7(32/64), Vista(32/64), XP(32/64), Mac OS 10.0 – 10.8
- **LED Indicators:** 1 – Power
- **Dimensions (LxWxH):** 82 x 38 x 14mm

- **Weight:** 38g
- **Operating Temperature:** 0°C to 40°C (32°F to 104°F)
- **Storage Temperature:** -20°C to 60°C (-4°F to 140°F)
- **Humidity:** 0~80% RH

FCC Compliance Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and the receiver.
- Connect the equipment to an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Use of Trademarks, Registered Trademarks, and Other Protected Names and Symbols

This manual may make reference to trademarks, registered trademarks, and other protected names and/or symbols of third-party companies not related in any way to [StarTech.com](https://www.startech.com). Where they occur these references are for illustrative purposes only and do not represent an endorsement of a product or service by [StarTech.com](https://www.startech.com), or an endorsement of the product(s) to which this manual applies by the third-party company in question. Regardless of any direct acknowledgment elsewhere in the body of this document, [StarTech.com](https://www.startech.com) hereby acknowledges that all trademarks, registered trademarks, service marks, and other protected names and/or symbols contained in this manual and related documents are the property of their respective holders.

Technical Support

[StarTech.com](https://www.startech.com) lifetime technical support is an integral part of our commitment to providing industry-leading solutions. If you ever need help with your product, visit www.startech.com/support and access our comprehensive selection of online tools, documentation, and downloads. For the latest drivers/software, please visit www.startech.com/downloads

Warranty Information

This product is backed by a two-year warranty. In addition, [StarTech.com](https://www.startech.com) warrants its products against defects in materials and workmanship for the periods noted, following the initial date of purchase. During this period, the products may be returned for repair, or replacement with equivalent products at our discretion. The warranty covers parts and labor costs only. [StarTech.com](https://www.startech.com) does not warrant its products from defects or damages arising from misuse, abuse, alteration, or normal wear and tear.

Limitation of Liability

In no event shall the liability of [StarTech.com](https://www.startech.com) Ltd. and [StarTech.com](https://www.startech.com) USA LLP (or their officers, directors, employees or agents) for any damages (whether direct or indirect, special, punitive, incidental, consequential, or otherwise), loss of profits, loss of business, or any pecuniary loss, arising out of or related to the use of the

product exceed the actual price paid for the product. Some states do not allow the exclusion or limitation of incidental or consequential damages. If such laws apply, the limitations or exclusions contained in this statement may not apply to you.

FAQ's

How many USB ports does the StarTech.com ST4300MINU3B SuperSpeed USB 3.0 Mini Hub have?

The StarTech.com ST4300MINU3B SuperSpeed USB 3.0 Mini Hub features four USB 3.0 ports.

What is the benefit of USB 3.0 compared to previous USB versions?

USB 3.0 offers faster data transfer speeds and improved power delivery compared to previous USB versions. It allows for quicker file transfers and the ability to charge devices more efficiently.

Is the StarTech.com ST4300MINU3B SuperSpeed USB 3.0 Mini Hub backward compatible with USB 2.0?

Yes, the StarTech.com ST4300MINU3B SuperSpeed USB 3.0 Mini Hub is backward compatible with USB 2.0 and USB 1.1 devices. However, the data transfer speeds will be limited to the capabilities of the connected USB device.

Does the mini hub require external power?

The StarTech.com ST4300MINU3B SuperSpeed USB 3.0 Mini Hub is powered through the USB connection to your computer and does not require an external power source.

Can I use the mini hub with a Mac or PC?

Yes, the StarTech.com ST4300MINU3B SuperSpeed USB 3.0 Mini Hub is compatible with both Mac and PC systems.

What is the maximum data transfer rate supported by the mini hub?

The StarTech.com ST4300MINU3B SuperSpeed USB 3.0 Mini Hub supports data transfer rates of up to 5 Gbps (gigabits per second), which is ten times faster than USB 2.0.

Can I connect external hard drives or other high-power devices to the mini hub?

Yes, the StarTech.com ST4300MINU3B SuperSpeed USB 3.0 Mini Hub supports high-power devices such as external hard drives and can provide sufficient power for their operation.

Is the mini hub compatible with USB-C devices?

The StarTech.com ST4300MINU3B SuperSpeed USB 3.0 Mini Hub uses USB-A connectors, so you will need a USB-A to USB-C adapter or cable to connect it to USB-C devices.

Can I use the mini hub with a USB 3.1 or USB 3.2 port?

Yes, the StarTech.com ST4300MINU3B SuperSpeed USB 3.0 Mini Hub is compatible with USB 3.1 and USB 3.2 ports. However, the data transfer speeds will be limited to the capabilities of the connected USB device.

Is the mini hub plug-and-play?

Yes, the StarTech.com ST4300MINU3B SuperSpeed USB 3.0 Mini Hub is plug-and-play, which means it can be connected to your computer without the need for additional drivers or software.

Does the mini hub have LED indicators for each port?

The StarTech.com ST4300MINU3B SuperSpeed USB 3.0 Mini Hub features a single LED indicator that shows the power status of the hub.

What is the warranty period for the mini hub?

StarTech.com typically offers a warranty of 2 years for the ST4300MINU3B SuperSpeed USB 3.0 Mini Hub. However, it's recommended to check the product documentation or contact StarTech.com for specific warranty information.

Reference: [StarTech.com ST4300MINU3B SuperSpeed USB 3.0 Mini Hub – Device.report](#)