



StarTech.com 127B-USBC-MULTIPOINT USB-C Multiport Adapter User Guide

[Home](#) » [StarTech.com](#) » StarTech.com 127B-USBC-MULTIPOINT USB-C Multiport Adapter User Guide 

StarTech.com

Hard-to-find made easy[®]

com 127B-USBC-MULTIPOINT USB-C Multiport Adapter
User Guide



Quick-Start Guide

Contents

- 1 127B-USBC-MULTIPORT USB-C Multiport Adapter
- 2 Package Contents
- 3 Installation
- 4 Warranty Information
- 5 Limitation of Liability
- 6 Documents / Resources
 - 6.1 References
- 7 Related Posts


127B-USBC-MULTIPORT USB-C Multiport Adapter

USB-C Multiport Adapter – 4K 60Hz HDMI HDR – 3 x USB 5Gbps – GbE – 100W PD

Product ID

127B-USBC-MULTIPORT

Product Diagram(Side A)



Requirements

- Computer
- DP Alt Mode enabled USB-C Port

For the latest drivers, manuals, product information, technical specifications, and declarations of conformance, please visit: www.StarTech.com/127B-USBC-MULTIPORT

Package Contents

- USB-C Multiport Adapter x 1
- Quick-Start Guide x 1

	Component	Function
1	Built-in USB-C Host Cable	Connect to a USB-C Port on a Host Computer USB 3.2 Gen 1 (5 Gbps) Power Delivery 3.0 Specification
2	HDMI Output Port	Connect an HDMI Display Device HDMI 2.0b HDR10 Up to 4K (4096×2160) 60 Hz Via DisplayPort IA DP Alt Mode
3	3x USB-A Data Ports	Connect USB-A Peripherals USB 3.2 Gen 1 (5 Gbps)
4	USB-C 100W Power Delivery Port	Connect a USB-C power adapter USB Power Delivery 3.0 (up to 100W)
5	Gigabit Ethernet Port	Connect a CAT 5e/CAT 6 cable to establish a network connection 10/100/1000 Mbps

To view manuals, FAQs, videos, drivers, downloads, technical drawings, and more, visit www.startech.com/support.

Installation

Side A Ports

1. Connect the Built-in USB-C Host Cable, located on the Multiport Adapter, to a USB-C Port on your Host Computer. Your Host Computer will automatically detect the Multiport Adapter and install the required drivers.
2. Connect an HDMI Enabled Display Device, to the HDMI Output Port, located on the Multiport Adapter, using an HDMI cable.

Notes:

- The Host Computer's USB-C port must support DP Alt Mode in order to output video.
- Video performance, such as resolution, and refresh rate depends upon the connected Host Computer's video controller. Please verify the specifications of the Host Computer.

3. Connect USB Peripheral Devices to the USB-A Data Ports, located on the Multiport Adapter.

Note: The USB-A Data Ports will output whatever bus power is available, up to 4.5 W.

Side B Port

4. Connect a USB-C Power Adapter (up to 100 W) from an AC outlet to the USB-C 100 W Power Delivery Port on the Multiport Adapter, to charge the Host Computer that's connected to the Built-in USB-C Host Cable.

Note: The Multiport Adapter reserves 15 W of power, with up to 85 W available for charging your Host Computer.

Side C Port

5. Connect an RJ-45 terminated network cable (CAT5e or better) from your Network Device (e.g. Router, Switch, Modem, etc.) to the Gigabit Ethernet Port on the Multiport Adapter, to access the network via a wired LAN connection.

Use of Trademarks, Registered Trademarks, and other Protected Names and Symbols

This manual may make reference to trademarks, registered trademarks, and other protected names and/or symbols of thirdparty companies not related in any way to StarTech.com. Where they occur these references are for illustrative purposes only and do not represent an endorsement of a product or service by StarTech.com, or an endorsement of the product(s) to which this manual applies by the third-party company in question. StarTech.com hereby acknowledges that all trademarks, registered trademarks, service marks, and other protected names and/or symbols contained in this manual and related documents are the property of their

respective holders. PHILLIPS® is a registered trademark of Phillips Screw Company in the United States or other countries.

Warranty Information

This product is backed by a 3-year warranty. For further information on product warranty terms and conditions, please refer to www.startech.com/warranty.

Limitation of Liability

In no event shall the liability of StarTech.com Ltd. and StarTech.com USA LLP (or their officers, directors, employees or agents) for any damages (whether direct or indirect, special, punitive, incidental, consequential, or otherwise), loss of profits, loss of business, or any pecuniary loss, arising out of or related to the use of the product exceed the actual price paid for the product. Some states do not allow the exclusion or limitation of incidental or consequential damages. If such laws apply, the limitations or exclusions contained in this statement may not apply to you..

Regulatory Compliance

FCC — Part 15

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Changes or modifications not expressly approved by StarTech.com could void the user's authority to operate the equipment.

Industry Canada Statement

This Class B digital apparatus complies with Canadian ICES-003.

CAN ICES-3 (B)/NMB-3(B) This device complies with Industry Canada licence-exempt RSS standard(s). Operation is subject to the following two conditions: (1) This device may not cause interference, and (2) This device must accept any interference, including interference that may cause undesired operation of the device.

IC Radiation Exposure Statement:

This equipment complies with IC RSS-102 radiation exposure limit set forth for an uncontrolled environment. This equipment should be installed and operated with a minimum distance 20cm between the radiator and your body.

StarTech.com

Hard-to-find **made easy**®

StarTech.com Ltd.

45 Artisans Cres London

Ontario N5V 5E9 Canada

StarTech.com LLP


4490 South Hamilton Road

Groveport, Ohio 43125 U.S.A.

StarTech.com Ltd.

Unit B, Pinnacle 15 Gowerton Rd, Brackmills

Documents / Resources



[StarTech.com 127B-USBC-MULTIPORT USB-C Multiport Adapter](#) [pdf] User Guide
127B-USBC-MULTIPORT, USB-C Multiport Adapter, Multiport Adapter, 127B-USBC-MULTIPO
RT

References

- [StarTech.com | IT Pro's Trusted Source for Connectivity Accessories](#)
- [USB C Multiport Adapter 4K 60Hz HDMI, PD - Laptop Docking Stations](#)
- [StarTech.com Support](#)
- [StarTech.com Warranty Policy](#)

Manuals+.