



StarTech Com USB3DOCKHDPC USB 3.0 Laptop Docking Station with Dual Video User Guide

[Home](#) » [StarTech.com](#) » StarTech Com USB3DOCKHDPC USB 3.0 Laptop Docking Station with Dual Video User Guide 

Contents

- [1 StarTech Com USB3DOCKHDPC USB 3.0 Laptop Docking Station with Dual Video](#)
- [2 Product Information](#)
- [3 Product Usage Instructions](#)
- [4 FAQ](#)
- [5 Product Diagram \(Side A\)](#)
- [6 Requirements](#)
- [7 Package Contents](#)
- [8 Installation](#)
- [9 Warranty Information](#)
- [10 Regulatory Compliance](#)
- [11 Industry Canada Statement](#)
- [12 Documents / Resources](#)
 - [12.1 References](#)

StarTech.com

StarTech Com USB3DOCKHDPC USB 3.0 Laptop Docking Station with Dual Video



Product Information

Specifications

- Product ID: USB3DOCKHDPC
- Component: Docking Station
- Function: Expand connectivity for a host computer

Side A

1. DC 5V Port
2. USB-B Host Port
3. HDMI Output Port
4. DisplayPort Output Port (Supports Resolutions up to 3840 x 2160 30Hz)

Side B

6. Gigabit Ethernet Port
7. Network LED Indicators
8. 3.5mm Audio Port
9. Lock Slot (K-Slot)
10. USB-A Data/Charge Port (USB 5Gbps, Supports BC 1.2 5V/1.5A charging)

Requirements

To use this product, you will need:

- An AC outlet for the Power Adapter
- A host computer running a supported version of Windows or ChromeOS (for automatic driver installation)
- An HDMI Display Device
- A DisplayPort Display Device
- A 3.5mm audio device (headset, speakers, etc.)

Package Contents

- USB3DOCKHDPC Docking Station
- Power Adapter
- USB 3.0 Cable
- Quick-Start Guide

Product Usage Instructions

Installation

1. Connect the Power Adapter from an AC outlet to the DC 5V Port on the dock.
2. Connect USB Peripheral Devices to the USB-A Data Ports and USB-A Data/Charge Port on the dock.
3. Connect an RJ-45 terminated network cable (CAT 5e or better) from your local area network (e.g., Router, Switch, Modem, etc.) to the Gigabit Ethernet Port on the dock to access your network via a wired LAN connection.
4. Connect an HDMI Display Device to the HDMI Output Port on the dock.
5. Connect a DisplayPort Display Device to the DisplayPort Output Port on the dock.
6. Connect a 3.5mm audio device (headset, speakers, etc.) to the 3.5mm Audio Port on the dock.
7. If the Host Computer is running a supported version of Windows or ChromeOS and has Internet access, connect the USB 3.0 Cable to the USB-B Host Port located on the dock and to a USB-A port on the Host Computer. The Host Computer will automatically detect the device and install all the required drivers.

If the Host Computer is not running Windows or ChromeOS or the drivers do not automatically install, follow these steps:

1. Navigate to www.StarTech.com/USB3DOCKHDPC, and click the Drivers/Downloads tab.
2. Under Driver(s), download the Driver Package for your operating system, and follow the steps outlined in the Installation guide included in the Driver Package.

FAQ

Q: Where can I find the latest drivers, manuals, and technical specifications?

A: For the latest drivers, manuals, product information, technical specifications, and declarations of conformance, please visit www.StarTech.com/USB3DOCKHDPC.

Q: Where can I find additional support, such as FAQs and technical drawings?

A: To view manuals, FAQs, videos, drivers, downloads, technical drawings, and more, visit www.startech.com/support.

Q: What is the warranty period for this product?

A: This product is backed by a 3-year warranty. For further information on product warranty terms and conditions, please refer to www.startech.com/warranty.

USB 3.0 Laptop Docking Station w/ Dual Video, 4K DisplayPort™, HDMI®, USB Fast-Charge Port, USB 3.0 Hub

Product ID

USB3DOCKHDPC

Product Diagram (Side A)



(Side B)



Component		Function
1	DC 5V Port	<ul style="list-style-type: none"> Connect to a Power Source, Using the Included Power A dapter
2	3x USB-A Data Ports	<ul style="list-style-type: none"> Connect USB-A Peripherals USB (5Gbps) Supports 5 V/0.9A (4.5W) of Power
3	USB-B Host Port	<ul style="list-style-type: none"> Connect to a USB-A Port on a Host Computer USB (5Gbps)
4	HDMI Output Port	<ul style="list-style-type: none"> Connect an HDMI Display Supports Resolutions up to 2560 x 1440 60Hz
5	DisplayPort Output Port	<ul style="list-style-type: none"> Connect a DisplayPort Display Supports Resolutions up to 3840 x 2160 30Hz
6	Gigabit Ethernet Port	<ul style="list-style-type: none"> Connect the Dock to a Network Device, using a Network Cable 10/100/1000 Mbps

7	Network LED Indicators	<ul style="list-style-type: none"> Indicates Link Speed and Activity Network Link Detection LED Indicator (Green) Off = No Network Detected Solid Green = Network Detected Network Activity LED Indicator (Amber) Off = No Network Activity Flashing Amber = Network Activity
8	3.5mm Audio Port	<ul style="list-style-type: none"> Connect an Audio Device 4 Position Audio Jack for Headset use CTIA/OMTP
9	Lock Slot (K-Slot)	<ul style="list-style-type: none"> Connect a K-Slot Style Locking Device to deter the theft of the Docking Station
10	USB-A Data/Charge Port	<ul style="list-style-type: none"> Connect and/or charge a USB-A Peripheral USB (5Gbps) Supports BC 1.2 5V/1.5A (7.5 W) charging

Requirements

- Host Computer
- With an available USB-A (5Gbps) Port

For the latest drivers, manuals, product information, technical specifications, and declarations of conformance, please visit: www.StarTech.com/USB3DOCKHDPC

Package Contents

- USB 3.0 Laptop Docking Station x 1
- 2ft (61cm) USB 3.0 Cable x 1
- Power Adapter x 1
- 3x Power Cords (NA/UK/EU)
- Quick-Start Guide x 1

To view manuals, FAQs, videos, drivers, downloads, technical drawings, and more, visit www.startech.com/support.

Installation

1. Connect the Power Adapter from an AC outlet, to the DC 5V Port on the dock.
2. Connect USB Peripheral Devices to the USB-A Data Ports and USB-A Data/ Charge Port on the dock.

3. Connect an RJ-45 terminated network cable (CAT 5e or better) from your local area network (e.g. Router, Switch, Modem, etc.) to the Gigabit Ethernet Port on the dock, to access your network via a wired LAN connection.
4. Connect an HDMI Display Device to the HDMI Output Port on the dock.
5. Connect a DisplayPort Display Device to the DisplayPort Output Port on the dock.
6. Connect a 3.5mm audio device (headset, speakers, etc.) to the 3.5mm Audio Port on the dock.
7. If the Host Computer is running a supported version of Windows or ChromeOS and has Internet access, connect the USB 3.0 Cable to the USB-B Host Port located on the dock, and to a USB-A port on the Host Computer. The Host Computer will automatically detect the device and install all the required drivers. If the Host Computer is not running Windows or ChromeOS or the drivers do not automatically install, disconnect the dock from the Host Computer, then:
 - a. Navigate to www.StarTech.com/USB3DOCKHDPC, and click the Drivers/ Downloads tab.
 - b. Under Driver(s), download the Driver Package for your operating system, and follow the steps outlined in the Installation guide, that's included in the Driver Package.

Use of Trademarks, Registered Trademarks, and other Protected Names and Symbols

This manual may make reference to trademarks, registered trademarks, and other protected names and/or symbols of third-party companies not related in any way to StarTech.com. Where they occur these references are for illustrative purposes only and do not represent an endorsement of a product or service by StarTech.com, or an endorsement of the product(s) to which this manual applies by the third-party company in question. StarTech.com hereby acknowledges that all trademarks, registered trademarks, service marks, and other protected names and/or symbols contained in this manual and related documents are the property of their respective holders.

Warranty Information

- This product is backed by a 3-year warranty.
- For further information on product warranty terms and conditions, please refer to www.startech.com/warranty.

Limitation of Liability

In no event shall the liability of StarTech.com Ltd. and StarTech.com USA LLP (or their officers, directors, employees or agents) for any damages (whether direct or indirect, special, punitive, incidental, consequential, or otherwise), loss of profits, loss of business, or any pecuniary loss, arising out of or related to the use of the product exceed the actual price paid for the product. Some states do not allow the exclusion or limitation of incidental or consequential damages. If such laws apply, the limitations or exclusions contained in this statement may not apply to you.

Regulatory Compliance

FCC — Part 15

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

1. This device may not cause harmful interference, and
 2. this device must accept any interference received, including interference that may cause undesired operation.
- Changes or modifications not expressly approved by StarTech.com could void the user's authority to operate the equipment.

Industry Canada Statement

This Class B digital apparatus complies with Canadian ICES-003.

CAN ICES-3 (B)/NMB-3(B)

This device complies with Industry Canada licence-exempt RSS standard(s). Operation is subject to the following two conditions:

(1) This device may not cause interference, and (2) This device must accept any interference, including interference that may cause undesired operation of the device.

IC Radiation Exposure Statement:

This equipment complies with IC RSS-102 radiation exposure limit set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator and your body

StarTech.com Ltd.
45 Artisans Cres London, Ontario N5V 5E9 Canada


StarTech.com LLP
4490 South Hamilton Road Groveport, Ohio 43125 U.S.A.

StarTech.com Ltd.
Unit B, Pinnacle 15 Gowerton Rd, Brackmills, Northampton NN4 7BW United Kingdom

StarTech.com Ltd.
Siriusdreef 17-27 2132 WT Hoofddorp, The Netherlands

startech.com

Documents / Resources



[StarTech Com USB3DOCKHDPC USB 3.0 Laptop Docking Station with Dual Video](#) [pdf] User Guide
USB3DOCKHDPC USB 3.0 Laptop Docking Station with Dual Video, USB3DOCKHDPC, USB 3.0 Laptop Docking Station with Dual Video, Docking Station with Dual Video, Station with Dual Video, Dual Video

References

- [StarTech.com | IT Pro's Trusted Source for Connectivity Accessories](#)
- [StarTech.com Support](#)
- [USB 3.0 Docking Station Dual HDMI/4K DP - USB-A Docking Stations | Universal Laptop Docking Stations | StarTech.com](#)
- [StarTech.com Warranty Policy](#)
- [USB 3.0 Docking Station Dual HDMI/4K DP - USB-A Docking Stations | Universal Laptop Docking Stations | StarTech.com](#)
- [User Manual](#)