

StarTech DKT30CHVPD2 USB-C Multiport Adapter – HDMI & VGA – 3 x USB – GbE- 100W PD – Extended Cable User Guide

Home » StarTech » StarTech DKT30CHVPD2 USB-C Multiport Adapter – HDMI & VGA – 3 x USB – GbE- 100W PE – Extended Cable User Guide ™

StarTech DKT30CHVPD2 USB-C Multiport Adapter – HDMI & DKT30CHVPD2




Contents

- 1 Product Diagram (DKT30CHVPD2)
 - 1.1 Front Angle View
 - 1.2 Rear View
- 2 Requirements
- 3 Installation
- 4 Operation
- **5 Documents / Resources**
 - **5.1 References**
- **6 Related Posts**

Product Diagram (DKT30CHVPD2)

Front Angle View



Rear View



1	VGA Output Port	 Resolution of up to 1920×1080@60Hz Connect the Multiport Adapter to a VGA Display Device, using a VG A M/M Cable
2	HDMI Output Port	 HDMI 1.4b 4K @ 30Hz Connect the Multiport Adapter to an HDMI Enabled Display Device, using an HDMI Cable
3	RJ45 Port	 10/100/1000 Mbps Connect the Multiport Adapter to a Network Device, using a Network C able
4	USB-A Charging Port	 SuperSpeed USB 5Gbps (USB 3.2 Gen 1) Maximum 1.5A for downstream charging Connect the Multiport Adapter to a SuperSpeed USB 5Gbps Peripheral or Storage Device (e.g. flash drive), using a SuperSpeed USB 5Gbps (USB 3.2 Gen 1) Cable
5	USB-C Device Port	 SuperSpeed USB 5Gbps (USB 3.2 Gen 1) USB Power Delivery (PD) pass-through Connect the Host Computer's Power Adapter to the SuperSpeed USB-C Port on the Multiport Adapter for a maximum of 85W delivered to the Host Computer Note: The Multiport Adapter accepts a 100W Power Adapter and reser ves 15W to power the Multiport Adapter. — Or — Connect the Multiport Adapter to a SuperSpeed USB 5Gbps Peripheral or Storage Device (e.g. flash drive), using a SuperSpeed USB-C 5Gbps (USB 3.2 Gen 1) Cable

6	USB-C Host Connector	 SuperSpeed USB 5Gbps (USB 3.2 Gen 1) USB PD 3.0 85W (20V/5A) Note: SuperSpeed USB-C Port will accept up to 100W Power Source in put DP 1.2 Alt Mode Charge the Host Device while using the Multiport Adapter Connect the Multiport Adapter to a to a Laptop, using the SuperSpeed USB-C Host Connector
7	USB-A Device Port	 SuperSpeed USB 5Gbps (USB 3.2 Gen 1) Maximum 900mA downstream chargin Connect the Multiport Adapter to a SuperSpeed USB 5Gbps Peripheral or Storage Device (e.g. flash drive), using a SuperSpeed USB 5Gbps (USB 3.2 Gen 1) Cable

Requirements

For the latest requirements, please visit: www.startech.com/DKT30CHVPD2.

- Host Computer with USB-C Port
- DP-Alt Mode Compatible
- USB PD Support

Installation

Notes: Installation is automatic for all modern Operating Systems. If the drivers do not auto-install, please visit www.startech.com/DK30CHVPD2 to locate the latest drivers.

Operation

RJ45 Port LED Indicators

LED Color	Status	Indication
Orange/ Amber	Solid	Link speed is either 1000Mbps (1 GbE), 100Mbps, or 10Mbps
Orange/ Amber	Off	No connection established
White	Flashing	Network traffic detected
vvinte	Off	No link established

FCC Compliance Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Changes or modifications not expressly approved by StarTech.com could void the user's authority to operate the equipment.

Industry Canada Statement

This Class B digital apparatus complies with Canadian ICES-003. Cet appareil numérique de la classe [B] est conforme à la norme NMB-003 du Canada. CAN ICES-3 (B)/NMB-3(B) This device complies with Industry Canada licence-exempt RSS standard(s). Operation is subject to the following two conditions: (1) This device may not cause interference, and (2) This device must accept any interference, including interference that may cause undesired operation of the device

Use of Trademarks, Registered Trademarks, and other Protected Names and Symbols

This manual may make reference to trademarks, registered trademarks, and other protected names and/or symbols of thirdparty companies not related in any way to StarTech.com. Where they occur these references are for illustrative purposes only and do not represent an endorsement of a product or service by StarTech.com, or an endorsement of the product(s) to which this manual applies by the third-party company in question. StarTech.com hereby acknowledges that all trademarks, registered trademarks, service marks, and other protected names and/or symbols contained in this manual and related documents are the property of their respective holders. iPad Pro® is a trademark of Apple Inc., registered in the U.S. and other countries.

Warranty Information

This product is backed by a three-year warranty. For further information on product warranty terms and conditions, please refer to www.startech.com/warranty.

Limitation of Liability

In no event shall the liability of StarTech.com Ltd. and StarTech.com USA LLP (or their officers, directors, employees or agents) for any damages (whether direct or indirect, special, punitive, incidental, consequential, or otherwise), loss of profits, loss of business, or any pecuniary loss, arising out of or related to the use of the product exceed the actual price paid for the product. Some states do not allow the exclusion or limitation of incidental or consequential damages. If such laws apply, the limitations or exclusions contained in this statement may not apply to you. Safety Measures

• If product has an exposed circuit board, do not touch the product under power.

StarTech.com Ltd.

45 Artisans Cres London, Ontario N5V 5E9 Canada

StarTech.com LLP

4490 South Hamilton Road Groveport, Ohio 43125 U.S.A

StarTech.com Ltd.

Unit B, Pinnacle 15 Gowerton Rd, Brackmills Northampton NN4 7BW United Kingd

FR: fr.startech.com



Documents / Resources



<u>StarTech DKT30CHVPD2 USB-C Multiport Adapter - HDMI & VGA - 3 x USB - GbE- 100W PD - Extended Cable [pdf]</u> User Guide

DKT30CHVPD2, USB-C Multiport Adapter - HDMI VGA - 3 x USB - GbE- 100W PD - Extended Cable

References

- StarTech.com | IT Pro's Trusted Source for Connectivity Accessories
- USB-C Multiport Adapter 4K HDMI or VGA USB-C Multiport Adapters | StarTech.com
- StarTech.com Support
- StarTech.com Warranty Policy

Manuals+.