




StarTech HB30C3A1GEA 3-Port USB 3.0 Hub with Gigabit User Manual

[Home](#) » [StarTech](#) » StarTech HB30C3A1GEA 3-Port USB 3.0 Hub with Gigabit User Manual 

Contents

- [1 StarTech HB30C3A1GEA 3-Port USB 3.0 Hub with Gigabit](#)
- [2 Product Diagram \(HB30C3A1GEA\)](#)
- [3 Package Contents](#)
- [4 Installation](#)
- [5 FCC Compliance Statement](#)
- [6 Warranty Information](#)
- [7 Documents / Resources](#)
- [8 Related Posts](#)

StarTech.com

StarTech HB30C3A1GEA 3-Port USB 3.0 Hub with Gigabit



Product Diagram (HB30C3A1GEA)



Port		Function
1	RJ45 Port	<ul style="list-style-type: none">Used to connect the Hub to a Network Device.Green: Indicates that a network connection is established.Amber: Indicates network activity.
2	USB-A Port (x3)	<ul style="list-style-type: none">Used to connect USB Devices (Mouse, Flash Drive, etc.) to the Hub.
3	USB-C Connector	<ul style="list-style-type: none">Used to connect the Hub to a Host Computer.

Requirements:

For the latest requirements, please visit www.startech.com/HB30C3A1GEA

Package Contents

USB-A Hub x 1

Installation

Hardware Installation

1. Connect the integrated USB Type-C Host Cable to a USB-C port on the Host Computer.
2. Connect each of your USB Devices (x 3) to the USB-A Ports on the Hub.
3. Connect a CAT5e/6 Cable (sold separately) to the RJ45 Port on the Hub and to a Network Device.

Driver Installation

Installing the Drivers Windows:

If the required driver does not automatically install after connecting the Network Adapter to the host laptop, complete the driver installation manually:

1. Connect the Network Adapter to the Host Computer (see Hardware Installation), the Found New Hardware pop-up will appear.
2. On the Found New Hardware pop-up, click the Cancel button.
3. Using a web browser, navigate to www.startech.com/HB30C3A1GEA.
4. On the Product page, click the Support tab located in the middle of the screen.
5. In the Drivers and Downloads section, click on the driver link that corresponds with the operating system running on the Host Computer.
6. Click Save As to choose a location to download the .Zip file.
7. Click Open to open the contents of the .Zip file.
8. Select the folder that corresponds to the operating system on the Host Computer.
9. Select the Setup.exe file from the list.
10. Right click the Setup.exe file and select Run as Administrator from the pop-up menu.
11. Follow the on-screen prompts to complete the installation.

Note: you may need to restart the Computer to complete the installation.

MacOS:

1. Connect the Network Adapter to the Host Computer (see Hardware Installation), the Found New Hardware pop-up will appear.
2. On the Found New Hardware pop-up, click the Cancel button.
3. Using a web browser, navigate to www.startech.com/HB30C3A1GEA.
4. On the Product page, click the Support tab located in the middle of the screen.
5. In the Drivers and Downloads section, click on the driver link that corresponds with the operating system running on the Host Computer.
6. Click on the Download folder.

7. Select the Realtek RTL8153 Mac Network Adapter folder.
8. Click on the RTUNICO1.0.17.pkg file.
9. Follow the on-screen prompts to complete the installation.

Note: you may need to restart the Computer to complete the installation.

FCC Compliance Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help

Warranty Information

This product is backed by a two-year warranty.

For further information on product warranty terms and conditions, please refer to www.startech.com/warranty.

Limitation of Liability

In no event shall the liability of StarTech.com Ltd. and StarTech.com USA LLP (or their officers, directors, employees or agents) for any damages (whether direct or indirect, special, punitive, incidental, consequential, or otherwise), loss of profits, loss of business, or any pecuniary loss, arising out of or related to the use of the product exceed the actual price paid for the product. Some states do not allow the exclusion or limitation of incidental or consequential damages. If such laws apply, the limitations or exclusions contained in this statement may not apply to you.

Safety Measures


- If product has an exposed circuit board, do not touch the product under power.

StarTech.com LLP

[StarTech.com](http://www.startech.com)

4490 South Hamilton Road
Groveport, Ohio 43125
U.S.A.

Documents / Resources



[StarTech HB30C3A1GEA 3-Port USB 3.0 Hub with Gigabit](#) [pdf] User Manual
HB30C3A1GEA 3-Port USB 3.0 Hub with Gigabit, 3-Port USB 3.0 Hub with Gigabit, 3.0 Hub with Gigabit, Hub with Gigabit