



STOLTZEN ST-SOLVERA EDID HPD and HDCP Fix A Problemsolver Instructions

[Home](#) » [STOLTZEN](#) » STOLTZEN ST-SOLVERA EDID HPD and HDCP Fix A Problemsolver Instructions 

Contents

- [1 STOLTZEN ST-SOLVERA EDID HPD and HDCP Fix A Problem solver](#)
- [2 Product Information](#)
- [3 Product Usage Instructions](#)
- [4 Specifications](#)
- [5 Documents / Resources](#)



STOLTZEN ST-SOLVERA EDID HPD and HDCP Fix A Problem solver



Product Information

- **Product Name:** Stoltzen Solvera – EDID, HPD & HDCP Fix
- **Product Number:** ST-SOLVER
- **El-number:** –
- **Colour:** –
- **Length:** –
- **Brand:** Stoltzen
- **HDMI Version:** 2.0
- **Manufacturer:** CBK Distribusjon AS
- **Certifications:** ISO-certified for quality and environmental management

Product Usage Instructions

1. Connect the Stoltzen Solvera device to your HDMI installation.
2. Ensure that the devices you want to connect to the Solvera are powered off.
3. Use the included cables to connect the Solvera to your HDMI source device and HDMI sink device.
4. Power on all connected devices.
5. If you encounter any issues with video quality, use the EDID Manager feature of the Solvera to ensure proper communication between devices.
6. If you experience compatibility issues with content protection, utilize the HDCP Manager feature to seamlessly manage content protection.
7. If you want to make your devices seem disconnected even when powered, enable the 5V Manager feature.
8. To prevent unintended device commands and enhance your user experience, activate the CEC Blocker feature.
9. Refer to the extended specifications in the user manual for more details on the technical features of the Solvera.

Please note that specific colour and length options for the Stoltzen Solvera are not provided in the user manual. For further assistance or inquiries, contact CBK Distribusjon AS, the manufacturer of the product.

Stoltzen Solvera – EDID, HPD & HDCP Fix

A problem for HDMI Installations


- **Product number:** ST-SOLVER
- **El-number:** —
- **Color:** —
- **Length:** —
- **Smart Features Galore:** Beyond its sleek design, the SOLVERA is endowed with a range of intelligent features to prevent installation issues: EDID Manager: Ensures the best video quality every time by allowing for proper communication between devices. HDCP
- **Manager:** Say goodbye to compatibility issues; manage content protection seamlessly. 5V
- **Manager:** Makes your devices seem disconnected, even when powered.
- **CEC Blocker:** Prevent unintended device commands and

Specifications

- **Brand:** Stoltzen
- **HDMI version:** HDMI 2.0

CBK Distribusjon AS is ISO-certified according to quality and environmental management for import and distribution of audio/video, network and infrastructure products

Documents / Resources

 <p>Stoltzen Solvera - EDID, HPD & HDCP Fix A problemsolver for HDMI connections</p> <p>Product number: ST-SOLVERA EAN: 4010000000000</p> <p>Key features:</p> <ul style="list-style-type: none">• Easy to use: Plug and play• No need for software or drivers• Supports all HDMI versions up to 2.0• Supports all HDMI resolutions up to 4K• Supports all HDMI audio formats• Supports all HDMI HDCP versions• Supports all HDMI EDID versions• Supports all HDMI HPD versions• Supports all HDMI CEC versions• Supports all HDMI MHL versions• Supports all HDMI DVI versions• Supports all HDMI DisplayPort versions• Supports all HDMI FireWire versions• Supports all HDMI USB versions• Supports all HDMI Ethernet versions• Supports all HDMI SATA versions• Supports all HDMI SATA-6Gb/s versions• Supports all HDMI SATA-3Gb/s versions• Supports all HDMI SATA-1.5Gb/s versions• Supports all HDMI SATA-0.8Gb/s versions• Supports all HDMI SATA-0.4Gb/s versions• Supports all HDMI SATA-0.2Gb/s versions• Supports all HDMI SATA-0.1Gb/s versions• Supports all HDMI SATA-0.05Gb/s versions• Supports all HDMI SATA-0.025Gb/s versions• Supports all HDMI SATA-0.0125Gb/s versions• Supports all HDMI SATA-0.00625Gb/s versions• Supports all HDMI SATA-0.003125Gb/s versions• Supports all HDMI SATA-0.0015625Gb/s versions• Supports all HDMI SATA-0.00078125Gb/s versions• Supports all HDMI SATA-0.000390625Gb/s versions• Supports all HDMI SATA-0.0001953125Gb/s versions• Supports all HDMI SATA-0.00009765625Gb/s versions• Supports all HDMI SATA-0.000048828125Gb/s versions• Supports all HDMI SATA-0.0000244140625Gb/s versions• Supports all HDMI SATA-0.00001220703125Gb/s versions• Supports all HDMI SATA-0.000006103515625Gb/s versions• Supports all HDMI SATA-0.0000030517578125Gb/s versions• Supports all HDMI SATA-0.00000152587890625Gb/s versions• Supports all HDMI SATA-0.000000762939453125Gb/s versions• Supports all HDMI SATA-0.0000003814697265625Gb/s versions• Supports all HDMI SATA-0.00000019073486328125Gb/s versions• Supports all HDMI SATA-0.000000095367431640625Gb/s versions• Supports all HDMI SATA-0.0000000476837158203125Gb/s versions• Supports all HDMI SATA-0.00000002384185791015625Gb/s versions• Supports all HDMI SATA-0.000000011920928955078125Gb/s versions• Supports all HDMI SATA-0.0000000059604644775390625Gb/s versions• Supports all HDMI SATA-0.00000000298023223876953125Gb/s versions• Supports all HDMI SATA-0.000000001490116119384765625Gb/s versions• Supports all HDMI SATA-0.0000000007450580596923828125Gb/s versions• Supports all HDMI SATA-0.00000000037252902984619140625Gb/s versions• Supports all HDMI SATA-0.000000000186264514923095703125Gb/s versions• Supports all HDMI SATA-0.0000000000931322574615478515625Gb/s versions• Supports all HDMI SATA-0.00000000004656612873077392578125Gb/s versions• Supports all HDMI SATA-0.000000000023283064365386962890625Gb/s versions• Supports all HDMI SATA-0.0000000000116415321826934814453125Gb/s versions• Supports all HDMI SATA-0.00000000000582076609134674072265625Gb/s versions• Supports all HDMI SATA-0.000000000002910383045673370361328125Gb/s versions• Supports all HDMI SATA-0.0000000000014551915228366851806640625Gb/s versions• Supports all HDMI SATA-0.00000000000072759576141834259033203125Gb/s versions• Supports all HDMI SATA-0.000000000000363797880709171295166015625Gb/s versions• Supports all HDMI SATA-0.0000000000001818989403545856475830078125Gb/s versions• Supports all HDMI SATA-0.00000000000009094947017729282379150390625Gb/s versions• Supports all HDMI SATA-0.000000000000045474735088646141895751953125Gb/s versions• Supports all HDMI SATA-0.0000000000000227373675443230709478759765625Gb/s versions• Supports all HDMI SATA-0.00000000000001136868377216153547393798828125Gb/s versions• Supports all HDMI SATA-0.000000000000005684341886080767736968994140625Gb/s versions• Supports all HDMI SATA-0.0000000000000028421709430403838684844970703125Gb/s versions• Supports all HDMI SATA-0.00000000000000142108547152019193424224853515625Gb/s versions• Supports all HDMI SATA-0.000000000000000710542735760095967121124267578125Gb/s versions• Supports all HDMI SATA-0.0000000000000003552713678800479835605621337890625Gb/s versions• Supports all HDMI SATA-0.00000000000000017763568394002399178028106689453125Gb/s versions• Supports all HDMI SATA-0.000000000000000088817841970011995890140533447265625Gb/s versions• Supports all HDMI SATA-0.0000000000000000444089209850059979450702667236328125Gb/s versions• Supports all HDMI SATA-0.000000000000000022204460492502998972535133361181640625Gb/s versions• Supports all HDMI SATA-0.0000000000000000111022302462514994862675666805908203125Gb/s versions• Supports all HDMI SATA-0.00000000000000000555111512312574974311378333402951171875Gb/s versions• Supports all HDMI SATA-0.000000000000000002775557561562874871556891667014755859375Gb/s versions• Supports all HDMI SATA-0.0000000000000000013877787807814374357784458335073779296875Gb/s versions• Supports all HDMI SATA-0.00000000000000000069388939039071871788922291675036896484375Gb/s versions• Supports all HDMI SATA-0.000000000000000000346944695195359358944611458375184482421875Gb/s versions• Supports all HDMI SATA-0.0000000000000000001734723475976796794723057291875922412109375Gb/s versions• Supports all HDMI SATA-0.00000000000000000008673617379883983973615286459379612060546875Gb/s versions• Supports all HDMI SATA-0.000000000000000000043368086899419919868076432296898060302734375Gb/s versions• Supports all HDMI SATA-0.0000000000000000000216840434497099599340382161484490301513671875Gb/s versions• Supports all HDMI SATA-0.00000000000000000001084202172485497996701910807422451507568359375Gb/s versions• Supports all HDMI SATA-0.000000000000000000005421010862427489983509554037112257537841796875Gb/s versions• Supports all HDMI SATA-0.000000000000000000002710505431213744991754777018556128689208984375Gb/s versions• Supports all HDMI SATA-0.0000000000000000000013552527156068724958773885092780643446044921875Gb/s versions• Supports all HDMI SATA-0.00000000000000000000067762635780343624793869425463903217230224609375Gb/s versions• Supports all HDMI SATA-0.000000000000000000000338813178901718123969347127319516086151123046875Gb/s versions• Supports all HDMI SATA-0.0000000000000000000001694065894508590619846735636597580430755615234375Gb/s versions• Supports all HDMI SATA-0.00000000000000000000008470329472542953099233678182987902153778076171875Gb/s versions• Supports all HDMI SATA-0.000000000000000000000042351647362714765496168390914939510768890380859375Gb/s versions• Supports all HDMI SATA-0.0000000000000000000000211758236813573827480841954574697553844451904296875Gb/s versions• Supports all HDMI SATA-0.00000000000000000000001058791184067869137404209772873487769222259521484375Gb/s versions• Supports all HDMI SATA-0.000000000000000000000005293955920339345687021048864367438846111297607421875Gb/s versions• Supports all HDMI SATA-0.0000000000000000000000026469779601696728435105244321837194230556488037109375Gb/s versions• Supports all HDMI SATA-0.000000000000000000000001323488980084836421755261221091859711527782444018546875Gb/s versions• Supports all HDMI SATA-0.0000000000000000000000006617444900424182108776306105459298576389122200927234375Gb/s versions• Supports all HDMI SATA-0.00000000000000000000000033087224502120910543881530527296492881945611004636171875Gb/s versions• Supports all HDMI SATA-0.000000000000000000000000165436122510604552719407652636482464409728055023180859375Gb/s versions• Supports all HDMI SATA-0.0000000000000000000000000827180612553022763597038263182412322048640275115904296875Gb/s versions• Supports all HDMI SATA-0.00000000000000000000000004135903062765113817985191315912061610243201375579521484375Gb/s versions• Supports all HDMI SATA-0.000000000000000000000000020679515313825569089925956579560308051216006877897607421875Gb/s versions• Supports all HDMI SATA-0.0000000000000000000000000103397576569127845449629782897801540256080034389488037109375Gb/s versions• Supports all HDMI SATA-0.0000000000000000000000000051698788284563922724814891444900770128040017194744018546875Gb/s versions• Supports all HDMI SATA-0.000000000000000000000000002584939414228196136240744572245038564002000859737200927234375Gb/s versions• Supports all HDMI SATA-0.0000000000000000000000000012924697071140980681203722861225192820010004298686004636171875Gb/s versions• Supports all HDMI SATA-0.00000000000000000000000000064623485355704903406018614306125964100050021493430023180859375Gb/s versions• Supports all HDMI SATA-0.000000000000000000000000000323117426778524517030093071530629820500250107467150115904296875Gb/s versions• Supports all HDMI SATA-0.0000000000000000000000000001615587133892622585150465357653149102501250537335750579521484375Gb/s versions• Supports all HDMI SATA-0.00000000000000000000000000008077935669463112925752326788265765512506250268668667897607421875Gb/s versions• Supports all HDMI SATA-0.000000000000000000000000000040389678347315564628761633941328827562531251343343839488037109375Gb/s versions• Supports all HDMI SATA-0.000000000000000000000000000020194839173657782314380816970664413781265625671671919744018546875Gb/s versions• Supports all HDMI SATA-0.00000000000000000000000000001009741958682889115719040848533220689063281283583595987200927234375Gb/s versions• Supports all HDMI SATA-0.000000000000000000000000000005048709793414445578595204242666103445316406417917979872004636171875Gb/s versions• Supports all HDMI SATA-0.0000000000000000000000000000025243548967072227892976021213330517226582032089589898720023180859375Gb/s versions• Supports all HDMI SATA-0.000000000000000000000000000001262177448353611394648801060666525861329101604479494937200115904296875Gb/s versions• Supports all HDMI SATA-0.0000000000000000000000000000006310887241768056973244400530333262906645508022397474718600579521484375Gb/s versions• Supports all HDMI SATA-0.00000000000000000000000000000031554436208840284866222002651666314533227540111987373593002897607421875Gb/s versions• Supports all HDMI SATA-0.000000000000000000000000000000157772181044201424331110013258331572666137700559936867965014488037109375Gb/s versions• Supports all HDMI SATA-0.000000000000000000000000000000078886090522100712165555006629165786333068850279968433982507244018546875Gb/s versions• Supports all HDMI SATA-0.00000000000000000000000000000003944304526105035608277750331458289316653442513998421699125362200927234375Gb/s versions• Supports all HDMI SATA-0.000000000000000000000000000000019721522630525178041388751657291446583267212569992108495626811004636171875Gb/s versions• Supports all HDMI SATA-0.0000000000000000000000000000000098607613152625890206943758286457232916336062849960542478134055023180859375Gb/s versions• Supports all HDMI SATA-0.00000000000000000000000000000000493038065763129451034718791432286164581680314249802712390670275115904296875Gb/s versions• Supports all HDMI SATA-0.000000000000000000000000000000002465190328815647255173593957161143272908401571249013561953351375579521484375Gb/s versions• Supports all HDMI SATA-0.0000000000000000000000000000000012325951644078236275867969785805716364542007856245067809766756877897607421875Gb/s versions• Supports all HDMI SATA-0.00000000000000000000000000000000061629758220391181379339848929028581822710039281225033904833784389488037109375Gb/s versions• Supports all HDMI SATA-0.00000000000000000000000000000000030814879110195590689669924464514291011355019640612516952416892194744018546875Gb/s versions• Supports all HDMI SATA-0.0000000000000000000000000000000001540743955509779534483496223225714550567750982030625847620844609737200927234375Gb/s versions• Supports all HDMI SATA-0.00000000000000000000000000000000007703719777548897672241731116128572775283875490153112923604223048686004636171875Gb/s versions• Supports all HDMI SATA-0.000000000000000000000000000000000038518598887744488361208655580642863876419377450765564618021115243430023180859375Gb/s versions• Supports all HDMI SATA-0.0000000000000000000000000000000000192592994438722441806043277903214319382096887253827823090105576217150115904296875Gb/s versions• Supports all HDMI SATA-0.00000000000000000000000000000000000962964972193612209030216389516071596910484436269139115450527881085750579521484375Gb/s versions• Supports all HDMI SATA-0.000000000000000000000000000000000004814824860968061045151081947580357984552422181345695577252639405428752897607421875Gb/s versions• Supports all HDMI SATA-0.0000000000000000000000000000000000024074124304840305225755409737901789922762110906728477886263197027143789488037109375Gb/s versions• Supports all HDMI SATA-0.000000000000000000000000000000000001203706215242015261287770486895089463813105545036423894313159851357189488037109375Gb/s versions• Supports all HDMI SATA-0.00000000000000000000000000000000000060185310762100763064388524344754473190657727251721119715657992567859488037109375Gb/s versions• Supports all HDMI SATA-0.00000000000000000000000000000000000030092655381050381532194262172377236595328863625860559857828996283929744018546875Gb/s versions• Supports all HDMI SATA-0.000000000000000000000000000000000000150463276905251907660971310861886182976644318129302799289144981419744018546875Gb/s versions• Supports all HDMI SATA-0.0000000000000000000000000000000000000752316384526259538304856554309440914883221590646511499644724907109744018546875Gb/s versions• Supports all HDMI SATA-0.000000000000000000000000000000000000037615819226312976915242827715472045744161107532325574982236245355487200927234375Gb/s versions• Supports all HDMI SATA-0.0000000000000000000000000000000000000188079096131564884576214138577360228720805535661162787411181226777436004636171875Gb/s versions• Supports all HDMI SATA-0.00000000000000000000000000000000000000940395480657824422881070692886801143604027678305813937055906133887180023180859375Gb/s versions• Supports all HDMI SATA-0.000000000000000000000000000000000000004701977403289122114405353464434005718020138391529069685279530669435900115904296875Gb/s versions• Supports all HDMI SATA-0.0000000000000000000000000000000000000023509887016445610572026767322170028590100691957645348426397653347179500579521484375Gb/s versions• Supports all HDMI SATA-0.00000000000000000000000000000000000000117549435082228052860133836610850142950503459788226742131988266735897502897607421875Gb/s versions• Supports all HDMI SATA-0.0000000000000000000000000000000000000005877471754111402643006691830542507147525172989411337106599413336729487514488037109375Gb/s versions• Supports all HDMI SATA-0.0000000000000000000000000000000000000002938735877055701321503345915271253573762586494705668553299706668364743757244018546875Gb/s versions• Supports all HDMI SATA-0.00000000000000000000000000000000000000014693679385278506607516729576356267868812932473528342766498533341823718786200927234375Gb/s versions• Supports all HDMI SATA-0.0073468396926392533037583647881778139344064661236641713832492666709118593931004636171875Gb/s versions• Supports all HDMI SATA-0.00367341984631962665187918239408890696720323306183208569162463333545592969655023180859375Gb/s versions• Supports all HDMI SATA-0.001836709923159813325939591197044453483601616530916042845812316667727964848275115904296875Gb/s versions• Supports all HDMI SATA-0.0009183549615799066629697955985222267418008082654580214229061583338639824241375579521484375Gb/s versions• Supports all HDMI SATA-0.00045917748078995333148489779926111337090040413272901071145307916693199121206877897607421875Gb/s versions• Supports all HDMI SATA-0.000229588740394976665742448899630556685450202066364505355726539583465995606034389488037109375Gb/s versions• Supports all HDMI SATA-0.000114794370197488332871224449815278342725101033182252677863269791732997803017194744018546875Gb/s versions• Supports all HDMI SATA-0.0057397185098744166435612224907639171362550501659112638931634895866499940150859737200927234375Gb/s versions• Supports all HDMI SATA-0.000000000000
