

[Skip to content](#)

Manuals+

User Manuals Simplified.



strands 809165 Dark Knight Identity 20 Inch LED Bar User Manual

September 22, 2022 September 23, 2022 [Leave a comment on strands 809165 Dark Knight Identity 20 Inch LED Bar User Manual](#)

[Home](#) » [Strands](#) » strands 809165 Dark Knight Identity 20 Inch LED Bar User Manual 

Document



809165 Dark Knight Identity 20 Inch LED Bar
User Manual

Contents [hide](#)

[1 809165 Dark Knight Identity 20 Inch LED Bar](#)

[2 INSTALLATION](#)

[3 Documents / Resources](#)

[4 Related Posts](#)


809165 Dark Knight Identity 20 Inch LED Bar

RED = +VDC

BLACK = - TO CHASSIS GROUND

WHITE = WHITE POSITION LIGHT

YELLOW = AMBER POSITION LIGHT



READ THIS BEFORE INSTALLATION OR PAINTING

READ ALL INSTRUCTIONS AND STUDY DIAGRAMS BEFORE INSTALLING YOUR NEW LIGHTS!

LEGAL MOUNTING

Check with state or local authorities for laws governing usage and proper mounting of your new lights.

TAKE CARE OF YOUR PRODUCT

Keep the product clean. Dirt on the lens and heat sink may shorten the product's lifetime.

We recommend using lukewarm water and alkaline degreasing.

Follow the degreasing instructions carefully and rinse off gently with cold or lukewarm water at low pressure.

WARNING!

Strong chemicals should not be used on the product. If you accidentally get strong chemicals on the product, rinse it off immediately, and use plenty of water so that no chemicals remain in any joint.

Some chemicals have a small amount of solvent in them, this can dissolve sealing adhesives and compromise the product's waterproofness.

Some chemicals pull out liquid from plastic and rubber-based components, which makes the plastic or rubber brittle and burst more easily.

Be careful not to use high water pressure close up on the product.

If you use high water pressure at short distances, most products find it difficult to close out the water.

INSTALLATION

If there is a contact/connector on the product, it should not be cut. If the connector is cut, the warranty is not valid.

If the product has a loose cable and no connector. If the cable is shorter than 50 cm, the cable must not be cut. If the cable is cut, the warranty is not valid.

If the cable is longer than 50 cm, it is ok to shorten the cable but not shorter than 50 cm.

If the cable is cut shorter than 50 cm, the warranty is not valid.

Tighten screws and bolts so that they do not loosen or chafe.

Do not tighten screws so hard that the protective bearings on the product break.

WARNING!

Do not use higher volts than the product description states.

This light becomes hot under continuous use. Don't remove or touch the casing for at least 30 minutes after turning the lamp off.



Contact us if you need support: support@strands.se or +46(0)320-450450

www.strandseurope.com

www.strands.se

Documents / Resources



[strands 809165 Dark Knight Identity 20 Inch LED Bar \[pdf\] User Manual](#)
809165 Dark Knight Identity 20 Inch LED Bar, 809165, Dark Knight Identity 20 Inch LED Bar, 20 Inch LED Bar, LED Bar, Bar

Related Posts



[Comelit MMON200A 20 Inch LED Monitor Instructions](#)

Rear panel: Dimensions: Technical data: Screen size: 20.1" Screen type: LED Screen ratio: 16:9 Brightness: 300nit Contrast ratio:...



[strands SIBERIA DR 32" LED BAR User Manual](#)

MANUAL SIBERIA DR 32" LED BAR RED = + POSITIVE BLACK = - TO CHASSIS GROUND YELLOW =...



[SWEDSTUFF LBL-03 7 Inch SR LED Bar Instruction Manual](#)

SWEDSTUFF LBL-03 7 Inch SR LED Bar RED = +V DC BLACK = - TO CHASSIS GROUND READ...



[strands AMBASSADOR 9 Inch Driving Light LED Instruction Manual](#)

strands AMBASSADOR 9 Inch Driving Light LED RED = + POSITIVE BLACK = - WHITE POSITION LIGHT YELLOW...

Leave a comment

Your email address will not be published. Required fields are marked *

Comment *

Name

Email

Website

Save my name, email, and website in this browser for the next time I comment.

[Manuals+](#),

- [home](#)
- [privacy](#)