

Streamlight ProTac 2L-X LED Tactical Flashlight



Streamlight ProTac 2L-X LED Tactical Flashlight Operating Instructions

[Home](#) » [Support](#) » Streamlight ProTac 2L-X LED Tactical Flashlight Operating Instructions 

Contents







- [1 Streamlight ProTac 2L-X LED Tactical Flashlight](#)
- [2 FEATURES](#)
- [3 GENERAL OPERATION](#)
- [4 Accessing Other Programs](#)
- [5 SERVICE OPTIONS](#)
- [6 FREQUENTLY ASKED QUESTIONS](#)
- [7 VIDEO – PRODUCT OVERVIEW](#)
- [8 References](#)



Streamlight ProTac 2L-X LED Tactical Flashlight









CR123A Lithium Batteries

FL 1 STANDARD	HIGH	LOW
	500 LUMENS	40 LUMENS
	3h 15min	30h
	165m	49m
	6,800cd	600cd
	1m	1m
	2m	2m

- **Runtime:** 3.25 hrs (Strobe)

Streamlight Rechargeable 18650 Li-Ion Battery

FL 1 STANDARD	HIGH	LOW
	500 LUMENS	40 LUMENS
	2h 45min	30h
	165m	49m
	6,800cd	600cd
	1m	1m
	2m	2m

- **Runtime:** 4.5 hrs (Strobe)

FEATURES

- **Innovative Multi-Fuel Technology:** Works with two CR123A batteries (included) and Streamlight's SL-B26-protected Li-Ion USB recharging battery pack (sold separately), giving you choices for how to power it.
- **High-Performance Illumination:** It has a beam distance of 165 metres and a maximum brightness of 500 lumens, so it gives off strong, directed light in a variety of settings.
- **TEN-TAP Programming:** It has three user-selectable programs: high/strobe/low, high only, and low/high. This lets you change the light types to fit your needs.
- **Durable Construction:** It is made of anodized aluminum, which is very strong and durable, so it will last even in harsh conditions.
- **Tactical Tail Switch:** It has a tactical tail switch with a push button that lets you easily use it with one hand in momentary, variable strength, or strobe mode, making it more versatile and useful.
- **A waterproof design:** The torch is rated IPX7, which means it can be submerged up to 1 meter for 30 minutes without losing its power.
- **Impact Resistant:** It has been tested to see how well it holds up against impacts from 2 meters away, making sure it will last and work reliably in rough conditions.
- The length is only 5.14 inches and the weight is only 0.634 ounces, making it small and light. This makes it

easy to take and use.

- **Accessories Included:** It comes with a nylon holster and a pocket clip that can be taken off for easy carrying. This makes it easier to use for military operations or activities in the great outdoors.
- **Long Runtime:** With the CR123A batteries that come with it, it can run for 2.75 hours, so you can use it for a long time without having to change the cells often.
- **High-Quality LED:** Uses LED technology to provide bright, long-lasting light that works reliably in a range of lighting situations.
- **Uses:** It can be used for everyday carry (EDC), tactical operations, law enforcement, outdoor sports, and getting ready for emergencies.



WARNING: Use of light in “strobe” mode may cause seizures in persons with photosensitive epilepsy.



CAUTION: The ProTac® 2L-X USB/ProTac® 2L-X provides a powerful beam.

When operated for a long time, it will get uncomfortably warm. This is NORMAL and is not a defect. Any LED flashlight of similar size and performance will produce similar amounts of heat during operation. The only way to reduce operating heat is to SIGNIFICANTLY lower the output, or increase the size of the flashlight. While this heating may trigger the drop reflex if an unattended hot light is picked up, the temperature does not present a burn hazard. When used tactically for short periods of time to clear a room, check for intruders, etc., heating will not be a problem.

BATTERY WARNING: FIRE, EXPLOSION, BURN HAZARD

- **USE ONLY:** Streamlight, Panasonic or Sanyo size CR123A; Duracell 123A, or Energizer 123. Use of other batteries or mixing of used and new or different brand batteries may result in leakage, fire or explosion, and serious personal injury.
- **DO NOT** recharge, misuse, short circuit, improperly store or discard, disassemble, or heat above 212°F (100°C). Keep away from children.

Note: This product is not designed to use rechargeable CR123 batteries.

CAUTION: To reduce the risk of fire, electrical shock, or personal injury, handle the battery carefully and never allow it to short circuit. Do not incinerate the battery as it may explode in a fire.

WARNING:

- The ProTac® 2L-X USB/ProTac® 2L-X utilizes a high Lumen LED that can get very hot. Never place the flashlight face down against a flat surface or against any flammable object. Transport or store the flashlight in a way that minimizes the chance it can accidentally be turned on.

BATTERY INSTALLATION/REMOVAL

- Uses one 18650 rechargeable battery or two CR123 batteries. Unscrew the tail cap and remove depleted batteries, insert fresh batteries positive end first, and replace and tighten the tail cap.

18650 USB BATTERY CHARGING

- The ProTac® 2L-X USB system ships with an 18650 USB Li-Ion battery with an integrated charge port.
Note: Fully charge the battery before first use.
- To charge the 18650 USB battery, insert the micro-USB plug into the connector near the positive end of the battery. The battery may be left plugged into a micro-USB cable continuously, there is no danger of overcharging.

LED Charge Indicators

- Charging...The red LED is on.
- Charged...Green LED is on.

Charge time is approximately 5 hours when using Streamlight AC adapters.

GENERAL OPERATION

The ProTac® 2L-X USB/ProTac® 2L-X features a programmable switch with momentary operation (light press or tap) and constant on operation (press until click). The light is shipped from the factory in the default High-Strobe-Low program.

- **High:** Tap and hold; click to lock on; click again for off.
- **Strobe:** Fast double-tap (within 0.4 seconds) and hold; click to lock on; click again for off.
- **Low:** Fast triple-tap (within 0.4 seconds per tap) and hold; click to lock on; click again for off.

Accessing Other Programs

- The ProTac® 2L-X USB/ProTac® 2L-X features a TEN-TAP® programmable switch allowing the user to select one of three different programs. To change to the next program, starting from the “Off” position, tap the switch rapidly 9 times (within 0.4 seconds per tap) and hold it down the 10th time. Continue holding the switch until the

light turns off (approximately 1 second), then release the switch.

- Available programs are High-Strobe-Low (Factory Default), High Only or Low-High. Streamlight's Limited Lifetime Warranty
- Streamlight warrants this product to be free of defects for a lifetime of use except for batteries and bulbs, abuse, and normal wear. We will repair, replace or refund the purchase price of this product should we determine it to be defective. This limited lifetime warranty also excludes rechargeable batteries, chargers, switches, and electronics which have a 2-year warranty with proof of purchase. THIS IS THE ONLY WARRANTY, EXPRESSED OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.
- INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES ARE EXPRESSLY DISCLAIMED EXCEPT WHERE SUCH LIMITATION IS PROHIBITED BY LAW. You may have other specific legal rights which vary by jurisdiction.
- Go to www.streamlight.com/support for a complete copy of the warranty, and information on product registration and the location of authorized service centers. Retain your receipt for proof of purchase.

SERVICE OPTIONS

The ProTac® 2L-X USB/ProTac® 2L-X contains few or no user-serviceable parts. For service options, go to www.streamlight.com/support/service and complete the Online Service Request for factory service or to find the location of an authorized Streamlight repair center near you.

Or contact:

Customer Service

STREAMLIGHT, INC. 30 Eagleville Road Suite 100 Eagleville, PA U.S.A. 19403-3996

- **Phone:** (800) 523-7488 Toll-Free / +1 (610) 631-0600
- **Fax:** (800) 220-7007 / +1 (610) 631-0712

FREQUENTLY ASKED QUESTIONS

What is the brand and model number of the LED tactical flashlight in question?

The brand is Streamlight, and the model number is 88062.

What is the price of the Streamlight ProTac 2L-X LED Tactical Flashlight?

The price of the Streamlight ProTac 2L-X is \$51.41.

What is the brightness level of the Streamlight ProTac 2L-X LED Tactical Flashlight in candela?

The brightness level of the Streamlight ProTac 2L-X is 6800 candela.

How long does the Streamlight ProTac 2L-X LED Tactical Flashlight run on a single charge?

The runtime of the Streamlight ProTac 2L-X is 2 hours.

What specifications does the Streamlight ProTac 2L-X LED Tactical Flashlight meet?

The Streamlight ProTac 2L-X meets the CE and ANSI specifications.

Who is the manufacturer of the Streamlight ProTac 2L-X LED Tactical Flashlight?

The manufacturer of the Streamlight ProTac 2L-X is Streamlight Inc.

What is the weight of the Streamlight ProTac 2L-X LED Tactical Flashlight?

The weight of the Streamlight ProTac 2L-X is 0.634 ounces.

What are the product dimensions of the Streamlight ProTac 2L-X LED Tactical Flashlight?

The product dimensions of the Streamlight ProTac 2L-X are 5.14 inches in diameter, 0.94 inches in width, and 1.06 inches in height.

What is the light source type used in the Streamlight ProTac 2L-X LED Tactical Flashlight?

The Streamlight ProTac 2L-X utilizes LED technology for its light source.

What is the white brightness level of the Streamlight ProTac 2L-X LED Tactical Flashlight in lumens?

The white brightness level of the Streamlight ProTac 2L-X is 500 lumens.

What is the light path distance of the Streamlight ProTac 2L-X LED Tactical Flashlight?

The light path distance of the Streamlight ProTac 2L-X is 165 meters.

How many batteries are required to operate the Streamlight ProTac 2L-X LED Tactical Flashlight?

The Streamlight ProTac 2L-X requires 2 CR123A batteries.

What type of power source does the Streamlight ProTac 2L-X LED Tactical Flashlight use?

The Streamlight ProTac 2L-X is battery-powered.

What water resistance level does the Streamlight ProTac 2L-X LED Tactical Flashlight have?

The Streamlight ProTac 2L-X is waterproof.

VIDEO – PRODUCT OVERVIEW



[Download the PDF Link: Streamlights 2021-03 Six Year Digital ProTac Flashlight Operating Instructions LED-Tactical-Flashlight-Operating-Instructions.mp4](#)



References

- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.