





## Style SELECTIONS 46323CHELG 19.6-in 6 Hooks Rail Rail with 6 hooks of 49.78 cm Instruction Manual

[Home](#) » [Style SELECTIONS](#) » Style SELECTIONS 46323CHELG 19.6-in 6 Hooks Rail Rail with 6 hooks of 49.78 cm Instruction Manual 

Style SELECTIONS 46323CHELG 19.6-in 6 Hooks Rail Rail with 6 hooks of 49.78 cm



### Contents

- 1 INTRODUCTION
- 2 TROUBLESHOOTING
- 3 CARE AND MAINTENANCE
- 4 SAFETY INFORMATION
- 5 PREPARATION
- 6 TOOLS REQUIRED
- 7 FEELING CONFIDENT? START YOUR NEXT PROJECT
- 8 PACKAGE CONTENTS
- 9 HARDWARE CONTENTS
- 10 INSTALLATION OVERVIEW
- 11 Documents / Resources
  - 11.1 References
- 12 Related Posts

## INTRODUCTIONS

Thank you for purchasing this Style Selections brand product. We've created these easy-to-follow instructions to ensure you spend your time enjoying the product instead of putting it together. But, if you need more information than what is provided here, please visit [Lowes.com](https://www.lowes.com), search the item number and refer to the Guides & Documents tab on the product's page.

If the item is no longer for sale, or if you have any questions or problems, please call our customer service department at (877) 888-8225, 8 a.m. – 8 p.m., EST, Monday – Sunday. You could also contact us at [partsplus@lowes.com](mailto:partsplus@lowes.com) or visit [www.lowespartsplus.com](https://www.lowespartsplus.com).

## TROUBLESHOOTING

ROBLEM	POSSIBLE CAUSE	CORRECTIVE ACTION
Rail not level.	Original measurements are inaccurate	Re-install starting with level marks.

## CARE AND MAINTENANCE

On an annual basis, it is recommended to double check all connections and re-tighten all screws and anchors. Clean with a lightly damp cloth or towel using water only to protect the durability of the finish on hooks and the rail.



## SAFETY INFORMATION

Please read and understand this entire manual before attempting to assemble, operate or install the product.

- The maximum load for this decorative rail, regardless of mounting application, is 15 lbs.

When drilling into the wall, avoid any electrical wiring or plumbing that may be located behind the wall. Damaged electrical wiring can cause electrical shock and/or fire


## PREPARATION

Before beginning installation of product, make sure all parts are present. Compare parts with package contents list diagram above. If any part is missing or damaged, do not attempt to install the product.

**Estimated Assembly Time: 10 minutes**




Tools Required for Assembly (not included): Drill with 3/32 in. and 5/16 in. drill bits, Phillips screwdriver  
Helpful Tools (not included): Level, Pencil

## TOOLS REQUIRED




## FEELING CONFIDENT? START YOUR NEXT PROJECT

- Visit [Lowes.com](https://www.lowes.com) for more information



## PACKAGE CONTENTS

A



Rail  
Riel  
x 1


## HARDWARE CONTENTS

AA



Screw  
Tornillo  
x 2


BB



Anchor  
Ancla de expansión  
x 2


## INSTALLATION OVERVIEW

1 Temporarily place rail (A) in desired location and mark mounting hole locations




2a For solid wood/wood stud installations, remove rail (A) and drill 3/32 in. pilot holes at marks.

**2a**




**2b** For drywall installations, remove rail (A) and drill 5/16 in. pilot holes at marks. Place anchors (BB) into holes.

**2b**




**2c** For all other installation types, note different hardware (not included) might be needed. Follow manufacturer's instructions

2c



3 Secure rail (A) to mounting surface with screws (AA).

3



**Style**<sup>TM</sup>  
SELECTIONS

Documents / Resources

	<p><a href="#">Style SELECTIONS 46323CHELG 19.6-in 6 Hooks Rail Rail with 6 hooks of 49.78 cm</a> [pdf] I</p> <p>nstruction Manual</p> <p>46323CHELG 19.6-in 6 Hooks Rail Rail with 6 hooks of 49.78 cm, 46323CHELG, 19.6-in 6 Hoo</p> <p>ks Rail Rail with 6 hooks of 49.78 cm, Rail with 6 hooks of 49.78 cm, hooks of 49.78 cm</p>
---	---

References

- [Lowe's Parts Plus](#)