

# **SUMMIT SWC Series Panel on your PNR Model Installation** Guide

Home » SUMMIT » SUMMIT SWC Series Panel on your PNR Model Installation Guide 🖫



# **SUMMIT SWC Series Panel on your PNR Model Installation Guide**



### **Contents**

- 1 Instructions for Installing a Panel on your PNR Model
- 2 Parts included in this PNR kit:
- 3 Panel/Frame Dimensions:
- 4 Tools not included for PNR kit:
- 5 Removing the door
- 6 Documents / Resources
  - **6.1 References**

Your unit is designed to accept a custom overlay panel to be installed on the door frame.

# Parts included in this PNR kit:

- (4) Screws
- (1) Top Hinge
- (1) Bottom Hinge
- (2) Plastic bushing for the panel
- (1) 3/16" drill bit

# **Panel/Frame Dimensions:**

Exterior: 28 1/8" H x 5 5/8" W


Frame Width: 1 1/2"

Overlay panel thickness: minimum ¾" thick

# Tools not included for PNR kit:

- T15 Fastening Tool Tip
- 23/64" drill bit

# Removing the door



- 1. Detach the bottom hinge.
- 2. Remove the door.
- 3. Detach the top hinge using a T15 Fastening Tool Tip.

# Attaching the handle (optional) and the panel

4. Peel off the gasket.

- 5. Use the <sup>3</sup>/<sub>16</sub>" drill bit to pierce the stainless-steel door through the four (4) pre-drilled holes on the inside of the door frame to secure the panel.
- 6. If using a handle, attach it to the custom panel.
- 7. Secure and attach panel to the door frame from the inside by using the provided screws.

# Installing the door

- 8. Reinstall the gasket.
- 9. You will have to drill a hole into the top and bottom of the custom panel to connect it to the new provided hinges. To do this, line the door up in its final position, using the new hinges as a guide to mark where you will be drilling the holes. Drill a hole through the top and bottom of the custom panel using a <sup>23</sup>/<sub>64</sub>" drill bit.
- 10. Secure the top hinge with the tool tip.
- 11. Reattach the door.
- 12. Secure the bottom hinge.

If you've checked the table above and find that you still need help with your appliance, call our Customer Service facility at <u>800-932-4267</u> (Ext. 513) or visit <u>summitappliance.com/support</u> between 9:00 AM and 5:00 PM ET. We will do our best to answer your questions.

Summit Appliance Division Felix Torch, Inc. www.summitappliance.com
718-893-3900
info@summitappliance.com



#### **Documents / Resources**



SUMMIT SWC Series Panel on your PNR Model [pdf] Installation Guide SWC007PNR, SWC007PNRLHD, SWC007H34PNR, SWC007H34PNRLHD, SWC Series Panel on your PNR Model, SWC Series, SWC Series Panel, Panel on your PNR Model, PNR Model Panel

### References

- Service and Support | Summit® Appliance
- I Manufacturing Specialty Appliances Since 1969 | Summit® Appliance
- User Manual

#### Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.