



SUNCHIP AD-08A Face Recognition Temperature Measurement Terminal User Manual

[Home](#) » [SUNCHIP](#) » **SUNCHIP AD-08A Face Recognition Temperature Measurement Terminal User Manual** 

Contents

- 1 [SUNCHIP AD-08A Face Recognition Temperature Measurement Terminal](#)
- 2 [Composition description](#)
 - 2.1 [Frame description](#)
 - 2.2 [Interface description](#)
 - 2.3 [Product size \(mm\)-Column style](#)
 - 2.4 [Product size \(mm\)-Wall hanging style](#)
- 3 [Power on settings](#)
 - 3.1 [Power on settings network and device activation](#)
 - 3.2 [Set server, company, community name, installation location and access mode](#)
- 4 [Face registration](#)
 - 4.1 [Face input of local device \(click the face mark in the lower right corner with the cursor\)](#)
 - 4.2 [Select the gate settings – click “open face management”](#)
 - 4.3 [Face registration](#)
 - 4.4 [Select single person registration & batch import face for registration](#)
- 5 [System settings](#)
 - 5.1 [Mask mode\(When the mask mode is on, the device recognizes the user without the mask. and prompts to wear the mask. The device flashes red status light to indicate early warning!\)](#)
 - 5.2 [Stranger mode\(Turn on stranger mode. the device will flash red status light for unregistered face users to show early warning! Don't open the door!\)](#)
- 6 [CE NB](#)
- 7 [FCC Statement](#)
- 8 [Documents / Resources](#)
- 9 [Related Posts](#)




SUNCHIP AD-08A Face Recognition Temperature Measurement Terminal




Composition description

Frame description




Interface description

Product size (mm)-Column style




Product size (mm)-Wall hanging style




Power on settings

Power on settings network and device activation




Set server, company, community name, installation location and access mode



Face registration


Face input of local device (click the face mark in the lower right corner with the cursor)




Select the gate settings – click “open face management”



Face registration




Select single person registration & batch import face for registration




Batch registration: in batch registration mode. first use the U disk to name the employee's picture (such as "Zhang San. JPG") under a folder. Then click the batch import function on the face recognition machine. Select the picture folder under the U disk to import.

System settings

Mask mode(When the mask mode is on, the device recognizes the user without the mask. and prompts to wear the mask. The device flashes red status light to indicate early warning!)



Stranger mode(Turn on stranger mode. the device will flash red status light for unregistered face users to show early warning! Don't open the door!)



CE NB

Herby, Shenzhen Sunchip Technology Co., Ltd. declares that this Face recognition temperature measurement terminal AD-08A is in compliance with the essential requirements and other relevant provisions of Directive 2014/53/EU. In accordance with Article 10(2) and Article 10(10), this product allowed to be used in all EU member states.

Use the Face recognition temperature measurement terminal in the environment with the temperature between -20°C and 35°C,

Adapter shall be installed near the equipment and shall be easily accessible.

The plug considered as disconnect device of adapter

- Adapter Model: TDX-1202000
- Input: AC 100-240V, 50/60Hz, 0.6A Output: DC 12V, 2.0A
- Operation Frequency: For WIFI: 2412MHz~2472MHz (802.11b/802.11g/802.11n(HT20)) For BT: 2402MHz~2480MHz
- Max output power: For WIFI: 0.0555W For BT: 0.003W
- Manufacturer Shenzhen Sunchip Technology Co., Ltd.
- Address 2nd-3rd Floor, Building 4, Fuan Industry, Area Phase 2, Dayang Development Zone,
- Fuyong, Baoan, Shenzhen, China
- Tel: 0755-23085934
- Fax: 0755-23086272
- E-mail: Wangsw@sunchip-tech.com

FCC Statement

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment. This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause

harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions

1. This device may not cause harmful interference, and
2. This device must accept any interference received, including interference that may cause undesired operation.

This equipment should be installed and operated with a minimum distance of 20 centimeters between the radiator and your body.

DECLARATION OF CONFORMITY

I hereby declare that the product

Product:

Product Name: Face recognition temperature measurement terminal

Model: AD-08A, AD-08B, AD-08C, AD-08D, AD-08E, AD-08F

Brand Name: N/A

Hardware Version: J8

Software Version: AD-j8-32-7-sw0.2-20200615

Accessories:

Adapter Information:

Model: TDX-1202000

Input: AC 100-240V, 50/60Hz, 0.6A

Output: DC 12V, 2.0A

Manufacturer: Shenzhen Teng Da Xing Electron Co., Ltd.

(Name of product, type or model, batch or serial number)

satisfies all the technical regulations applicable to the product within the scope of Council Directives 2014/53/EU, 2014/35/EU and 2014/30/EU:and declare that the same application has not been lodged with any other notified body.

satisfies all the technical regulations applicable to the product within the scope of Council Directives 2014/53/EU, 2014/35/EU and 2014/30/EU:and declare that the same application has not been lodged with any other notified body.

EN 62368-1 :2014+A11:2017

EN62311:2008

Draft ETSI EN 301 489-17 V3.2.2 (2019-12)

ETSI EN 301 489-1 V2.2.3 (2019-11)

ETSI EN 300 328 V2.2.2 (2019-07)

(Title(s) of regulations, standards, etc.)
All essential radio test suites have been carried out.

NOTIFIED BODY: MiCOM Labs Inc
- **Address:**

575 Boulder Court,

Pleasanton, California94566

USA

Identification Number: 2280

MANUFACTURER or AUTHORISED REPRESENTATIVE:
- **Address:**

Shenzhen Sunchip Technology Co., Ltd

2nd-3rd Floor, Building 4, Fuan Industry Area Phase 2, Dayang Development Zone, Fuyong, Baoan, Shenzhen, China.


This declaration is issued under the sole responsibility of the manufacturer and, if applicable, his authorised representative.

Point of contact:

Shiwen Wang, +860755-23085934 /+860755-23086272

(Name, telephone and fax number)

Documents / Resources

<div>Face recognition temperature measurement terminal</div> <div></div> <div>AD-08A User manual</div>	<div>SUNCHIP AD-08A Face Recognition Temperature Measurement Terminal [pdf] User Manual</div> <div>AD-08A, AD08A, 2AWFG-AD-08A, 2AWFGAD08A, AD-08A Face Recognition Temperature Measurement Terminal, Face Recognition Temperature Measurement Terminal, Recognition Temperature Measurement Terminal, Temperature Measurement Terminal, Measurement Terminal, Terminal</div>
---	---