

Home » SUNCO » Sunco T8_BY_F-3060K Selectable Tubes Type B Owner's Manual

Sunco T8_BY_F-3060K Selectable Tubes Type B Owner's Manual

Sunco



Selectable T8 Tubes Type B

A brighter lighting option for your replacement tubes, the Sunco T8 Frosted lens features a very bright 2200 lumens with only slightly more watts consumed. The 50,000 hours increase the longevity of this single ended power (SEP) LED tube. It requires less relamping, compared to traditional tubes. Compatible with 100-227V.


Contents

- 1 MODELS
- 2 LIGHT DISTRIBUTION
- **ANGLE**
- **3 SPECIFICATIONS**
- **4 CERTIFICATIONS**
- **5 Documents / Resources**
 - **5.1 References**

MODELS

T8_BY_F-3060K

LIGHT DISTRIBUTION ANGLE



SPECIFICATIONS

Voltage	100-277V
Wattage	18W
Power Factor	> 0.9

LIGHTING PERFORMANCE

Lumens	2200LM
Selectable CCT	3000K,3500K,4000K,5000K,6000K
CRI	80+
Beam Angle	180°
Dimmable	No
Efficacy	122lm/w
Frequency	50HZ /60HZ

ENVIRONMENT

Operating Temperature	4°F-104°F
Moisture Rating	Damp Rated

CONSTRUCTION

Housing Material	Full glass, frosted lens
Weight	0.43lbs

LIFETIME

Average Lifetime	50000hrs
Warranty	5 Years

CERTIFICATIONS







Documents / Resources



Sunco T8_BY_F-3060K Selectable Tubes Type B [pdf] Owner's Manual T8_BY_F-3060K Selectable Tubes Type B, T8_BY_F-3060K, Selectable Tubes Type B, Tubes Type B, Type B

References

• User Manual

Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.