Manuals+ — User Manuals Simplified.

sunmi P03060017 D2S Lite Desktop Android POS Payment Terminal User Guide

Contents

sunmi P03060017 D2S Lite Desktop Android POS Payment Terminal

Simple Settings

Get this intelligent device ready for use in few steps.

1. Press the power button to turn on the screen and enter into the boot interface, then you can operate in accordance with guidance.

   For this device, two network modes can be selected.

2. Wi-Fi Setting
   - Click the button [Setting], and open WLAN to enter into the interface for WLAN searching. Wait for the list of available WLAN hotspot list;
   - Click the WLAN to be connected. An access password is required if you want to connect to an encrypted network.

3. LAN Setting

   How to download/use Apps

   With network connection, you can find and download relevant Apps in the App Store for installation.

   List of System Preset Software
   - System Update
   - Instruction
   - Feedback
   - POS Steward
   - Remote Assistance
   - Gallery
   - Music

- Downloads
- Calculator
- ShopCenter

  For the details of the above software: select "Settings → Apps", and you can select an App to check its detailed information.

  Remark: The preset software list may change as the system upgrades.

  For more helps, please refer to the Help App in the device.

Package Items List

- Device x 1
- User Guide x 1 (includes package items list, product warranty card, product certificate of approval)
- Power Adapter x 1

Attentions

Cautions

- Please plug the AC power plug into the AC socket which complies to the input marked on the power adapter of the accessory;
- Use in any environment with potential explosive gas is strictly prohibited;
- No one other than professionals shall open the power adapter casually to avoid dangers;
- This device is a class B product and may cause radio jamming in the living environment. Under this circumstance, users need to take practical anti-jam-ming measures.
- Battery replacement:
  1. Using the battery with a wrong model may lead to explosion!
  2. The battery replaced shall be given to the maintenance staff for handling. Please Do not throw it into fire!

Important Safety Reminder

- Do not install or use the device during the weather of thunder and lightning to avoid being hit by thunder and lightning;
- Please cut off the power supply immediately when you find a suspicious smell, overheated device or smoke!

PRODUCT SAFETY WARNINGS
To prevent possible injury, please read all instructions and safety information before you use the product.
Operating temperature: 0°C ~ 40 °C,
Storage temperature: -20 °C ~ 60 °C.

Suggestions

- Do not use the device close to water or in a moist environment to prevent liquid from getting inside the device;
- Do not use the device in extremely cold or hot environments. For example: do not use the device close to fire or a lighted cigarette;
- Do not drop, throw or bend the device;

- Use the device in clean environment to prevent small items from getting inside the device;

- Do not use the device close to medical facilities without permission.

Declaration

Our company is not responsible for the following actions:

- Damages caused by the usage or maintenance which are not in accordance with the user guide;

- Damages or problems caused by options or consumables (not provided or approved by our company);

- Modifying or changing the product without our company's permission is not allowed;

- The OS of the product can be updated with update ROM released officially by our company. If users use a third-party ROM system to update or crack and change the system file, the system may be unstable and will bring safety risks and threats.

Disclaimer

Due to the updates of products, the details listed in this guide might be different from the products, and the products shall take precedence. Our company reserves the right to interpret this guide as well as the right to amend this guide without prior notice.

FCC compliance statement

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.
Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.

- Increase the separation between the equipment and receiver.

- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

- Consult the dealer or an experienced radio/TV technician for help.

  Caution: The user is cautioned that changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

FCC Radiation Exposure Statement:

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment .This equipment should be installed and operated with minimum distance 20cm between the radiator& your body.

Introduction to the Device

"Take facial recognition version as an example"

Facial Recognition Camera

Display Screen

15.6″

5V
TXD
RXD
GND

Cash
drawer port
USB port
USB port
TF card slot
Power port
LAN port
Serial port
Audio jack
USB debug port

Power Button

Press the button to boot the device when it is off;

Press and hold the button for 2-3 seconds to power off or reboot the device when the device is on.

Press and hold the button for 11 seconds to power off the device when the device crashes.

Touch Screen

A touch screen for operators to use.

Facial Recognition Camera

3D structured light camera

Installation

1. Put the power cable through the cable hole on the prop back;
2. Turn the display upward to find the cable hole on the front side of the prop;
3. Plug the power adapter into the power port on the back of the display;
4. Plug the other side of the adapter into the AC socket.

ISED Canada compliance statements

This device complies with ISED Canada licence-exempt RSS standard(s). Operation is subject to the following two conditions: (1) this device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of the device.

EU regulatory conformance

Conformity CE
Hereby, Shanghai Sunmi Technology Co., Ltd. declares that this device is in compliance with the essential require-ments and other relevant provisions of Radio Equipment Directive 2014/53/EU.The full text of the EU declaration of conformity is available at the following internet address:
https://developer.sunmi.com/docs/read/en-US/maaegh-jk480.
INFORMATION ABOUT THE SOFTWARE
The description of accessories and components, including software, which allow the radio equipment to operate as intended, can be obtained in the full text of the EU declaration of conformity at the following internet address:
https://developer.sunmi.com/docs/read/en-US/maaeghjk480.

EU Representative :SUNMI France SAS 186,avenue Thiers,69006 Lyon,France
This symbol means that it is forbidden to dispose of the product of with normal household waste. At the end of the product life cycle, waste equipment should be taken to designated collection points, returned to the distributor when purchasing a new product, or contact your local authorized representative for detailed information on WEEE recycling.
Manufacturer: Shanghai Sunmi Technology Co., Ltd.
Address: Room 505, Building 7, KIC, 388 Songhu Road, Yangpu District, Shanghai, PR China.

Documents / Resources

sunmi P03060017 D2S Lite Desktop Android POS Payment Terminal [pdf] User Guide
D2SKT, 2AH25D2SKT, P03060017 D2S Lite Desktop Android POS Payment Terminal, D2S Lite
Desktop Android POS Payment Terminal

References

- S **developer.sunmi.com/docs/read/en-US/maaegh-**