



## Sunnysoft RC UFO Folding Drone with Controller User Manual

[Home](#) » [SUNNYSOFT](#) » Sunnysoft RC UFO Folding Drone with Controller User Manual 

# sunnysoft

RC UFO operation manual

Scan the QR code to download and install the app.



<https://adgo.top/app/rcufo.html>

## Contents


- 1 Connection settings:
- 2 RC UFO Function description
- 3 REMOTE CONTROL FUNCTION DESCRIPTION
- 4 REMOTE CONTROL
- 5 Flight control
- 6 Remote Control and Aircraft Battery Installation and Charging Instructions
- 7 Aircraft installation
- 8 Direction Definition and Mode Selection of Headless Mode
- 9 Horizontal Calibration
- 10 Fine-tuning Operations
- 11 Speed Switch
- 12 360° rolling
- 13 Problem solving guidelines
- 14 Documents / Resources
- 14.1 References

### Connection settings:

1. Connect the power supply of the module, and the indicator light starts to flash, which indicates that the mobile phone is waiting to be connected.
2. Open the mobile phone settings option, start WLAN, and search “WiFi\_\*\*\* ” in the search list , click Connect until connected appears, which means the connection is successful.
3. Open the software and click the “Start” icon to enter the real-time image transmission \_interface.



### RC UFO Function description




**FOR AGES**

**14+**


**FOLDING DRONEUSER MANUAL**

## REMOTE CONTROL FUNCTION DESCRIPTION




## REMOTE CONTROL

1. Mobile phone rack Pull out the mobile phone handle and clamp the mobile phone.




## 2. 2.4G frequency alignment

Turn on the power switch of the aircraft and place it on the flat ground with the indicator flashing. Then turn on the power switch of the remote control, push the power operating lever to the highest position for 1 second, and pull it to the lowest position with a sound of Di and a long-term on of the aircraft indicator, it means that the frequency matching is completed, and the flight can be started.





## 3. One-button take-off and one-button landing

It is suggested that the height of this product is determined by barometer. Due to the influence of various environmental temperatures and other different factors, it is normal for the aircraft to change evenly at the beginning of flight or at low voltage.




## Flight control






## Remote Control and Aircraft Battery Installation and Charging Instructions

### 1. Remote control battery installation





### 2. Aircraft battery charging




- (1) Remove the battery from the aircraft;
  - (2) Connect the battery to the specific charging cable, and then insert the cable into the charging equipment such as the USB port of the computer.
  - (3) When the remote control is charged, the indicator lights up while be off when charging completion.
3. Put the fully charged battery into the battery slot of the aircraft and hold down the power switch until the aircraft lights up.






## Aircraft installation

### 1. Folding function




### 2. Installation of aircraft blades

Please install the propeller in the correct direction, and lock the screw after installing the support arm of the aircraft corresponding to the mark (A/B) on the propeller.



## Direction Definition and Mode Selection of Headless Mode

When switching to headless mode, the aircraft will give up its front, back, left and right directions, and take the nose direction (one side with camera) of the aircraft at 2.4 G frequency alignment as the forward direction.




1. Direction definition before take-off: Put the forward direction of the aircraft directly in front of you (there is a camera side, and then turn on the remote control for 2.4 G frequency alignment to complete the headless mode direction definition of this flight.
2. Press headless mode when flying, and the remote controller keeps making noise; The aircraft lights quickly flash and enter the headless mode; Press the headless mode key again, and the remote controller will make a "di" and "di" sound, that is, exit the headless mode.




**Note:** Before entering into the headless mode, the forward direction must be determined, that is, the direction of the aircraft on the ground after startup.

## Horizontal Calibration


It can be done of the horizontal calibration if the aircraft cannot rise vertically during takeoff. It can be pressed the key of One Key Correction with the aircraft indicator quickly flashing, and after the indicator on means the correction is completed. When executing the correction command, it must be executed in a stable state parallel to the horizontal line, otherwise the correction effect will be affected.



## Fine-tuning Operations



If the aircraft has been drifting in a certain direction or rotates left / right in place, the aircraft can be slightly adjusted through the following operations to make the aircraft reach a stable flight state.




## Speed Switch



The speed switch is divided three speeds for the flight of forward, backward and left & right side. It defaults to gear 1 after power on. And when press the remote control with two sounds of Di for the gear 2, three sounds of Di for the gear 3 and one sound of Di for returning to gear 1.

## 360° rolling





### Implementation steps:

1. Press the 360° rolling button, and the remote controller will continue to send out “di™di™\*di”;
2. Push the right rocker. At this time, the aircraft will carry out 360° rolling according to the pushing direction of the right rocker.



When the aircraft enters the low voltage state, the carry out 360° rolling function will be automatically prohibited

### Problem solving guidelines

Problem	Cause	Treatment mode
After the aircraft is connected with the battery, the indicator light flashes continuously, and the operation is unresponsive	Aircraft and remote controller 2.4 G frequency alignment was unsuccessful	Please re-perform 2 4G alignment between aircraft and remote control
There is no reaction after connecting the battery	(1) Check whether the remote control or aircraft is powered on (2) Check the remote control or aircraft battery for low voltage (3) Whether the positive and negative plates of the battery are in poor contact	(1) Reinstall the battery (2) Charge or replace new batteries (3) Confirm that the positive and negative polarities of the battery are installed correctly
When pushing the throttle remote lever, the motor does not rotate, and the indicator light of the aircraft flashes all the time	Aircraft battery is low	Charge the battery or replace a fully charged battery
The propeller of the aircraft keeps rotating but cannot take off	(1) Propeller deformation (2) Aircraft battery power is insufficient	(1) Replace the spiral propeller (2) Charge the battery or replace a fully charged battery
The aircraft vibrates badly	Propeller deformation	Change propeller
The aircraft always drifts in one direction	The center point of gyroscope on aircraft is wrong	Re-calibrate horizontally or reboot Re-alignment
The aircraft lost its balance after falling	The center point of gyroscope on aircraft is wrong	Re-calibrate horizontally or reboot Re-alignment

**Note:** the batteries of newly purchased products are low voltage, please fill the battery before use!

© Sunnysoft s.r.o., distributor

## Documents / Resources



[Sunnysoft RC UFO Folding Drone with Controller](#) [pdf] User Manual  
RC UFO Folding Drone with Controller, RC UFO, Folding Drone with Controller, Drone with Controller, Controller

## References

- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.