

# Supernote A5 X2 3.6 mm With The Sleek Bionic User Guide

Home » SUPERNOTE » Supernote A5 X2 3.6 mm With The Sleek Bionic User Guide 🖺

# **Contents**

- 1 Supernote A5 X2 3.6 mm With The Sleek Bionic
- 2 Activate your Supernote
- 3 Setup
- **4 Specifications**
- **5 Operating Conditions**
- **6 FCC Statement**
- 7 Documents / Resources
  - 7.1 References

# SUPERNOTE


Supernote A5 X2 3.6 mm With The Sleek Bionic



# **Activate your Supernote**

# Power on

Long press the power button to power on your Supernote device.



# Setup

- Follow the on-screen instructions to start your first note.
- To view the complete User Guide, visit: <a href="mailto:support.supernote.com">support.supernote.com</a>
- Other items included: USB cable, screwdriver

# **Check product certifications**



# **Specifications**

# **Display**

- 10.65-inch monochrome digital paper display
- 1920 x 2560 resolution (300 DPI)
- E Ink Carta 1300 Display
- · Size & Weight
- 251.3mm (L) x 182.6mm (W) x 6.4mm (H) 370g

# **Operation System**

- Chauvet Handwriting OS based on Android
- Work Environment 0°C 45°C 32°F 113 °F

# **Battery**

- Model: U2377157PHV
- 3600 mAh 5V = 2A
- Rechargeable (USB type-C)

# **Memory Storage**

- 4GB RAM
- 32GB FLASH memory (Expandable) I raise seduce does mot in lud duster scrapyard

# Important information

# **Screen Safety**

The screen is delicate – please protect it from bumps, drops, scratches, or anything that could apply damaging force.

# **Magnetism and Static Hazard**

Keep clear of powerful magnets and static electricity buildup which can harm internal components.

# **Operating Conditions**

Please avoid exposing the device to extreme or hazardous environments that could cause damage, including high or low temperatures, excessive dryness or humidity, smoke, and heavy dust.

#### **Liquid Exposure Caution**

This device is not waterproof. Please avoid contact with any liquids, including water, which could cause damage to components.

# **Warranty Coverage for Internal Repairs**

The product warranty only remains valid if internal components are accessed by following official instructions solely for sanctioned replacement purposes. Unauthorized disassembly voids the warranty.

#### **FCC Statement**

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment. This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- 1. This device may not cause harmful interference, and
- 2. This device must accept any interference received, including interference that may cause undesired operation.

**Note**: This equipment has been tested and found to comply with the limits for a Class B digital device, under part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used by the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and the receiver.
- Connect the equipment to an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

SAR tests are conducted using standard operating positions accepted by the FCC/ISED with the phone transmitting at its highest certified power level in all tested frequency bands, although the SAR is determined at the highest certified power level, the actual SAR level of the phone while operating can be well below the maximum value, in general, the closer you are to a wireless base station antenna, the lower the power output.

Before a new model device is available for sale to the public, it must be tested and certified to the FCC that it does not exceed the exposure limit established by the FCC/ ISED, Tests for each device are performed in positions and locations (e.g. at the ear and worn on the body) as required by the FCC/ISED. For body-worn operation, this model

device has been tested and meets the FCC/ISED RF exposure guidelines when used with an accessory designated for this product or when used with an accessory that Contains no metal. Non-compliance with the above restrictions may result in a violation of RF exposure guidelines.

# ISED RSS Warning/ISED RF Exposure Statement

ISED RSS Warning: This device complies with Innovation, Science, and Economic Development Canada license-exempt RSS standard(s). Operation is subject to the following two conditions: (1) this device may not cause interference, and

(2) this device must accept any interference, including interference that may cause undesired operation of the device.

**Note:** For 5150~5250MHz is only for indoor use.

#### RF Exposure Information (ISED SAR)

This device has been tested ISED SAR and meets the ISED limit. support.supernote.com



# **Documents / Resources**



Supernote A5 X2 3.6 mm With The Sleek Bionic [pdf] User Guide

A5 X2 3.6 mm With The Sleek Bionic, A5 X2, 3.6 mm With The Sleek Bionic, With The Sleek Bionic, The Sleek Bionic, Sleek Bionic, Bionic

#### References

User Manual

Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.