


SUZOHAPP 49-3305-02 LCD Monitor



SUZOHAPP 49-3305-02 LCD Monitor Instruction Manual

[Home](#) » [SUZOHAPP](#) » SUZOHAPP 49-3305-02 LCD Monitor Instruction Manual 

Contents

- 1 SUZOHAPP 49-3305-02 LCD Monitor
- 2 Product Specifications
- 3 Product Usage Instructions
- 4 FAQ
- 5 TG02H Alpha Numeric Serial/USB Printer, Paper Arm, No Cables
- 6 VisionPro 27" Edge Lit Front 12V RGB W/DP & HDMI
- 7 Wells-Gardner 32" LCD Monitor
- 8 8-Line Harness with Buttons for Pog
- 9 T5 LED Tube Under Cabinet Light Fixture
- 10 Super "Jamma" Cable
- 11 CONTACT
- 12 Documents / Resources
 - 12.1 References



SUZOHAPP 49-3305-02 LCD Monitor



Product Specifications

- **Product Name:** TG02H Alpha Numeric Serial/USB Printer
- **Price:** \$161.29
- **Includes:** Paper Arm
- **Part Number:** TG02H-NH*
- **Additional Information:** This printer does not come with cables. Paper rolls and cables are sold separately.

Product Usage Instructions

Setting Up the Printer

- Ensure you have the necessary cables (power cable and serial cable) as mentioned in the product description.

Connecting the Printer

- Connect the power cable to the appropriate power source and the serial cable to your device for communication.

Loading Paper

- Insert the paper roll (P/N 27-0207-00) into the printer following the instructions provided with the paper roll.

Powering On the Printer

- Turn on the printer using the power cable connected to a power source.

Printing

- Send print commands from your device to the printer to generate alphanumeric prints as required.

FAQ

- **Q:** Does the printer come with cables?
- **A:** No, the printer does not come with cables. You need to purchase the power cable (P/N 70-0042-00) and serial cable (P/N 70-1988-00) separately.
- **Q:** What type of paper roll is compatible with this printer?
- **A:** The compatible paper roll part number is 27-0207-00, which needs to be purchased separately.

TG02H Alpha Numeric Serial/USB Printer, Paper Arm, No Cables

Part Number: TG02H-NH*

- 57mm Receipt/Ticket Printer
- Extremely compact and versatile receipt printer that allows an easy installation and panel mounting
- 200dpi best printing quality
- Paper width 57mm
- Speed > of 80mm/ sec
- Up to 70mm paper roll diameter
- RS232 and USB interface (serial TTL with welding)
- Highly reliable tear-off
- Sensors: head temperature, paper presence, near paper end, anti-jamming
- Power supply 12V and 24V

This printer does not come with the cables; Does not include the paper roll, P/N 27-0207-00; For power cable see P/N 70-0042-00, #26600000000024, and for serial cable see P/N 70-1988-00, #265000000000311



VisionPro 21.5" LED LCD W/Clear Glass HDMI, DVI, & VGA

Part Number: 49-3305-02

- Minimum order quantity: 2



Marquardt Coin Switch Silver 6 Grm .110 QC W/ Wireform

Part Number: 42-1103-90


- Primarily used on 42-0105-90: assemble wire form and nut to switch
- Slam-a-winner
- Monster Drop



8-Line Harness

Part Number: 95-2835-00


- Includes 36-pin connector



19.42" 3M Microtouch Cleartek2 Flat T/S USB & Serial Control

Part Number: 49-0505-00

- New 3M Dual Controller (works on both USB and Serial)
- 98-0003-3819-8 SCT3250 19" sensor with mated dual mode EX113 controller
- This new model is a direct replacement for the Serial model (SHG PN 49-2850-00 3M PN 17-8891-223) and USB model (SHG PN 49-2851-00 3M PN 17-8891-226)



VisionPro 27" Edge Lit Front 12V RGB W/DP & HDMI

Part Number: 150LG27003

- Rigid high-quality PCB-mounted LEDs, no adhesive strips, no hotspots
- RGB LED interface (solid colour; addressable LEDs in another model)
- True-flat zero-bezel design.
- Full-HD 1920×1080, WVA 178° x 178° for landscape or portrait usage
- Diagonal Size: 27"
- Aspect Ratio: 16:9
- Active Area: 597.6 x 336.15mm
- Dimensions: 660.0 x 407.0 x 51.0mm (26in x 16in x 2in)
- Video Interface: VGA + DVI standard, HDMI and DisplayPort are available
- Touch/Non-Touch Type: Printed 3mm Tempered Glass
- Warranty: 1-year
- Regulatory Approvals: CE, FCC



Wells-Gardner 32" LCD Monitor

Part Number: 49-3259-WG

- Overall Dimensions: 19.558 in. (H) x 29.097 in (W) x 3.135 in (D)
- Active Display Area: 15.433 in (H) x 27.468 in (W)
- Max. Resolution: 1920 X 1080
- Contrast Ratio: 3000:1
- Brightness: 350 cd/m2
- Response Time: typical, 6.5ms
- Viewing Angle: Horiz./Vert. 178/178 degrees
- Video Interface: VGA & DVI-D

- Horizontal Frequency Range: 31 – 70 KHz
- Vertical Frequency Range: 60Hz
- Electrical Safety: UL CSA
- RF Emission Limits: FCC Class A
- Electrostatic Discharge Immunity: EN6100-4-2 Class A
- RoHs: RoHS Directive 2011/65/EU
- Analog & Digital Scan Frequency: 31 – 70KHz
- Auto Size Adjust: 31 – 70KHz
- Power consumption: 90 watts



8-Line Harness with Buttons for Pog

Part Number: 95-0634-02

- Update your old and worn-out harness
- Made from high-quality material
- Harness will work on all POG wooden cabinets
- The AC Plug is set up for a CRT Monitor
- Other replacement components are available



VisionPro 22" LCD W/ IR Touch & USB/Serial Touch

Part Number: 49-22IR-03

- For Use In PA Skill Games
- Can also be used in: Miele Spartan Cabinets (with bezel removed)
- Active Display Area: 18 3/4 in (H) x 10 1/2 in
- Outline Dimension: 23 in (H) x 18 11/32 (W) x 2 in (D)

- 1920 x 1080 pixels resolution
- CGA-VGA resolution
- Low power consumption
- RGB and DVI
- LED Backlight System
- Touch Screen – Infrared
- USB/Serial
- Aspect Ratio: 16:9 or 16:10 (auto-scaling)
- Removable Brackets



22" Wells LED TN W/ VGA, DVI WGF2258SD-J27H

Part Number: 49-3221-02

- Aspect Ratio 16×10
- Viewing Angel (H/V) 170/160
- Video Interface: VGA/DVI-D
- Analog Scanning Freq: 30-80kHz
- Power Consumption 30W
- RoHs Compliant



T5 LED Tube Under Cabinet Light Fixture

Part Number: 91-0654-0

- 80 LEDs, frosted cover, light can be plugged in on either the left or right side
- Can connect up to 6 lights end to end on one power cord with supplied connector
- 2ft 110v black line cord with inline power switch
- Two mounting clips

- One protective end cap (covers the unused end on light)
- 22 inches (568mm) long
- Cool white 6150k-6500k
- 10 watt
- Cri:70, power factor .95
- Lifetime: 35,000 hours
- Beam angle 120 degrees
- 3-year warranty



Super “Jamma” Cable

Part Number: 80-5000-00*

- Jamma edge connection with wires for power, speakers, coin switches, start switch and controls
- Universal design for 2-player games
- 5' length – fits any cabinet, including kiosks
- Same as Jamma Cable but complete with a 2' long Molex-connected control panel harness with .187" connectors
- Labeled for ease of identification

*If speaker wire is required, use PN: 80-5100-00



Keypad Metal 12 Key Alpha/Numeric with 7-Pin Connector

Part Number: 95-1196-00

- Upgraded assembly to improve waterproofing, material in PCB is now fibreglass
- RoHS Compliant



7-Digit Meter 12V W/ Diode & Mounting Bracket

Part Number: 42-0092-20


- 7-digit meter
- Black case
- 12 volt
- 1.1 watts
- 093 Molex connector
- Bracket mounts are the same size as the KEP meter
- Includes mounting bracket & internal diode



Entropy TRP Blank Coin Door W/ Card Reader Cutout

Part Number: 42-8194-10

- 8-3/4 high 7-1/2 wide
- Includes cutout for card reader



CONTACT

- Contact Your Sales Representative to Order Now!
- SUZOHAPP
- 601 Dempster Street, Mt Prospect, IL 60056 – Toll-Free: [888-289-4277](tel:888-289-4277) – info@suzohapp.com – na.suzohapp.com

Documents / Resources



[SUZOHAPP 49-3305-02 LCD Monitor](#) [pdf] Instruction Manual
49-3305-02, 49-3305-02 LCD Monitor, LCD Monitor, Monitor

References

- [User Manual](#)

Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.