

SVS SoundPath Speaker Level Subwoofer Adapter User Guide

Home » SVS » SVS SoundPath Speaker Level Subwoofer Adapter User Guide 🖺

Contents

- 1 SVS SoundPath Speaker Level Subwoofer Adapter
- 2 SVS SoundPath Speaker Level Subwoofer Adapter
- 3 Connecting to a Receiver or Amplifier
- 4 Connecting to a Subwoofer
- **5 5-year Unconditional Warranty**
- **6 SoundPath Speaker Level Subwoofer Adapter Features and Specifications**
- 7 Documents / Resources
 - 7.1 References
- **8 Related Posts**



SVS SoundPath Speaker Level Subwoofer Adapter



Product Information Features and Specifications

• Input: Stereo 5-Way Speaker Level Binding Posts

• Input Impedance: 4.85 kohm

• Output: Stereo RCA

Output Impedance: 150 ohm
 Attenuation: -30dBV step down
 Power: 500W RMS / 1,000W Peak

• Frequency Response: 10Hz – 80kHz (+/- 0.01dB)

Dimensions: Not specified
Product Weight: Not specified
Packaged Weight: Not specified

Product Usage Instructions Connecting to a Receiver or Amplifier

- 1. Connect the Amplifier or Receiver to the corresponding binding posts of the SoundPath Speaker Level Subwoofer Adapter.
- 2. Ensure correct channel and polarity markings are matched.
- 3. Make sure the adapter is connected to the AV receiver or amplifier.

Frequently Asked Questions (FAQ)

Q: What should I do if I have trouble with my SoundPath Speaker Level Subwoofer Adapter?

A: If you require assistance, please contact our Customer Service team by clicking the Support widget on our website to call, chat, or email. You can also reach us at 877-626-5623 or <a href="mailto:customer-cust


SVS SoundPath Speaker Level Subwoofer Adapter

Thank you for choosing SVS. The following instructions will assist you in connecting and using the Sound-Path Speaker Level Subwoofer Adapter. More information and details can be found at:

www.sysound.com/products/soundpath-speaker-level-subwoofer-adapter


Connecting to a Receiver or Amplifier

- Make sure all connected components are switched off.
- Connect the Positive and Negative speaker level connections from the Left and Right speaker outputs of your
 Amplifier or Receiver to the corresponding binding posts of the SoundPath Speaker Level Subwoofer Adapter.
- The binding posts accept bare wire, banana, or spade connectors. Be sure to follow the correct channel and polarity markings.
- Your adapter will power on as soon as it's connected to the AV receiver or amplifier.



Connecting to a Subwoofer

- Using a conventional RCA (Line Level) cable, connect the RCA outputs of the Adapter to the RCA inputs of the subwoofer.
- You may now power-on other electronics in your system.



NOTE: This product is not recommended for use with Differential Amplifiers. These types of amplifiers are very rare, but if you are unsure, please contact us.

NEED HELP?

If you require assistance, please contact our Customer Service team by clicking the Support widget on our website to call, chat or email.

877-626-5623 | custservice@svsound.com | www.svsound.com

5-year Unconditional Warranty

SVS offers the industry's most comprehensive warranty on all our products. SVS warrants the SoundPath Speaker Level Subwoofer Adapter to be free from defects in the workmanship for five years from date of purchase. This warranty and the SVS customer Bill of Rights can be viewed online at www.svsound.com/bill-of-rights.


Share Your Thoughts

At SVS, we strive to deliver products that surpass every expectation. After you have had an opportunity to install and audition your SoundPath Speaker Level Subwoofer Adapter, please feel free to share your comments and

•









Subscribe at youtube.com/SVS_Sound



Post (formerly tweet) @SVS_Sound

Write a review at svsound.com

- · Post at facebook.com/SVSound
- Follow at instagram.com/SVS_Sound
- Subscribe at <u>youtube.com/SVS_Sound</u>
- Post (formerly tweet) @SVS_Sound

SoundPath Speaker Level Subwoofer Adapter Features and Specifications

- Input Stereo 5-Way Speaker Level Binding Posts
- Input Impedance 4.85 kohm
- · Output Stereo RCA
- Output Impedance 150 ohm
- · Attenuation -30dBV step down
- Power 500W RMS / 1,000W Peak
- Frequency Response 10Hz 80kHz (+/- 0.01dB)
- THD+N @ 10V <0.03% (10Hz 80kHz)
- Dimensions 1.5" (37.3mm) H x 3.9"(98.8mm) W x 4.1" (103.1mm) D
- Product Weight 0.6 lbs (0.28 kgs)
- Packaged W eight 1.0 lbs (0.46 kgs)

340 Victoria Rd. Youngstown, OH, United States www.svsound.com

Documents / Resources



<u>SVS SoundPath Speaker Level Subwoofer Adapter</u> [pdf] User Guide SoundPath Speaker Level Subwoofer Adapter, SoundPath Speaker Adapter, Level Subwoofer Adapter, Subwoofer Adapter, Level Adapter

References

- **O**Login Instagram
- Mean Audio Speakers, Subwoofers and Cables | SVS
- Home Audio Speakers, Subwoofers and Cables | SVS
- SVS Customer Bill of Rights

• User Manual

Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.