

SWAGTEK M1C 4G LTE Mobile Router Installation Guide

Home » swagtek » SWAGTEK M1C 4G LTE Mobile Router Installation Guide 🖺




SWAGTEK

Model:M1C



 $4\text{G}^{^{\uparrow}}$ LTE MOBILE ROUTER **QUICK INSTALLATION GUIDE**




Thank you for purchasing our Please follow these simple but important instructions for optimal use of your new Mi-Fi. Notice: Products or services of the vendor or carrier are subject to change within this User Guide without prior notice.

Contents

- 1 Getting to Know Your Mi.Fi
- 2 Setting Up Your Mi-Fi
- 3 Documents / Resources

Getting to Know Your Mi.Fi



Keys

Power key; Hold the key for 2 seconds to power the device on/off.

WPS key: Hold the WPS key for 3 seconds to activate the

WPS function Reset: Use a pen nib or need le to press the reset hole for 1 second, the device will be reset.

Micro USB Port

- 1. Charging
- 2. Use data cable to connect the PC and work as a 46 modem.

LED Indicators

Network

- A. When insert the SIM card, the corresponding indicator will light on in blue if with good network.
- B. The indicator will be in green if the SIM card network is weak.
- C . When the device is without SIM card or the SIM card is without network service, the indicator will flash in red \mathbf{WPS}

Long press the WPS key to open WPS function, the LED indicator will flash in blue **Wi-Fi**

- A. It shows blue color when any device connects.
- B. It doesn't light on if no device connects.

Battery

- A. It shows red color when the device is charging
- B. It shows blue color when the device is charging full.
- C. It flashes red color if the device is less than 20% battery. When the device is powered on, the indicators light on.

The indicators (except the Wi-Fi and battery ones) light off when the device works stable.

Short press the POWER key to wake up, the indicators would light on for 15 seconds, then light oft

Setting Up Your Mi-Fi

1. Remove the battery cover (Lift gently in the direction shown)



2. Insert the SIM card.



3. Insert the Battery and attach the battery cover



Charging Your Mi-Fi

Use the data cable connect the travel charger and the Mi-Fi micro USB port

Connecting Your WIFI Device to Your MIFI& Network Control Open the web control on the WIFI device (notebook. smartphone etc.)

Searching the WIFI, connect Open the browser when the network connects successfully Input 192.168.1.1 through cable or 192.168.0.1 via WIFI. go to the login page Input the Username and Password as below, and sign in.

Username: admin Password: admin



Ung the WPS

It y siour oevice supports WPS. you do not have to input the pass-word manually after a WPS connection has been established. Please follow the following steps:

- 1. Power on your MIFI and enable the WIFI function from the device you would like to connect..
- 2. Press and hold the WPS key on your device for 3 seconds to start the Wi-Fi protected Setup authentication process,
- 3. Enable the WPS function on your WIFI device in order to respond to this authentication process...
- 4. Follow the system prompts on your WIN device to finish the connection. If no WIFI device is connected within 2 minutes, the WFS rum
- 5. tion will automatically turn off.

Managing Your Mi-Fi

Check the Mi-Fi information after login, which includes Mi-Fi IP, I MEI, Masks, SW and I-1W version, the connected Wi-Fi device settings.



You can click the wireless interface to amend the WIFI account and password, amend the device account in the



FCC Statement

- 1. This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:
 - (1) This device may not cause harmful interference.
 - (2) This device must accept any interference received, including interference that may cause undesired operation.
- 2. Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

SAR Information Statement

Your wireless phone is a radio transmitter and receiver. It is designed and manufactured not to exceed the emission limits for exposure to radiofrequency (RF) energy set by the Federal Communications Commission of the U.S. Government. These limits are part of comprehensive guidelines and establish permitted levels of RF energy for the general population. The guidelines are based on standards that were developed by independent scientific organizations through periodic and thorough evaluation of scientific studies. The standards include a substantial safety margin designed to assure the safety of all persons, regardless of age and health. The exposure standard for wireless mobile phones employs a unit of measurement known as the Specific Absorption Rate, or SAR. The SAR limit set by the FCC is 1.6 W/kg. * Tests for SAR are conducted with the phone

transmitting at its highest certified power level in all tested frequency bands. Although the SAR is determined at the highest certified power level, the actual SAR level of the phone while operating can be well below the maximum value. This is because the phone is designed to operate at multiple power levels so as to use only the power required to reach the network. In general, the closer you are to a wireless base station antenna, the lower the power output. Before a phone model is available for sale to the public, it must be tested and certified to the FCC that it does not exceed the limit established by the government adopted requirement for safe exposure. The tests are performed in positions and locations (e.g., at the ear and worn on the body) as required by the FCC for each model. The highest SAR value for this model phone when tested for use at the ear is Maximum Reported 1g SAR (W/kg) and when worn on the body, as described in this user guide, is 0.853W/Kg(Body-worn measurements differ among phone models, depending upon available accessories and FCC requirements). While there may be differences between the SAR levels of various phones and at various positions, they all meet the government requirement for safe exposure. The FCC has granted an Equipment Authorization for this model phone with all reported SAR levels evaluated as in compliance with the FCC RFexposure guidelines. SAR information on this model phone is on file with the FCC and can be found under the Display Grant section of http://www.fcc.gov/oet/fccid after searching on FCC ID: 0550002123 Additional information on Specific Absorption Rates (SAR) can be found on the Cellular Telecommunications Industry Asso-ciation (CTIA) web-site at http://www.wowcom.com. * In the United States and Canada, the SAR limit for mobile phones used by the public is 1.6 watts/kg (W/kg) averaged over one gram of tissue. The standard incorporates a substantial margin of safety to give additional protection for the public and to account for any variations in measurements.

Documents / Resources



SWAGTEK M1C 4G LTE Mobile Router [pdf] Installation Guide

O550002123, 0002123, M1C, M1C 4G LTE Mobile Router, 4G LTE Mobile Router, LTE Mobile Router, Mobile Router, Router

Manuals+