



synaptics Astra Machina Foundation MIPI DSI LCM Module **User Guide**

Home » Synaptics » synaptics Astra Machina Foundation MIPI DSI LCM Module User Guide 🖺

synaptics Astra Machina Foundation MIPI DSI LCM Module





Contents

- **1 Application Note**
- 2 Overview
- 3 References
- **4 Revision History**
- **5 Customer Support**
- 6 Documents /

Resources

6.1 References

Application Note

Abstract: This application note provides instructions for connecting the Astra[™] Machina Foundation Series to a MIPI DSI LCD module using the Synaptics DSI LCM adapter board. It outlines the required hardware and key steps for setting up, ensuring proper integration with SL-Series processors for prototyping and evaluation.


Overview

The Astra[™] Machina Foundation Series offers evaluation-ready kits that facilitate quick and straightforward prototyping with the Synaptics SL-Series of embedded Linux® and Android™ processors. Featuring a modular design, these kits include interchangeable core compute modules, a standard I/O board and variety of daughter cards for connectivity, debugging, and various I/O configurations.

Scope

This document presents a clear connection diagram for the MIPI DSI LCD module, designed for use with the core module that incorporates the SL1680, SL1640, or SL1620 SoC. It specifies how to connect the MIPI DSI to the Haier-specific LCM using the Synaptics-designed DSI LCM adapter board.

Figure 1. Overview of Astra Machina Foundation Series




Accessories hardware items needed

- [a] Synaptics Astra Machina Foundation Series.
- [b] Synaptics MIPI-DSI_ LCDM_ Adapter for Haier LCM (PN: 730-C01077-01).
- [c] 50mm length of 22-pin/0.5mm pitch FFC cable.
- [d] Haier 8" 800×1280 LCD module T080ZC424A (PN: 730-001834-01)
- [e] USB customized cable with Type A and 2-pin/2.0mm pitch housing receptacle of both ends.
- [f] Auxiliary 5V power supply by either popular Mobile USB charging power or device port sourced by host, like the PC, etc.

Connection block diagram

Figure 2. Connection block diagram for MIPI DSI LCM Haier



Making the connections

- [a] Obtain any SL series Core Module that is equipped with the Astra I/O board.
- [b] Connect the LCM's integrated FPC cable to the 40-pin/0.5mm pitch FPC connector on the DSI LCM adapter board. Ensure the actuator of the FFC connector on the adapter board is open before inserting the FFC cable. For correct orientation, ensure the stiffener film on the FPC cable faces up, as illustrated in Figure 3 and Figure 4

Figure 3. Connector Actuator Status & FFC cable side



• [a] Connect a 51mm long FFC cable between the MIPI DSI connector on the Astra I/O board and the FFC connector on the DSI LCM adapter board, as depicted in Figure 2. Ensure the actuator of the FFC connector on both the I/O board and the DSI LCM Adapter is open before plugging in the FFC cable, as illustrated in Figure 3 and Figure 4.

Figure 4. Complete connection with DSI LCM Haier adapter



• [b] Connect the custom USB cable from Synaptics by inserting the white 2-pin end into the connector on the DSI LCM adapter board and the standard Type A end into any 5V USB charging power supply, as illustrated in Figure 2..

Basic information of MIPI DSI adapter for LCM Haier

- The Synaptics-designed DSI LCM adapter board features a 4-lane MIPI interface and supports Capacitive Touch Panel (CTP).
- The DSI output can support resolutions up to 800 x 1280 at 60 frames per second.

References

- Astra Machina Foundation Series Quick Start Guide (PN: 511-001404-01)
- Astra Machina SL1620 Developer Kit User Guide (PN: 511-001407-01)
- Astra Machina SL1640 Developer Kit User Guide (PN: 511-001405-01)
- Astra Machina SL1680 Developer Kit User Guide (PN: 511-001403-01)
- Synaptics MIPI-DSI_ LCDM _Adapter for Haier LCM (PN: 730-C01077-01)
- Haier 8" 800×1280 LCD module T080ZC424A (PN: 730-001834-01)

Revision History

Revision	Description
Α	Initial release
В	Minor update to latest template and fix trademark typo.

Notice

Use of the materials may require a license of intellectual property from a third party or from Synaptics. This document conveys no express or implied licenses to any intellectual property rights belonging to Synaptics or any other party. Synaptics may, from time to time and at its sole option, update the information contained in this document without notice.

INFORMATION CONTAINED IN THIS DOCUMENT IS PROVIDED "AS-IS," AND SYNAPTICS HEREBY DISCLAIMS ALL EXPRESS OR IMPLIED WARRANTIES, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, AND ANY

WARRANTIES OF NONINFRINGEMENT OF ANY INTELLECTUAL PROPERTY RIGHTS. IN NO EVENT SHALL SYNAPTICS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, PUNITIVE, OR CONSEQUENTIAL DAMAGES ARISING OUT OF OR IN CONNECTION WITH THE USE OF THE INFORMATION CONTAINED IN THIS DOCUMENT, HOWEVER CAUSED AND BASED ON ANY THEORY OF LIABILITY, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, AND EVEN IF SYNAPTICS WAS ADVISED OF THE POSSIBILITY OF SUCH DAMAGE. IF A TRIBUNAL OF COMPETENT JURISDICTION DOES NOT PERMIT THE DISCLAIMER OF DIRECT DAMAGES OR ANY OTHER DAMAGES, SYNAPTICS' TOTAL CUMULATIVE LIABILITY TO ANY PARTY SHALL NOT EXCEED ONE HUNDRED U.S. DOLLARS.

Customer Support

Copyright

Copyright © 2024-2025 Synaptics Incorporated. All Rights Reserved.

Trademarks

Astra Machina, Sy NAP, Synaptics and the Synaptics logo are trademarks or registered trademarks of Synaptics Incorporated in the United States and/or other countries.

Android is a trademark of Google LLC. Linux is the registered trademark of Linus Torvalds in the U.S. and other countries. All other trademarks are the properties of their respective owners.

Contact Us

Visit our website at www.synaptics.com to locate the Synaptics office nearest you.

PN: 506-001524-01 Rev B



Documents / Resources



synaptics Astra Machina Foundation MIPI DSI LCM Module [pdf] User Guide
Astra Machina Foundation MIPI DSI LCM Module, Machina Foundation MIPI DSI LCM Module,
Foundation MIPI DSI LCM Module, MIPI DSI LCM Module, Module, Module

References

- O Home | Synaptics
- O Home | Synaptics
- User Manual

Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.