



t akustik MOUNTING Instruction Manual


[Home](#) » [t akustik](#) » t akustik MOUNTING Instruction Manual 

Contents

- 1 t akustik MOUNTING
- 2 TOOLS
- 3 UNBOXING + REMOVE PRODUCTS
- 4 DETERMINE THE POSITION / MARK AND DRILL HOLES
- 5 INSERT ANCHORS AND SCREWS
- 6 ATTACH DIFFUSER
- 7 Documents / Resources
 - 7.1 References
- 8 Related Posts



t akustik MOUNTING



DIFFUSER

These instructions are for the following product: Grid.

TOOLS



The following tools are needed for installation:

- Cutter
- Electric drill
- Anchors (2 × 6 mm)
- Level
- Drill bits

- Screws
- Pencil

UNBOXING + REMOVE PRODUCTS



Open the package carefully! Inserting sharp objects into the package can damage the diffuser. Avoid using long, sharp tools for opening the package!
Carefully remove the products from the package and read the mounting instructions carefully. Remove the drilling template and set the diffuser aside.

DETERMINE THE POSITION / MARK AND DRILL HOLES




While determining the mounting positions, use a level and the supplied drilling template to mark the wall through the holes in the drilling template. Drill the holes.

INSERT ANCHORS AND SCREWS



Insert the supplied anchors into the drilled holes and fix two suitable screws in the anchors.

ATTACH DIFFUSER



Now you can attach the diffuser to the screws using the factory installed suspensions on the back side.

TIP: Make sure to examine the condition and load carrying capacity of the wall before installation.

Documents / Resources

	t.akustik MOUNTING [pdf] Instruction Manual MOUNTING
---	---

References

- [Home of t.akustik - t.akustik](#)
- [t.akustik - YouTube](#)

Manuals+.