

t bone Lucan System CC 200 RC User Guide

Home » t bone Lucan System CC 200 RC User Guide 🖺



Contents

- 1 t bone Lucan System CC 200 RC User Guide
- 2 Safety instructions
- 3 Features
- 4 Main product
- **5 Technical specifications**
- 6 Accessories and spare parts
- 7 Documents / Resources
 - 7.1 References
- 8 Related Posts

t bone Lucan System CC 200 RC User Guide



Quick start guide

This quick start guide contains important information on the safe operation of the product. Read and follow the safety advice and instructions given. Retain the quick start guide for future reference. If you pass the product on to others please include this quick start guide.

Safety instructions

Intended use

This device is used to convert acoustic signals into electrical ones. Any other use or use under other operating conditions is considered to be improper and may result in personal injury or property damage. No liability will be assumed for damages resulting from improper use.

Danger for children

Ensure that plastic bags, packaging, etc. are disposed of properly and are not within reach of babies and young children. Choking hazard! Ensure that children do not detach any small parts (e.g. knobs or the like) from the unit. They could swallow the pieces and choke! Never let unattended children use electrical devices.

Caution

- Never remove the screen holding the capsule, as this may damage the microphone!
- Never drop the mic, as this may cause severe damage!
- When the microphone is not in use, take it out of its clamp and put it in its case. Clean with damp cloth only.

Where to use the product

Never use the product

- · in direct sunlight
- · in conditions of extreme temperature or humidity
- · in extremely dusty or dirty areas

- · at locations where the unit can become wet
- · near magnetic fields

General handling

- To prevent damage, never use force when operating the switches and controls.
- Never immerse the appliance in water. Just wipe it with a clean dry cloth. Do not use liquid cleaners such as benzene, thinners or flammable cleaning agents.

Keep foreign substances from the unit!

Keep the device away from containers with liquids. Should any liquid get into the unit, this could lead to its destruction or re. Be sure not to let any metal objects into the unit.

Features

- Condenser Instrument microphone
- Easy installation with different instrument holders for many different instruments (not included)
- Flexible gooseneck for easy alignment on the instrument Incl. foam windscreen.
- · Detachable cable with screw contact
- 3-pin mini XLR connector for operation with t.bone wireless systems (also suitable for Sirus and AKG wireless systems)
- Delivery including phantom power adapter (phantom power required for operation) and hard case (with space for one of the optional holders)

Main product



Technical specifications

Directivity	Cardioid
Frequency response	30 Hz - 20 kHz
Sensitivity	-38 dB ±2 dB
Max. sound pressure level (SPL)	130 dB
Signal-to-noise ratio	71 dB

Impedance	100 Ω
Distortion	<1 %
Gooseneck length	120 mm
Cable length	approx. 2 m
Hardcase dimensions (L × W × H)	260 mm × 130 mm × 70 mm

Accessories and spare parts

Holder for guitar Name Ladat System CE 200 GH Israelise: \$00230

Missiphone holder for clamping to guitan, or similar instruments with a thickness of 73 to 120 year.



Holder for Hollin Rame Lucin System CC 200 VM Nem no: 506251

Micrograms holder for claraging to violes or similar instruments with a finishness of 15 to 55 mm.



Holder for clarimet. Name: Lucan Sydem CC 308 Ele hom-no: 900212

Microphone huider for futing to clarities, or similar instruments with a strong Velcro strig up to a diameter of 65 mm.



Holder for planso Name Lucie System-CC 200 (No litem no: 508250

fillionghave holder for attaching to planos or similar instruments with a strong magnet.



Multi holder

Name: Lacan System CC 200 MH from no.: 500235

Microphone helder for aligning to sale, samphone, tromburus, carrier or similar testinaments up to 23 nem thick.



Stand holder Name Issoen System CC 300 5H item no: 580036

Microphone helder for screning onto all tripods with a standard S/S' thread



Replacement phentom adapter Name Lucian System CC 208 PA Bott no: 500242

Plantom adapter for the Lacan System CC 200 RC:mini-XCR to RCR



Replacement cable Name Lucan System-CC 200 CA. Boro no: 500044

Mire some pack to more BUT for opsection with Libbne mindres systems take optrable for Sirus and AMS were less sockerns) length-approx. 2 m.



Hardcase

Name: Lucan System CC 200 BH

Item no.: 500255

Large hard case with space for all system components (microphone, phantom adapter, cable, 1 × holder each GH, VH, CH, PH, MH, SH).


Dimensions (L × W × H):

330 mm × 220 mm × 70 mm





For the transport and protective packaging, environmentally friendly materials have been chosen that can be supplied to normal recycling. Ensure that plastic bags, packaging, etc. are properly disposed of. Do not just dispose of these materials with your normal household waste, but make sure that they are collected for recycling. Please follow the notes and markings on the packaging.



Thomann GmbH • Hans-Thomann-Straße 1 • 96138 Burgebrach • www.thomann.de • info@thomann.de

Read More About This Manual & Download PDF:

Documents / Resources



t bone Lucan System CC 200 RC [pdf] User Guide Lucan System CC 200 RC

References

• **@** Welcome – Thomann United States

Manuals+.