



T-LED BAG001 Bagon LED Surface Mounted Luminaire Installation Guide

[Home](#) » [T-LED](#) » T-LED BAG001 Bagon LED Surface Mounted Luminaire Installation Guide 

Contents

- [1 T-LED BAG001 Bagon LED Surface Mounted Luminaire](#)
- [2 Product Information](#)
- [3 Product Usage Instructions](#)
- [4 Dimensions](#)
- [5 Technical specification](#)
- [6 What is in the box](#)
- [7 Installation guide](#)
- [8 FEATURES](#)
- [9 CONTACT](#)
- [10 Documents / Resources](#)
 - [10.1 References](#)



T-LED BAG001 Bagon LED Surface Mounted Luminaire



Product Information

- **Name:** BAGON
- **Dimensions:**
 - W: 18W (600mm), 36W (1200mm)
 - A: 600mm
 - B: 60mm
 - C: 36mm
- **Technical Specification:**
 - Kelvin:
 - 18W (60cm):
 - 3000K, 1800lm
 - 4000K, 1850lm
 - 6500K, 1900lm
 - 36W (120cm):
 - 3000K, 3800lm
 - 4000K, 3850lm
 - 6500K, 3900lm
 - BAG001
 - OFF/VYPNOUT OFF
 - L N
 - 25000h
 - CRI
 - 220-240V~ 50Hz
 - IP44
- **Manufacturer:** T-LED s.r.o.
- **Website:** www.t-led.cz


Product Usage Instructions

1. Installation should only be carried out by a qualified person.

2. Make sure the power is turned off (OFF/VYPNOUT) before starting the installation.
3. Refer to the provided L and N markings for correct electrical connections.
4. Once installed, turn the power on (ON/ZAPNOUT).
5. This product has a lifespan of 25000 hours.
6. Ensure the input power is within the range of 220-240V~ and 50Hz.
7. The product has an IP44 rating, indicating it is protected against solid objects larger than 1mm and water splashing from any direction.

Dimensions


W	18W	36W
A	600mm	1200mm
B	60mm	60mm
C	36mm	36mm



Technical specification

Kelvin	18W (60cm)	36W (120cm)
3000K	1800lm	3800lm
4000K	1850lm	3850lm
6500K	1900lm	3900lm


What is in the box



WARNING: Installation can be carried out by a qualified person only

Installation guide

1. All handling with the luminaire must be carried out only when the luminaire is disconnected from the mains.
2. Screw the bracket on the ceiling.
3. Take of the cover of the connector and connect the cables.
4. Put the cover back in place.
5. Push the tube into the surface bracket.
6. Turn on the switch of the mains.




FEATURES



CONTACT

- www.t-led.cz.
- T-LED s.r.o.
- Žitná 610/23, 110 00 Prague
- The Czech Republic

Documents / Resources

	<p>T-LED BAG001 Bagon LED Surface Mounted Luminaire [pdf] Installation Guide BAG001 Bagon LED Surface Mounted Luminaire, BAG001, Bagon LED Surface Mounted Luminaire, Surface Mounted Luminaire, Mounted Luminaire, Luminaire</p>
---	---

References

- [💡 T-LED | E-shop s LED osvětlením | Svižte vás, plažte máčá](#)