T-LED DIGI03 WI-FI 24Key RGBIC LED Controller User Manual

T-LED DIGI03 WI-FI 24Key RGBIC LED Controller

User Manual

USER INSTRUCTION

WI-FI 24Key RGBIC LED Controller

LED mobile phone Bluetooth controller

Product Features

- Built-in Mems microphone ,real-time acquistion of music and environmental sound intensity.
- Led Strip Light sync to music, contains a variety of musical rhythm modes.
- Infrared Remote Controller Control(Optional).
- Press key to switch color and mode.
- Control by TuyaSmart APP..
- Works with Amazon alexa and Google home and so on.
- Different color control of each group of LED point.
- The software shows that the text is based on the language of the mobile phone set up automatic transformation of Chinese,English and other local languages.

Product Paramters

- Category   : Led Controllert
- SPI Strip Type : WS2811 WS2812
- Sound Sensor   : Mems MIC
- Lnput Voltage   : DC(5-24) V
- APP   : TuyaSmart
- IP Rating   : IP20
- Language : Chinses、English、Japenese、Germen、Italian、Spanish and many more
- Operation Platform : Android 4.0 or IOS 9.0 orhigher
- Set Up : Maximum can be 10 meters SPI driven strip, up to 200 pixels.
- Work For : Led Strip or other constant voltage lights
- Domination Principle : WiFi

Remoto Musical(Versión Avanzada)

Turn Off — **off** **Auto** **On** — Turn On / Auto

Music Activation Mode — [1] [2] [3]

[-1H-] [-2H-] [-3H-] — Timing Off Mode

Increase/Decrease Speed — SPEED+ MODE+ / SPEED- MODE- — Brightness Adjustment

— Dynamic Mode

9 RGB Colors — R G B

RGB music controller

Plastic film

Controller Mode

- Voice Control Sensor
- Music Activation Mode
- Turn Off
- Functional Mode

Wire Connection

Arrow to Arrow

IR Controller

AC/DC Power Adapter

Software Manual
Download and Install App

Use your phone to scan the QR code below or search "Tuya Smart " in application marker to Download and install the App


Register/Login/Forget password

Register:Register your account to the following tips before using at the first time.If you have an account,please enter the password to login directly.

Login:Input the correct account number and password to login.

Forgert your password:You can enter the login page to retrieve your password.

Add Device-Normal mode

In the main application page, click on the top right corner "+" to next window page and then choose Lighting, as shown below. In normal mode, please confirm that the device red light is quickly blink and then into the next step.

Note:

If the light is not flash, please power on your device, and then power off (repeat 3 times), until the red light will quickly blink , also you can long press the "ON" button of the infrared remote control (5-10seconds) ,until the red light will quickly blink.

If add the device in Normal mode fails many times, please go to Add Device-AP mode

Add Device-AP mode

In the main application page,click on the top right corner "+" to next window page and then choose Lighting,as shown below.

In normal mode, click on the top right corner "AP Mode" to AP Mode window page.

In AP Mode,please confirm that the device red light is slowly blink and then into the next step.

Note:
If the light in quickly blink,just press the controller with 5-10 seconds again,and the red light will slowly blink.

If the light neither slowly blink nor quickly blink.First press the "mode" key of the controller with 5-10 seconds to keep the red light in the quickly blink ,Second release the button and then press the controller with 5-10 seconds again,the red light will slowly blink.

Add Device

Power on the light and confirm
that light blinks slowly

Help

Confirm light slowly blink

Enter Wi-Fi Password

Only support 2.4GHz Wi-Fi
network

wendinglife'600   Change Network

Password

Confirm

Connect your mobile phone to the device's hotspot

1. Connect the phone to the hotspot
shown below

SmartLife_XXXX

Go to Connect

WLAN

WLAN

WLAN+
Enhanced Internet experience   On

AVAILABLE NETWORKS

SmartLife-2CB9
Connected

wendinglife1688
Saved, encrypted(good quality)

TP-LINK_5G_6402
Encrypted

TP-LINK_6402
Encrypted

ChinaNet-LFSj
Encrypted (WPS available)

Leica F20300
Encrypted

WLAN

WLAN

WLAN+
Enhanced Internet experience   On

AVAILABLE NETWORKS

SmartLife-2CB9
Connected (no Internet access)

wendinglife1688
Saved, encrypted (available)

TP-LINK_5G_6402
Encrypted

TP-LINK_6402

No Internet access

Switch to other available networks? Choosing
No will leave you on the same network.

NO   **YES**

Connecting...

Place your router, mobile phone, and
device as close as possible

3%

✓ Router found
✓ Register Device to Smart Cloud
✓ Initializing device

Add Device

Device added successfully

LED Strip Light ✎

Living Room

Done

公园 ▾   ⊕ **+**

☁ Overcast

29.0°C   Excellent   Excellent
Outdoor Tem   Outdoor PM2.5   Outdoor Hum

All Devices   Living Room   ...

LED Strip Light   ⏻
Living Room

Control devic

After successfully connecting the devices,the related smart device will be shown on the home page.Tap to enter its control page

Note:

1. when device is online,it supports quick operations.

2. when device is offline, it displays "Offline".and can not be controlled.


Color

Mode

Music

Timer

LED Strip Light Sync to Music Function

Enter music mode and play music with any device,and the led strip light will sync to music

Note:

The volume of mobile phone is relatively small, it's better to use Bluetooth audio

1.Customers can choose mobile phone microphone or device microphone according to different needs

2.Customers can choose different modes according to different scenarios.

LED Strip Light Mode Function

Customers choose their favorite mode according to the scene.

1.Click Edit in the top right corner to enter custom scene.

2.Customers can DIY their own mode according to their preferences.

3.You can add/delete/modify the color displayed and change the speed of color switching.

4. If you are not satisfied, you can reset the settings

# Works with Amazon Aexa

Works with Google Assistant

FAQ

1.How to reset the controller?
Press the "mode" key of the controller with 5-10 seconds

2.How to get more help?

Attentions

1. Please use the product in a dry environment.
2. Please use the input voltage at 4.5-25V DC voltage, must
   not connect into 220V AC directly.
3.In the process of the product and software upgrade,the data
   and software interface listed in the text are only for description
   and reference.No further notify will given if there is any change.

WARNING

★ DO NOT IMMERSE IN FIRE

★ CHILDREN UNDER THE AGE OF 16 SHOULD USE THIS PRODUCT UNDER ADULT SUPERVISION.

If you have any question after receiving the products, please contact our customer service, we will reply to you within 24 hours.

CE RoHS
FC ♻ 🗙

Contents

Documents / Resources

	T-LED DIGI03 WI-FI 24Key RGBIC LED Controller [pdf] User Manual 063510, IR24, DIGI03 WI-FI 24Key RGBIC LED Controller, DIGI03, WI-FI 24Key RGBIC LED Controller, 24Key RGBIC LED Controller, RGBIC LED Controller, LED Controller, Controller

References

- **User Manual**