

Tarzan T301F Remote Control Transmitter User Manual

Home » Tarzan » Tarzan T301F Remote Control Transmitter User Manual





Remote Control Transmitter User Manual T301F

Contents

- 1 OPERATING THE REMOTE CONTROL
- 2 Documents / Resources
- **3 Related Posts**


OPERATING THE REMOTE CONTROL

Remote Control only: Install two AAA 1.5 volt batteries (included). To prevent damage to transmitter remove the battery if not used for long periods of time.

A.1,2,3,4,5and 6 button:

These six buttons are used to set the fan speed as follows:

- 1 = minimum speed
- 2 =low speed
- 3 = medium low speed
- 4 = medium speed
- 5 = medium high speed
- 6 = high speed





This button is used to change the direction of the rotation of the blades; forward for warm weather or reverse for cool weather.

c. button:

This button turns the power Off to the Fan.

D. Top Button:

This button to select the desired color temperature.

NOTE:To change the color temperature of the light press the button once to cycle between the light temperature. The light must be powered on.


E. Bottom Button:

This button turns the light ON or OFF and also control the brightness settings of the light.

Press and release the button for the desired light to turn the light ON or OFF. Press and hold the button to set the desired light brightness. The light will cycle between bright and dim settings as long as the button is pressed. The light key has an automatic auto-resume feature that allows the light to remain at the same brightness as the last time it was turned off.

The auto learning function will only mandate within 60 seconds when turning the fan's AC power ON.

- 1. Select desired frequency from the back of transmitter.
- 2. Press the transmitter's" button, and hold the "button for over 5 seconds. Once the receiver has detected the frequency, the fan will automatically begin to operate and start to run for 10 seconds. If a light kit is installed, the light will blink two times.



User Manual (Note/Warning/Caution)

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and (2) this device must accept any interference recerved, including interference that Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules.

These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radkate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

Hf this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user isencouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the recerving antenna.
- tncrease the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consuit the dealer or an experienced radio/TV technician for help.

Note: The Grantee is not responsible for any changes or modifications not expressly approved by the party responsible for compliance. Such modifications could void the user's authority to operate the equipment.

The device has been evaluated to meet general RF exposure requirement.

This equipment complies with FCC's RF radiation exposure limits set forth for an uncontrolled environment. This device and its antenna(s) must not be co-located or conjunction with any other antenna or transmitter.


Remote Control only: install two AAA 1.5 volt batteries (included). To prevent damage to transmitter remove the battery # not used for long periods of time.

A. 1, 2, 3, 4, 5 and 6 button:

These six buttons are used to set the fan speed as follows:

1 = minénum speed

- 2 = low speed
- 3 = medium low speed
- 4 = medium speed
- 5 = medium high speed
- 6 = high speed



B. Reverse button:

This button is used to change the direction of the rotation of the blades; forward for warm weather or reverse for cool weather.


C. button:

This button tums the power Off to the Fan.

D. Top Button:

This button tums the up light ON or OFF and also control the brightness Settings of the up light.

Press and release the button for the desired light to turn the up light ON or OFF. Press and hoki the button to set the desired light brightness. The up light will cycle between bright and dim settings as long as the button is pressed. The light key has an automatic auto-resume feature that allows the up light to remain at the same brightness as the last time it was turned off.



E. Beton Beton:

This tums the down light ON or OFF and also control the brightness settings of the down light.


Press and release the button for the desired light to turn the down light ON or OFF. Press and hold the button to set the desired light brightness.

The down light wil cycle between bright and dim settings as long as the button is pressed. The light key has an automatic auto-resume feature that allows the down light to remain at the same brightness as the last time it was turned off.

F. Color temperature button to select the desired color temperature.

The auto learning function wil only mandate within 60 seconds when turing the fan's AC power ON.

- 1. Select desired frequency from the back of transmitter.
- 2. Press the transmitter's learning button. Once the receiver has detected the frequency, the fan will automatically begin to operate and start to run for 10 seconds. If a light kit is installed, the light will blink two times.



User Manual (Note/Warning/Caution)

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and (2) this device must accept any interference recerved, including interference that Note: This equipment has been tested and found to comply with the lim#ts for a Class B digital device, pursuant to past 15 of the FCC Rules.

These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determaved by turning the equipment off and on, the user isencouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- ncrease the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Note: The Grantee is not responsible for any changes or modifications not expressly approved by the party responsible for compliance.

Such modifications could void the user's authority to operate the equipment.

The device has been evaluated to meet general RF exposure requirement.

This equipment complies with FCC's RF radiation exposure limits set forth for an uncontrolled environment. This device and its antenna(s) must not be co-located or conjunction with any other antenna or transmitter.



Documents / Resources



Tarzan T301F Remote Control Transmitter [pdf] User Manual

2ATB5-T301G, 2ATB5T301G, T301G, T301F Remote Control Transmitter, Remote Control Transmitter, Transmitter

Manuals+,