



tc electronic Bucket Brigade Analog Delay Pedal User Guide

[Home](#) » [tc electronic](#) » tc electronic Bucket Brigade Analog Delay Pedal User Guide 


tc electronic Bucket Brigade Analog Delay Pedal



Contents

- [1 Function Overview](#)
- [2 Controls](#)
- [3 Specification](#)
- [4 LEGAL DISCLAIMER](#)
- [5 LIMITED WARRANTY](#)
- [6 Documents / Resources](#)
 - [6.1 References](#)
- [7 Related Posts](#)

Function Overview




Controls

1. **OUT** – Send the signal to other pedals or a guitar amp via 1/4" cable.
2. **9 V DC** – Connect a standard 9 V power supply (not included).
3. **IN** – Connect your guitar via 1/4" cable.
4. **DEPTH** – Adjusts modulation depth (only active when MOD is engaged).
5. **LED** – Lights when the pedal is engaged.
6. **DELAY** – Adjusts the delay time up to 600 ms.
7. **VOL** – Adjusts the volume of the delay repeats.
8. **FEEDBACK** – Controls how many repeats are heard. At max settings the pedal will go into wild self-oscillation.
9. **MOD** – Engages modulation of the delay repeats.
10. **FOOTSWITCH** – Press to engage or bypass the pedal. True bypass leaves the guitar signal completely

unaffected whenever the pedal is not engaged.

Note – Modulation speed can be adjusted via an internal trimpot. Remove 4 screws on the side of the pedal and input/output nuts to access the modulation Speed trimpot.



Specification

Connectors	
Input	1/4" TS, unbalanced
Impedance	> 350 kΩ
Output	1/4" TS, unbalanced
Power input	Standard 9 V DC, center neg, 40 mA
Physical	
Dimensions	5 x 57 x 56 mm (3.7 x 2.3 x 2.2")
Weight	0.30 kg (0.66 lbs)

LEGAL DISCLAIMER


Music Tribe accepts no liability for any loss which may be suffered by any person who relies either wholly or in part upon any description, photograph, or statement contained herein. Technical specifications, appearances and other information are subject to change without notice. All trademarks are the property of their respective owners. Midas, Klark Teknik, Lab Gruppen, Lake, Tannoy, Turbosound, TC Electronic, TC Helicon, Behringer, Bugera, Oberheim, Auratone, Aston Microphones, Aston Microphones and Coolaudio are trademarks or registered trademarks of Music Tribe Global Brands Ltd. © Music Tribe Global Brands Ltd. 2021 All rights reserved.

LIMITED WARRANTY

For the applicable warranty terms and conditions and additional information regarding Music Tribe's Limited Warranty, please see complete details online at musictribe.com/warranty

tc electronic

Documents / Resources

	<p>tc electronic Bucket Brigade Analog Delay Pedal [pdf] User Guide Bucket Brigade Analog Delay Pedal, BUCKET BRIGADE ANALOG DELAY Analog BBD Delay Pedal with 600 ms Delay Time Warm Repeats Optional Modulation and Depth Control</p>
--	---

References

-  [Music Tribe](#)