

tc electronic Flashback 2 X4 Delay Flagship Delay Pedal User Guide

Home » tc electronic » tc electronic Flashback 2 X4 Delay Flagship Delay Pedal User Guide 🖺

tc electronic Flashback 2 X4 Delay Flagship Delay Pedal



Contents

- 1 Controls
 - 1.1 LEGAL DISCLAIMER
 - **1.2 LIMITED WARRANTY**
- 2 Specifications
- 3 FEDERAL COMMUNICATIONS COMMISSION COMPLIANCE INFORMATION
- 4 Documents / Resources
 - 4.1 References
- **5 Related Posts**

Controls



- (1) **Delay Type –** Select delay type, TonePrint 1-6, or the looper.
- (2) **SUBDIV** Select the rhythmic subdivision of the beat, or your own custom setting.

- (3) **DELAY** Adjusts the delay time.
- (4) **FEEDBACK** Determines the number of delay repeats.
- (5) **BANK/STORE** Press the switch up to toggle between presets 1-3 or 4-6. Press the switch down to store the current settings to the selected preset.
- (6) **LEVEL** Adjusts the level of the delay repeats.
- (7) MASH LED Indicates the intensity of MASH functionality-
- (8) **Footswitches** Tap to select presets 1-3 or 4-6, depending on the Bank 1/2 setting. Press and hold a footswitch to engage MASH and control the selected parameter.
- (9) **TAP** Press in rhythm to enter the delay tempo. Also performs undo/redo in looper mode. Press and hold footswitch to engage MASH and control the selected parameter.
- (10) **INPUT** Connect your guitar to the Mono input using a standard ¼" instrument cable. If using a stereo signal, connect the left channel to Mono and right channel to Stereo.
- (11) **OUTPUT** Connect a standard ¼" instrument cable to the Mono output jack and to the next pedal in your chain, or to an amplifier. If using a stereo signal, send the left signal from the Mono jack and the right signal from the Stereo jack.
- (12) **EXP** Connect an optional expression pedal to control parameters like delay time or feedback level.
- (13) **BYPASS** Select between True Bypass or Buffered Bypass operation.
- (14) **KILL DRY** Engage Kill Dry to remove the direct signal, sending only the delay signal to the outputs.
- (15) **POWER** Connect a 9 V / ≥300 mA power supply.
- (16) **USB** Connect to a computer for firmware updates and TonePrint editing.
- (17) **MIDI** Connect standard 5-pin DIN cables to control preset changes, MASH, potentiometer values, and more.

LEGAL DISCLAIMER

Music Tribe accepts no liability for any loss which may be suffered by any person who relies either wholly or in part upon any description, photograph, or statement contained herein. Technical specifications, appearances and other information are subject to change without notice. All trademarks are the property of their respective owners. Midas, Klark Teknik, Lab Gruppen, Lake, Tannoy, Turbosound, TC Electronic, TC Helicon, Behringer, Bugera, Oberheim, Auratone, Aston Microphones, Aston Microphones and Coolaudio are trademarks or registered trademarks of Music Tribe Global Brands Ltd. © Music Tribe Global Brands Ltd. 2021 All rights reserved.

LIMITED WARRANTY

For the applicable warranty terms and conditions and additional information regarding Music Tribe's Limited Warranty, please see complete details online at musictribe.com/warranty

Specifications

Connectors	
Inputs	2 x 1/4" TS, unbalanced
Impedance	≥1 MΩ
Outputs	2 x 1/4" TS, unbalanced
Impedance	100 Ω
Expression pedal input	1/4" TRS connector
USB port	Mini USB connector for firmware updates and TonePrint Ap
MIDI In/Thru	5-pin DIN connector
Bypass mode	True bypass (buffered bypass selectable)
Power	
Connector	Standard 9 V DC, center negative, ≥300 mA (included)
Physical	
Dimensions (HWD)	56 x 235 x 145 mm (2.2 x 9.3 x 5.7")
Weight	1.3 kg (2.9 lbs)

Operation Ambient Temperature up to 45°C

FEDERAL COMMUNICATIONS COMMISSION COMPLIANCE INFORMATION

TC Electronic FLASHBACK 2 X4 DELAY

Responsible Party Name:

Music Tribe Commercial NV Inc.

Address:

5270 Procyon Street, Las Vegas NV 89118, United States

Phone Number:

+1 702 800 8290

FLASHBACK 2 X4 DELAY

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

• Reorient or relocate the receiving antenna.

- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This equipment complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- 1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation.

Important information:

Changes or modifications to the equipment not expressly approved by MUSIC Tribe can void the user's authority to use the equipment.

Hereby, Music Tribe declares that this product is in compliance with Directive 2014/35/EU, Directive 2014/30/EU, Directive 2011/65/EU and Amendment 2015/863/EU, Directive 2012/19/EU, Regulation 519/2012 REACH SVHC and Directive 1907/2006/EC.

Full text of EU DoC is available at https://community.musictribe.com/

EU Representative: Music Tribe Brands DK A/S

Address: Ib Spang Olsens Gade 17, DK - 8200 Aarhus N, Denmark



Documents / Resources



tc electronic Flashback 2 X4 Delay Flagship Delay Pedal [pdf] User Guide Flashback 2 X4 Delay, Flagship Delay Pedal, Flashback 2 X4 Delay Flagship Delay Pedal

References

Music Tribe

Manuals+, home privacy